5/16/84 S6995-1(G)A-

VITAL STATISTICS ANNUAL REPORT 1982

Division of Vital Statistics

RHODE ISLAND DEPARTMENT OF HEALTH

Joseph E. Cannon,M.D.,M.P.H. Director

STATE

OF

RHODE ISLAND AND PROVIDENCE PLANTATIONS

DEPARTMENT OF HEALTH

VITAL STATISTICS

ANNUAL REPORT

1982

STATE OF
RHODE ISLAND

DEPARTMENT OF
HEALTH

Joseph E. Cannon, M.D., M.P.H.
DIRECTOR OF HEALTH

Edward J. Martin, State Registrar
Division of Vital Statistics

Joseph Aldorisio
Senior Research Technician

Roberta A. Chevoya
Principal Research Technician

PREFACE

The information tabulated in this report was derived chiefly from certificates of birth, death, marriage, divorce, and fetal death filed in the Division of Vital Statistics, as required by state law, for vital events occurring in Rhode Island. Information was also extracted from transcripts of birth and death certificates, filed in other states, for vital events occurring there to Rhode Island residents.

The filing and editing of the Rhode Island vital records, as well as the extracting and converting to machine-readable form of data contained on the certificates, were carried out by the Division of Vital Statistics, with partial support from federal contract HRA 282-83-2037. This contract with the National Center for Health Statistics represents the participation of the Department of Health in the Vital Statistics Cooperative Program.

Joseph E. Cannon, M.D., M.P.H.
DIRECTOR OF HEALTH

March 1984

A C K N O W L E D G E M E N T S

This report is the product of the efforts of many individuals. Thanks are extended to Marcia Lipkind, a graduate intern from Yale University, who helped with statistical compilation and computer production of tables; to Janine Vary, of the Division of Management Services, for technical assistance; to Marion Duckworth and Karen Johnson, of the Division of Vital Statistics, who were responsible for word processing; to Alan Poon and Joan Annarummo, of the Office of Health Promotion, for the graphs and charts; and to Wayne Aldrich and his staff, of the Division of Management Services, for printing the report.

TABLE OF CONTENTS

		Page
Introduction		1
Table A	Vital Statistics Summary: Rhode Island, 1978-1982 and 1968-1972	1
Figure 1	Population Densities of Rhode Island Cities and Towns According to the 1980 Census	2
Figure 1A	Rhode Island Population by Age and Sex, 1980	4
Figure 1B	Rhode Island Population by Age and Sex, 1970	5
Figure 2	Crude Birth and Death Rates per 1,000 Population: Rhode Island, 1953-1982	6
Table B	Rhode Island Occurrence Births at Home, 1972-1982	7
Figure 2A	Natural Increase - Numbers of Persons Added to Rhode Island Population, 1970-1982	8
Figure 3	First Live Birth Rates by Year: 1970, 1975, 1980, and 1982, by Age of Mother	10
Figure 3A	Birth Out-of-Wedlock Ratios by Age of Mother: Rhode Island Residents, 1973-1982	12
Figure 4	Infant and Neonatal Mortality Rates: Rhode Island and the United States, 1958-1982	16
Table C	Median Ages by Sex for All Causes and for Ten Leading Causes of Death: Rhode Island Residents, 1982	18
Figure 5A	Rates from the Five Leading Causes of Death in 1982 with Comparable Rates for 1973-1981, Rhode Island Residents	19
Figure 5B	Rates from the Sixth to Tenth Leading Causes of Death in 1982, with Comparable Rates for 1973-1981, Rhode Island Residents	20
Figure 6	Leading Causes of Death for Each Sex: Rhode Island 1982	21
Table D	Five Leading Cancer Sites by Sex,Rhode Island Residents,1982	22
Figure 7	Five Leading Primary Sites of Malignant Neoplasm Deaths by Sex: Rhode Island, 1982	23
Figure 8	Leading Causes of Death by Specified Age Group: Rhode Island 1982	24

TABLE OF CONTENTS

		Page
Figure 9	Leading Causes of Death by Specified Age Group: Rhode Island, 1982	25
Figure 10	Leading Causes of Death by Specified Age Group: Rhode Island, 1982	26
Table E	Resident Accidental Deaths by Type by Sex: Rhode Island, 1982	27
Table F	Deaths from Motor Vehicle Accidents, Rhode Island Residents, 1973-1982	27
Figure 11	Leading Causes of Death from Accidents, by Type of Accident: Rhode Island, 1982	28
Table G	Rhode Island Resident Deaths and Death Rates for Other Leading Causes in 1982, with Provisional U.S. Rates	31
Figure 12	Marriage Rates per 1,000 Population: Rhode Island and the United States, Occurrence Data, 1973-1982	33
Figure 13	Divorce Rates per 1,000 Population: Rhode Island and the United States, Occurrence Data, 1973-1982	33
Table 1	United States Census Popoulation of Rhode Island by Race and Sex, and Age by Sex, 1970 and 1980	37
Table 2	Population of Rhode Island Cities and Towns by County: Census of 1970 and 1980, and 1982 Estimate	38
Table 3	Number of Live Births, Deaths, and Marriages with Rates by City and Town: Rhode Island, 1982	39
Table 4	Population, Live Births, Deaths, Marriages, and Divorces with Rates per 1,000 Population: Rhode Island, 1953-1982 .	40
Table 5	Number of Infant, Neonatal and Perinatal Deaths with Rates, Rhode Island Residents, 1953-1982	41
Table 6	Resident Deaths by City or Town of Residence by Age, Race and Sex, Rhode Island, 1982	42
Table 7	Deaths and Death Rates for Leading Causes in 1982 and for Comparable Causes in 1973-1981	48
Table 8	Selected Health Characteristics for Rhode Island Residents by Neighborhood and City or Town: Five-year Totals with Average Rates, 1978-1982	49

TABLE OF CONTENTS

		Page
Table 9	Number of Births Out of Wedlock with Ratio per 1,000 Live Births: Rhode Island 1959-1982 (Rhode Island Residents) . .	52
Table 10	Resident Births Out of Wedlock with Ratio per 1,000 Total Births in Specified Age Group: Rhode Island, 1973-1982 . .	52
Table 11	Resident Live Births by Sex and Race of Child and Age of Mother and Live Birth Order, Rhode Island, 1982	53
Table 12	Resident Births Out of Wedlock by Age of Mother, Sex of Child, Race and Live Birth Order, Rhode Island 1982	57
Table 13	Resident Live Births by Age of Mother, Race, and Birth Weight, Rhode Island, 1982	61
Table 14	Resident Plural Live Births by Age of Mother, Race and Birth Weight, Rhode Island, 1982	64
Table 15	Resident Live Births Out of Wedlock by Age of Mother, Race and Birth Weight, Rhode Island, 1982	67
Table 16	Births by City or Town of Residence by Selected Characteristics, Rhode Island, 1982	70
Table 17	Resident Live Births by City or Town by Month, Rhode Island, 1982	71
Table 18	Selected Natality Data by City or Town by Census Tract, Rhode Island Residents, 1982	72
Table 18A	Births and Births Out of Wedlock, 1982: All Ages and Teen-Ages by City or Town of Residence	80
Table 19A	Fetal Deaths Occurring in Rhode Island by Race of Fetus, Weeks of Uterogestation, and Mode of Delivery, 1982	81
Table 19B	Fetal Deaths Occurring in Rhode Island by Month of Delivery by Weeks of Uterogestation, 1982	81
Table 20	Resident Fetal Deaths Occurring in Rhode Island by Mode of Delivery, by City or Town and Census Tract of Mother's Residence, by Marital Status of Mother, 1982	82
Table 21	Induced Fetal Deaths by Age and Marital Status of Mother and by Number and Nature of Previous Deliveries to Mother, Rhode Island Occurrences 1982	90
Table 22A	Spontaneous Fetal Deaths of 20 Weeks or More Uterogestation Occurring in Rhode Island by Number of Child in Total Birth Order, Number of Previous Fetal Deaths and Age of Mother, 1982	94

TABLE OF CONTENTS

		Page
Table 22B	Spontaneous Fetal Deaths Occurring in Rhode Island by Number of Child in Total Birth Order, Number of Previous Fetal Deaths, and Age of Mother, 1982	95
Table 23	Spontaneous Fetal Deaths of 20 Weeks or More Uterogestation Occurring in Rhode Island by Weight of Fetus and Age of Mother, 1982	96
Table 24	Fetal Deaths Occurring in Rhode Island by Selected Cause of Death and Weeks of Uterogestation, 1982	97
Table 25	Resident Deaths from 72 Selected Causes by Race, Age, and Sex: Rhode Island 1982	98
Table 26	Resident Deaths by City or Town by Month, Rhode Island,1982	111
Table 27	Resident Infant Deaths from 61 Selected Causes by Age, Rhode Island, 1982	112
Table 28	Resident Accidental Deaths, with Non-Motor Vehicle Accidents Shown, by New England Standard Location by Sex and Age: Rhode Island, 1982	114
Table 29A	Selected Mortality Data by City or Town by Census Tract, Rhode Island Residents, 1982	116
Table 29B	Selected Mortality Data by City or Town by Census Tract, Rhode Island Residents, 1982	124
Table 30	Resident Accident Deaths by Type and Age: Rhode Island,1982	132
Table 31	Ten Leading Causes of Death by Sex, with Rates: Rhode Island, 1982	133
Table 32	Five Leading Causes of Death in Specified Age Groups: Rhode Island, 1982	134
Table 33	Number of Marriages and Persons Married by City and Town of Residence of Bride and Groom: Rhode Island, 1982 (Rhode Island Occurences)	136
Table 34	Marriages Occurring in Rhode Island by Age of Bride, Age of Groom, 1982	137
Table 35	Marriages Occurring in Rhode Island by Age at Marriage and Previous Marital Status of Bride and Groom, 1982 . . .	138

TABLE OF CONTENTS

		Page
Table 36	Number of Times Married for Brides by Number of Times Married for Grooms: Rhode Island, 1982 (Rhode Island Occurrences)	139
Table 37	Marriages Occurring in Rhode Island by Previous Marital Status of Bride and Groom, 1982	139
Table 38	Marriages According to Last Grade of School Completed by Bride According to Last Grade of School Completed by Groom: Rhode Island, 1982	140
Table 39	Divorces Occurring in Rhode Island by Age of Wife, by Age of Husband, 1982	141
Table 40	Divorces by Number of Times Married before this Divorce by Sex: Rhode Island, 1982 (Rhode Island Occurrences) . .	141
Table 41	Divorces by Marital Status and Age of Husband and of Wife: Rhode Island, 1982 (Rhode Island Occurrences) . . .	142
Table 42	Number of Divorces of Remarried Persons by Previous Marital History: Rhode Island, 1982 (Rhode Island Occurrences) . .	142
Table 43	Number of Divorces by County with Number of Children Under Eighteen Known to be Affected: Rhode Island, 1982 (Rhode Island Occurrences)	143
Table 44	Divorces According to Last Grade of School Completed, by Sex: Rhode Island, 1982 (Rhode Island Occurrences)	144

INTRODUCTION

This report includes data from all 1982 vital records received by 15 April 1983. Because of the exchange of birth and death records between states, it is possible to publish the number of births and deaths occurring in Rhode Island regardless of the place of residence (occurrence data) and the number of births and deaths of Rhode Island residents regardless of the place of occurrence (resident data). Both resident and occurrence data are shown for births and deaths in Table 3, by city or town of occurrence and by city or town of residence. Resident rates for births and deaths are computed using the number of vital events occurring to residents of each city and town and the population estimates shown in Table 2.

As shown in Table 3, the Division of Vital Statistics recorded 13,032 births which occurred in Rhode Island in 1982, of which 1,022 were non-residents; 489 births occurred outside the state to Rhode Island residents, yielding a total of 12,499 resident live births in 1982. The resident rate was 13.0 per 1,000 population. In 1982, the number of deaths recorded in the state was 9,101; non-residents accounted for 586, and 460 deaths to Rhode Island residents were recorded in other states. The total number of resident deaths, therefore, was 8,975, yielding a rate of 9.4 deaths per 1,000 population.

Vital Statistics Summary

Table A, shown below, compares vital statistics data and average rates for the five-year period 1978-1982 with average rates for the years 1968-1972. Rates averaged over five years reduce the effect of random fluctuations that may occur when comparing single years.

Table A - Vital Statistics Summary: Rhode Island, 1978-1982 and 1968-1972

(Birth and Mortality Data are for Rhode Island Residents; Fetal Death, Marriage and Divorce Data are for Rhode Island Occurrences)

	1978-1982		Five-Year Average 1968-1972		Per Cent
Item	Number	Rate	Number	Rate	Change In Rate
Live Births#	12,094	12.8	14,937	15.7	- 18.5
Deaths#	9,064	9.6	9,480	10.0	- 4.0
Infant Mortality*	146	12.0	298	19.9	- 39.7
Neonatal Mortality*	111	9.2	231	15.4	- 40.3
Perinatal Mortality**	159	13.1	315	20.9	- 37.3
Maternal Mortality***	1	0.8	2	1.3	- 38.5
Fetal Deaths (of 28 weeks or more Uterogestation)*	66	5.4	125	8.3	- 34.9
Marriages#	7,515	7.9	7,567	8.0	- 1.2
Divorces#	3,541	3.7	1,549	1.6	+131.2
Census Population (1980 and 1970	947,154		949,723		- 0.3

\# Rate per 1,000 Population
* Rate per 1,000 Live Births
** Rate per 1,000 Live Births plus Fetal Deaths of 28 Weeks or more Gestation
*** Rate per 10,000 Live Births

The average birth rate over the past five years (12.8 per 1,000 population) was 18 per cent lower than the five-year average rate of 15.7 observed a decade ago. The average death rate over the past five years (9.6) was four per cent below the five-year average rate of 10.0 a decade ago. The

FIGURE 1 - POPULATION DENSITIES OF RHODE ISLAND CITIES AND TOWNS ACCORDING TO THE 1980 CENSUS



most recent five-year average infant mortality rate (death within the first year of life) was 12.0 per 1,000 live births -- 40 per cent lower than the five-year average of 19.9 a decade ago. The 1978-1982 neonatal mortality rate of 9.2, including infants who died before the 28th day of life, was 40 per cent lower than the rate of 15.4 observed for the period 1968-1972. Perinatal mortality, as used here, refers to early infant deaths (under 7 days old) combined with late fetal deaths (products of conception of 28 weeks or more gestation showing no signs of life following delivery). The average perinatal mortality rate over the past five years was 13.1 per 1,000 live births combined with late fetal deaths, 37 per cent lower than the five-year average a decade ago (20.9).

There was little change in the average marriage rate for the five-year period 1978-1982 when compared with the average rate of a decade ago; the rate declined one per cent, from 8.0 to 7.9.

The average divorce rate for the period 1978-1982 showed a marked increase -- the rate more than doubled from the five-year period 1968-1972. Caution should be observed when analyzing marriage and divorce rates for two reasons. First, it is difficult to compare marriage and divorce rates because the divorce rate for a specified period refers to any persons divorced during that period of time, regardless of the length of the marriage. Since the great majority of persons obtaining a divorce have been married for more than one year, the divorce rate for that year has no direct relationship to the marriage rate in that same year. Second, because there is no complete exchange of marriage and divorce records among the states, marriages and divorces of Rhode Island residents occurring outside the state are not included in Rhode Island rates.

RHODE ISLAND POPULATION

Table 1 shows the 1970 and 1980 population figures for the state by race and sex and also by age and sex, showing the per cent change for each category between 1970 and 1980. The population pyramids illustrated in Figures 1A and 1B show population shifts within each age group, by sex, reflected in the 1970 and 1980 censuses.

The male population declined three per cent between 1970 and 1980, (464,291 to 451,251); the female population increased by three per cent (482,434 to 495,903). The black population increased nine per cent (25,338 to 27,584); other non-white population was 2 1/2 times as great in 1980, and the white population decreased two per cent (914,757 to 896,692).

Figure 1 illustrates the population density by city or town according to the 1980 Census. Central Falls, with 14,162 persons per square mile was the most densely populated. Other cities with a density greater than 5,000 were: Providence, 8,663; Pawtucket, 8,091; Woonsocket, 5,812; and North Providence, 5,121 persons per square mile. The five least populous towns and their densities were: West Greenwich, 54; New Shoreham, 62; Foster, 66, Exeter, 77; and Richmond, 99 persons per square mile. The State average was 903 persons per square mile in 1980.

The statewide population estimates for 1982, shown in Table 2, were obtained from Current Population Reports, February 1983, Series P-25, No. 927. Estimates for counties and individual cities and towns were obtained by extrapolation of the 1982 statewide estimates, using the proportions from the 1980 census, which appear in Table 2.

FIGURE - 1A

Rhode Island Population by Age + Sex, 1980



FIGURE - 1B

Rhode Island Population by Age + Sex, 1970



FIGURE 2 - CRUDE BIRTH AND DEATH RATES PER 1,000 POPULATION: RHODE ISLAND, 1953 - 1982



Natural Increase

Natural increase (the excess of resident births over resident deaths) resulted in the net addition of 3,524 persons to the Rhode Island population in 1982. This is the sixth consecutive year that the natural increase has been higher in comparison to the preceding year. Until 1977, the amount of natural increase had been decreasing for several years. (See Figure 2A).

L I V E B I R T H S

There were 12,499 resident live births recorded for Rhode Island in 1982, yielding a resident rate of 13.0 per 1,000 population. In Rhode Island, the birth rate had decreased steadily from 1959 until 1975, reaching the all-time low rate of 11.6 in both 1975 and 1976. Although the birth rate has shown a slow but steady increase overall from 1976 to 1981, the rate declined one per cent from 1981 to 1982. It will take several years to determine whether the decline signals a general levelling off of the birth rate or whether the decline is the result of random fluctuation. (See Table 4 and Figure 2 for the annual variations in births and birth rates over the past 30 years).

Home Births

There continues to be a great deal of interest focused on midwifery and home births, both nationally and locally. Until 1978, when the Rhode Island Department of Health promulgated regulations for the licensing of midwives, there was only one licensed midwife practicing in Rhode Island. Since 1978, the number of licensed midwives has increased to ten.

Although the rate of home births occurring in Rhode Island increased steadily from 1972 to 1979, the rate has levelled off since then. (See Table B below).

Table B - Rhode Island Occurrence Births at Home, 1972-1982

Year	Occurrence Births	Home Births	
	Total Number	Number	Per Cent
1972	13,496	33	0.2
1973	12,647	28	0.2
1974	11,696	26	0.2
1975	10,957	20	0.2
1976	11,102	24	0.2
1977	11,937	36	0.3
1978	11,785	51	0.4
1979	12,251	71	0.6
1980	12,574	66	0.5
1981	12,866	74	0.6
1982	13,032	82	0.6

Fertility Rates

The fertility rate is a more precise measure of reproduction than the crude birth rate, but it can be determined accurately only in census years. The fertility rate for 1980 was 56.4 per 1,000 female Rhode Island residents aged 15-44. Assuming the ratio of females to the female population in this age group is the same as in 1980, the fertility rate for 1981 was 57.4 per 1,000 estimated females aged 15-44, an increase of two per cent over 1980. The estimated fertility rate for 1982 was 57.2, a decrease of less than one per cent from 1981.

FIGURE 2A - NATURAL INCREASE

NUMBERS OF PERSONS ADDED TO RHODE ISLAND POPULATION

(BIRTHS MINUS DEATHS) 1970 - 1982



The table below shows age-specific fertility rates for Rhode Island during 1960, 1965, 1970, and 1980. The fertility rate decreased for all age groups between 1970 and 1980; the largest decrease occurred in the 40-44 age group, for which the fertility rate dropped by 68 per cent.

Fertility Rates by Age of Mother, 1960, 1965, 1970 and 1980
(Rates per 1,000 Female Population in Specified Age Groups)

Age of Mother in Years	1960	1965	1970	1980	Per Cent Change Between 1970 and 1980
TOTAL(15-44)	108.7	98.8	84.9	56.4	-33.6
15-19	56.9	47.7	45.2	32.9	-27.2
20-24	236.8	212.6	163.4	89.3	-45.3
25-29	206.9	192.9	155.3	104.2	-32.9
30-34	122.1	111.4	79.6	57.6	-27.6
35-39	61.5	54.3	35.6	15.9	-55.3
40-44	14.7	13.7	9.3	3.0	-67.7

Five-Year Average Rates by Residence

Average annual rates of birth for the past five years may be seen in Table 8 for the state as a whole and for each city or town and census tract of residence. Birth rates were computed using the 1980 census population. The average birth rate for the state for 1978 to 1982 was 12.8 per 1,000 population in 1980.

Daily Average

Rhode Island mothers delivered an average of 34.2 babies per day in 1982, compared with 34.1 in 1981, 33.2 in 1980, 32.5 in 1979, and 31.5 in 1978. The highest daily average for 1982 occurred in September, with 37.1 births per day. The lowest daily average, 31.9 per day, occurred in November.

Sex Ratio

In 1982, there were 6,408 male children and 6,091 female children born to Rhode Island residents. The ratio of males to females was 1,052 males per 1,000 females.

Births by Race

In 1982, there were 11,185 resident white births and 1,275 resident non-white births (90 and 10 per cent, respectively, of those births where race was reported). There has been a gradual but steady increase over the years in the percentage of non-white resident births: 1962, four per cent; 1972, seven per cent; and 1981, 10 per cent, the same percentage as reported for 1982.

First Births

In 1982, first births accounted for 46 per cent of all deliveries, the same percentage as reported for 1981 and 1980. Similar percentages have been experienced in the last several years; first births accounted for 45 per cent of all deliveries for 1976-1979 and for 44 per cent of all deliveries for 1974-1975.

FIGURE 3 RATES FOR FIRST LIVE BIRTHS OF RHODE ISLAND RESIDENTS BY AGE OF MOTHER: 1970, 1975, 1980, and 1982



Recently, there has been increasing interest in the age at which Rhode Island women have their first child. The rate of first live births per the female population in specified five-year age groups for the years 1970, 1975, 1980, and 1982 is shown in Figure 3. Census population figures were used to compute rates for 1970 and 1980. The 1975 population figures were computed by interpolating between the 1970 and 1980 censuses. The 1982 population figures were computed using the statewide population estimate for 1982 obtained from Current Population Reports, and extrapolating from the proportions of females in the 1980 census in each specified age group being studied.

Figure 3 shows that the age at which Rhode Island women have chosen to start their families has increased over the past thirteen years. A steady decrease is observed in the rate of first births among women aged 15-19 over the years studied. A large drop in the rate of first births among women aged 20-24 occurred between 1970 and 1975, followed by a steady increase from 1975 through 1982 in the rate of first births among women aged 25-29 and 30-34.

Second or Higher in Birth Order

The percentage of second births to Rhode Island residents has remained fairly constant during the last several years, ranging from 32 to 34 per cent. A gradual downturn seems evident in the last few years in the percentage of births third or higher in birth order: from 23 per cent in 1974 and 1975, falling to 22 per cent in 1976, dropping further to 21 per cent from 1977 to 1981. A further drop occurred in 1982 to 20 per cent.

Low Birth Weight Infants

The rate of low birth weight infants (those weighing five pounds, eight ounces or less) averaged 62.7 per 1,000 live births over the past five years. In 1982, there were 760 low birth weight infants delivered to Rhode Island residents (60.8 per 1,000 live births). The non-white ratio (110.6) was double the white ratio of 55.1. Low birth weight infants by race may be seen in Table 16 by city or town of mother's residence. Low birth weight infants by age of mother may be seen in Table 13; low birth weight infants by plural birth may be seen in Table 14.

Table 16 shows low birth weight infants, the number of infants born in hospitals and the number born out of wedlock, by race and by city or town of residence. Table 18 shows all births, births out of wedlock, low-weight births, births with malformations, and births by the month prenatal care began, all distributed by city or town and census tract of mother's residence.

Births Out of Wedlock

Births out of wedlock accounted for 16 per cent of all resident births in 1982 (a ratio of 160.7 per 1,000 live births). The non-white ratio (396.1) was three times the white ratio (132.7). The average birth out of wedlock ratio for the past five years (152.2) was three per cent above the five-year average of 147.2 for 1977-1981. The ratio has increased steadily each year since 1959; the ratios for 1959-1982 may be seen in Table 9. Although the U.S. birth out of wedlock ratio for 1982 is not yet available, the U.S. ratio in the past years has been consistently above that observed in Rhode Island.

Birth out of wedlock ratios by age of mother are shown in Figure 3 and Table 10 for 1973-1982. In 1982, women under 20 years of age had considerably

FIGURE 3A - BIRTH OUT OF WEDLOCK RATIOS PER 1,000 LIVE BIRTHS BY AGE OF MOTHER, RHODE ISLAND RESIDENTS 1973-1982



A	UNDER 20 YEARS	544.0
B	20-24 YEARS	191.7
C	25-29 YEARS	73.4
D	30-34 YEARS	51.1
E	35 YEARS AND OVER	68.8

higher ratios than any other group, continuing a trend of rising birth out of wedlock ratios for this age group over the last ten years. The ratio of mothers aged 20-24 has also increased steadily since 1973, when a ratio of 87.8 was observed; the birth out of wedlock ratio for this age group reached a high of 191.7 in 1982. The ratios for women aged 25-29 have also increased steadily from 1973-1982. Although the birth out of wedlock ratios for women 30 years of age and older has increased overall since 1973, some fluctuation has been observed from year to year.

Births out of wedlock to teenagers by city or town of residence are shown in Table 18A. Births out of wedlock to teenagers accounted for 54.4 per cent of all births to teenagers in 1982, an increase of three per cent over 1981.

Teenage Pregnancy

In order to analyze pregnancy outcome for teenagers, it is necessary to include both births and fetal deaths occurring to teenagers. Table 18A shows births to teenagers by city or town of residence for 1982. There were 1,410 resident births to teenagers in 1982, along with 68 spontaneous fetal deaths and 2,228 induced terminations occurring to teenagers in Rhode Island, regardless of the teenager's residence, for a total of 3,706 teenage pregnancies; the rate of teenage pregnancies per 1,000 estimated female residents aged 15-19 for 1982 was 81.4, a decrease of four per cent from 1981.

FETAL DEATHS

Definition

The definition of fetal death used in this state is that of the World Health Organization, which is as follows: "Fetal death means death prior to complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that, after such expulsion or extraction, the fetus does not breathe or show any other evidence of life, such as the beating of the heart, pulsation of the umbilical cord, or definite movement of the voluntary muscles".

Background Information

The Rhode Island abortion law was technically declared unconstitutional early in 1973, with the United States Supreme Court decision on the Texas and Georgia Laws. Following that decision, the Rhode Island Department of Health adopted Rules and Regulations for the termination of pregnancy that became effective in mid-June, 1973. One of the provisions of these Rules and Regulations made the reporting of all fetal deaths mandatory, regardless of the length of gestation; this requirement was also mandated by legislation passed in 1976 by the Rhode Island legislature. Prior to 1973, mandatory reporting applied only to fetal deaths of 20 weeks or more uterogestation (from date of mother's last normal menstrual period to date of delivery). As a result, interpretation of fetal death data, other than late fetal deaths, cannot be compared with years prior to 1974, the first full year that data on early fetal deaths was required.

1982 Data

The number of fetal deaths occurring in Rhode Island, rather than resident data, are shown in most tables since there is not a complete exchange of fetal death certificates among the states. Twenty-four per cent of the fetal deaths in Rhode Island in 1982 occurred to non-residents, while the number of fetal deaths to Rhode Island residents reported from other states was insignificant.

There were 8,400 occurrence fetal deaths recorded in Rhode Island in 1982, an increase of three per cent over the 8,118 recorded in 1981. The majority of the fetal deaths (92 per cent) were induced terminations (Table 19A). The number of induced terminations increased by three per cent in 1982, when compared with 1981. As in the past few years, the majority of fetal deaths (98 per cent) were under twenty weeks uterogestation. Only 14 of the induced terminations were known to be over twenty weeks gestation; whereas, 115 of the spontaneous fetal deaths (16 per cent) were known to be over twenty weeks gestation. Table 19B displays the number of fetal deaths occurring in Rhode Island by month of delivery and weeks of gestation. The highest daily average (26.6) occurred in February; the lowest daily average (19.8) occurred in September. The daily average for 1982 was 23.0 fetal deaths per day.

Resident fetal deaths by mother's marital status and census tract of mother's residence may be seen in Table 20. Seventy per cent of the resident fetal deaths occurred to unmarried women. In those cases where marital status was stated only 22 per cent of the spontaneous fetal deaths occurred to unmarried women, whereas 76 per cent of the induced terminations occurred to unmarried women. Caution should be exercised in utilizing data by census tract; wide variations, attributable to random fluctuations, can occur where the numbers are small.

All induced terminations occurring in Rhode Island in 1982 may be seen in Table 21 by age, marital status, and previous delivery history of mother. Teenagers accounted for 29 per cent of all induced terminations; almost all of these teenagers (96 per cent) were unmarried. Of the 2,821 women aged 20-24 (37 per cent of the total), the great majority of this group (81 per cent) were unmarried. Of the 2,165 women in the age group 25-34 (28 per cent of the total) over half the women (58 per cent) were unmarried. Six per cent of all induced terminations were to women aged 35 and older; of this group, 37 per cent were unmarried.

In 1982, 47 per cent of all induced terminations (Table 21) were to women who had no previous deliveries. Twenty-three per cent of women having an induced termination in 1982 had had one previous delivery; in 56 per cent of the cases the previous deliveries were induced terminations, 40 per cent were live births, and five per cent were spontaneous fetal deaths. Twenty-two per cent of the women had had two or three previous deliveries, while only eight per cent had had four or more previous deliveries.

Spontaneous fetal deaths of 20 weeks or more uterogestation are shown in Table 22A by total birth order, number of previous fetal deaths, and age of mother; Table 22B shows all spontaneous fetal deaths by the same parameters. Twenty-seven per cent of spontaneous deliveries of 20 weeks or more gestation, and 34 per cent of all spontaneous deliveries, were first deliveries. Second and third deliveries accounted for 43 per cent of the 20 weeks and over group and for 46 per cent of all spontaneous fetal deaths. Fourth or higher delivery order accounted for 13 per cent of the spontaneous fetal deaths of 20 weeks and over gestation and for 16 per cent of all spontaneous fetal deaths. The number of 20 weeks and over spontaneous fetal deaths where birth order was unknown totalled 17 per cent; of all spontaneous fetal deaths, five per cent were of unknown birth order. The majority of the mothers were under age 30, accounting for 76 per cent of spontaneous fetal deaths of 20 weeks or more gestation and for 69 per cent of all spontaneous fetal deaths.

Table 23 illustrates the number of spontaneous fetal deaths of 20 weeks or more uterogestation for 1982 by age of the mother and fetal weight. Forty-nine per cent of the fetuses were of low weight (less than 5 lbs. 8 oz.).

Cause of death and weeks of uterogestation for all fetal deaths are shown for 1982 in Table 24.

PERINATAL MORTALITY

Perinatal mortality, as used here, refers to fetal deaths of 28 weeks or more uterogestation combined with deaths that occurred before the seventh day of life. The 1982 perinatal mortality rate, 11.5 per 1,000 live births, combined with late fetal deaths, decreased nine per cent from the rate of 12.7 observed in 1981. The 1982 rate is the lowest rate experienced in the past thirty years (Table 5). The five-year average perinatal mortality rate (1978-82) of 13.1, shown in Table A, was 37 per cent lower than the five-year average of 20.9 a decade ago (1968-72).

INFANT DEATHS

Definition

Infant death is defined as a death occurring within the first year of life.

1982 Data and Average Rates

There were 125 resident infant deaths in 1982, yielding a rate of 10.0 per 1,000 live births. The rate represents a decrease of 15 per cent from the rate of 11.7 observed in 1981 and was the lowest infant mortality rate experienced in the last thirty years. The average infant mortality rate for the last five years (12.0) was 40 per cent lower than the average rate (19.9) for 1968-72 (Table A). Average rates for the past five years are shown in Table 8 by city or town and neighborhood of residence. The provisional national infant death rate for 1982 was 11.2 per cent, 12 per cent higher than the Rhode Island rate.

Infant Deaths By Race

The 1982 non-white infant death rate was 15.7, per 1,000 births and was 67 per cent above the white rate of 9.4. Although there was a significant decrease in the non-white infant death rate from 32.1 in 1979 to 11.9 in 1980, the rate for non-whites increased 21 per cent in 1981. The 1982 non-white rate of 15.7 represents a nine per cent increase over the rate of 14.4 observed in 1981. In contrast, in 1982 the white rate (9.4) decreased 17 per cent from the rate of 11.3 observed in 1981.

Infant Deaths by Cause and by Residence

Infant deaths are shown as a subset of all deaths by 72 selected causes of death in Table 25 and by 61 selected causes of infant deaths by the age at death in Table 27. Infant deaths by city or town and census tract of residence are shown in Tables 29A and 29B.

NEONATAL DEATHS

Neonatal deaths (infant deaths that occurred prior to the 28th day of life) accounted for 80 per cent of infant deaths in 1982. Eighty-six per cent of all neonatal deaths occurred before the seventh day of life; sixty per cent of all neonatal deaths occurred before the end of the first day (Table 27).

The average neonatal death rate for the past five years, 9.2 per 1,000 live births, was 40 per cent lower than the five-year average rate of 15.4 observed a decade ago (Table A).

FIGURE 4 - INFANT AND NEONATAL MORTALITY RATES: RHODE ISLAND AND THE UNITED STATES, 1958-1982



A	United States Infant Death Rate	11.2
B	Rhode Island Infant Death Rate	10.0
C	United States Neonatal Death Rate	7.6
D	Rhode Island Neonatal Death Rate	8.0

Neonatal deaths by city or town and census tract of residence are shown in Tables 29A and 29B.

D E A T H S

There were 8,975 Rhode Island resident deaths recorded in 1982, yielding a crude rate of 9.4 deaths per 1,000 estimated population. The 1982 rate was two per cent lower than the rate for 1981 and four per cent lower than the 1980 rate. The 1982 rate was the lowest for the past 30 years. Table 4 and Figure 2 show that the Rhode Island death rate has remained fairly stable during this period, with a slight decrease during the last ten years.

The 1982 state rate was 9 per cent higher than the provisional U.S. rate of 8.6. The Rhode Island death rate has been somewhat higher than the national rate for several years. A major factor in this difference is the percentage of elderly people in the population of Rhode Island: according to the 1980 census, the percentage of persons aged 65 and over in the state was 19 per cent higher than for the nation.

The number of deaths by city or town of occurrence and by city or town of residence, along with resident rates, is shown in Table 3.

Distributions of Rhode Island deaths by age, race, and sex are shown in Tables 6 and 25: 97 per cent white vs 3 per cent non-white and 51 per cent male vs 49 per cent female.

Resident deaths for each city or town by age, race, and sex for the entire year are shown in Table 6 and by month in Table 26. The daily average was 24.6 deaths per day in 1982. The highest daily average was in January, with 26.9 deaths per day; the lowest in September, with 20.9 per day. All deaths and deaths from selected causes appear by city or town and census tract of residence in Tables 29A and 29B.

Average annual death rates for the past five years are given in Table 8 by city or town and neighborhood of residence. Death rates were computed per 1,000 population according to the 1980 census. The median age for all deaths was 74.6 years. For all females, the median age at death was 78.1; for white females, 78.3; and for non-white females, 69.1. The male median was 71.3; for white males, 71.6; for non-white males, 60.0. (See Table C). The non-white medians may not be statistically significant, since they are based on small totals; however, the non-white median ages have been consistently below the median age, both on a national and state level.

Deaths By Cause

The Ninth Revision of the International Classification of Diseases (ICD) was first used in the classification of deaths for 1979. As has occurred in previous revisions of this mortality classification system, many changes were introduced, resulting in serious breaks in comparability between the Ninth and Eighth Revisions (in use from 1968-1978) for several cause-of-death categories. Ratios of comparability between the two Revisions have been computed to measure this discontinuity.

A ratio of 1.00 indicates that the same number of deaths was assigned to a particular cause of death category by both Revisions. In general, a ratio lower than 1.00 indicates either that fewer deaths were assigned to a particular category by the Ninth Revision than by the Eighth or that the cause of death category, as defined by the Ninth Revision, is only a part of the comparable Eighth Revision category. A ratio higher than 1.00 indicates the reverse

situation. (For a more comprehensive discussion of the methodology and interpretation of comparability ratios, see "Monthly Vital Statistics Report", Vol. 28, No. 11, Supplement, February 1980).

Table 7 shows the 20 leading causes of death for 1982, with the numbers and rates for the same causes for 1979, 1980, and 1981, and for the comparable cause categories for 1973 to 1978, along with the corresponding comparability ratios. These 20 causes of death accounted for 92 per cent of all deaths in 1982. The first four causes (diseases of the heart, malignant neoplasms, cerebrovascular diseases, and accidents) have been the four leading causes for many years, although the gap between accidents and chronic obstructive pulmonary diseases (the fifth leading cause of death) is narrowing rapidly. The ten leading causes accounted for 87 per cent of all deaths; rates for the ten leading causes may be seen in Figures 5A and 5B for the past ten years. The five leading causes of death for each sex are illustrated in Figure 6.

Table 31 shows the ten leading causes of death by sex, with rates for 1982 and 1981, and the per cent change in rates. The number of deaths for the five leading causes of death in each age group are shown in Table 32, along with age specific death rates in 1982 and 1981 and the per cent change in rates. Median ages for all causes of death and for the ten leading causes of death, by sex, are shown in Table C below:

Table C - Median Ages by Sex for All Causes and for Ten Leading Causes of Death - Rhode Island Residents, 1982

Causes	Male	Female	Total
ALL CAUSES	71.3	78.1	74.5
1. Diseases of the Heart	72.6	80.8	77.0
2. Malignant Neoplasms	70.4	70.8	70.5
3. Cerebrovascular Diseases	76.7	83.9	81.3
4. Accidents and Adverse Effects	40.0	67.5	49.0
5. Chronic Obstructive Pulmonary Disease and Allied Conditions	75.5	76.3	75.7
6. Diabetes Mellitus	69.9	78.9	75.7
7. Pneumonia and Influenza	80.8	84.2	82.6
8. Chronic Liver Disease and Cirrhosis	62.1	62.5	62.3
9. Suicide	33.7	45.0	35.6
10. Atherosclerosis	77.8	85.0	82.0

Cardiovascular Diseases is not ranked as a cause of death, but includes five cause of death categories, four of which were among the 20 leading causes. The five categories are: Diseases of the Heart (rank 1); Cerebrovascular Diseases (rank 3); Atherosclerosis (rank 10); Hypertension with or without Renal Disease (rank 16); and Other Diseases of Arteries, Arterioles, and Capillaries. There were 4,535 deaths from cardiovascular diseases in 1982 (Table 25), representing 51 per cent of all deaths (48 per cent for males and 53 per cent for females). The provisional national rate was 420.5 per 100,000 estimated population, 11 per cent lower than the state rate of 473.4.

Diseases of the Heart has been the leading cause of death historically, both nationally and in the state. The rate has remained fairly constant for many years and was 387.5 per 100,000 estimated population in 1982 (Figure 5A). Of all deaths in 1982, 40 per cent of the males and 42 per cent of the females died from heart disease. It appears as one of the five leading causes in all age groups over age 19, as shown in Table 32 and in Figures 8, 9, and 10. It was the leading cause of death among persons 65 years of age and over (46 per

FIGURE 5A - RATES FROM THE FIVE LEADING CAUSES OF DEATH IN 1982, WITH COMPARABLE RATES FOR 1973-1981, RHODE ISLAND RESIDENTS



FIGURE 5B - RATES FROM THE 6th - 10th LEADING CAUSES OF DEATH IN 1982, WITH COMPARABLE RATES FOR 1973-1981, RHODE ISLAND RESIDENTS



F DIABETES MELLITUS – – –

G PNEUMONIA AND INFLUENZA ———

H CHRONIC LIVER DISEASE AND CIRRHOSIS — —

I SUICIDE — . —

J ATHEROSCLEROSIS — . —

FIGURE 6 - LEADING CAUSES OF DEATH BY SEX: RHODE ISLAND RESIDENTS, 1982



MALE

FEMALE

cent of deaths in this age group). The provisional national rate was 327.8 in 1982, 15 per cent lower than the state rate.

Malignant Neoplasms Including Neoplasms of Lymphatic and Hematopoietic Tissues with 25 per cent of all deaths, was the second leading cause of death in Rhode Island, as well as in the United States, in 1982. The state rate was 231.1 per 100,000 estimated population; the provisional national rate was 188.1, 19 per cent below the state rate. Malignant neoplasms was the second leading cause of death for both males and females (Table 31 and Figure 6), accounting for 26 per cent of male deaths and 24 per cent of female deaths. Malignant neoplasms appears as one of the five leading causes of death in all age groups, as shown Table 32 and Figures 8, 9, and 10). It was one of the leading causes of death among persons aged 20-44 (22 per cent of deaths in this age group), and the leading cause of death among persons 45-64 (36 per cent of deaths among this age group).

The five leading primary sites for each sex are shown in Table D, below, and in Figure 7. All major sites may be seen in Table 25 by race, age and sex.

Table D - Five Leading Cancer Sites by Sex, Rhode Island Residents, 1982

MALE			FEMALE		
Site	Number	Per Cent	Site	Number	Per Cent
1. Respiratory and Intrathoracic Organs	413	35	1. Digestive Organs and Peritoneum	336	32
2. Digestive Organs and Peritoneum	360	31	2. Breast	189	18
3. Genital Organs	100	8	3. Respiratory and Intrathoracic Organs	155	15
4. Urinary Organs	69	6	4. Genital Organs	121	12
5. Lymphatic and Hematopoietic Tissue (Other than Leukemia)	49	4	5. Lymphatic and Hematopoietic Tissue (Other than Leukemia)	55	5

Cerebrovascular Diseases, with 595 resident deaths and a rate of 62.1 per 100,000 population, was the third leading cause of death in 1982. Eight per cent of the females and five per cent of the males died from this cause (Table 31 and Figure 6). The female rate, 73.2 was 46 per cent above the male rate of 50.0. The provisional national rate was 68.9, eleven per cent above the state rate.

Cerebrovascular diseases are primarily diseases of maturity. The median age among decedents in this category was 81.3, nine per cent higher than for all deaths in 1982 (Table C). Only two per cent of these decedents were under 45 years of age, and just seven per cent were younger than 60 years old. In contrast, seven per cent of all decedents were less than 45 years old, and eighteen per cent were less than 60 years old.

Accidents ranked fourth among the leading causes in 1982, accounting for 271 deaths and a rate of 28.3 per 100,000 estimated population. For many years, the Rhode Island accidental rate has been lower than the national rate. The 1982 state rate was 31 per cent lower than the provisional U.S. rate of 41.3.

FIGURE 7 - FIVE LEADING PRIMARY SITES - MALIGNANT NEOPLASMS, BY SEX, 1982



FIGURE 8 - LEADING CAUSES OF DEATH [illegible] RHODE ISLAND RESIDENTS, 1992



UNDER 5 YEARS

[illegible]

FIGURE 9 - LEADING CAUSES OF DEATH BY SPECIFIED AGE GROUP: RHODE ISLAND RESIDENTS, 1982



FIGURE 10 - LEADING CAUSES OF DEATH BY SPECIFIED AGE GROUP: RHODE ISLAND RESIDENTS, 1982



AGES 65 AND OVER

Table E - Resident Accidental Deaths by Type by Sex: Rhode Island, 1982

Type of Accident	Total	Males	Females
All Accidents*(E800-E949)	271	174	97
Railway Accidents(E800-E807)	1	1	0
Motor Vehicles(E810-E825)	121	85	36
Water Transport(E830-E838)	8	4	4
Poisoning(850-869)	8	7	1
Falls(880-888)	70	36	34
Fires and Flames(890-899)	13	7	6
Drowning(910)	15	12	3
Food/Object Inhalation(911-912)	11	6	5
Electric Current(925)	1	1	0
All Other (Residual)	23	15	8

* For complete titles, see Table 30.

Accidents were a major factor in death among both males and young people. Males accounted for 64 per cent of all accidental deaths and 47 per cent of the decedents were under 45 years of age. Thirty per cent of all accidental deaths occurred to males younger than 35 years old. Table 31 shows that the accidental death rate for males (38.1 per 100,000 estimated population) was almost double that for females (19.3).

Except for persons 45 years of age and over, accidents ranked as one of the five leading causes in each age group shown in Table 32 and was the leading cause in the age groups 5-19 years and 20-44 years. This information is shown in Figures 8, 9, and 10. Accidental deaths occurred predominantly among young males. The median age at death for all accidents was 49.0 years (40.0 years for males and 67.5 for females). (See Table C). Accidental deaths are also shown by age of decedent and type of accident in Table 30 and Figure 11 nd by location of accident in Table 28.

Motor Vehicle Accidents were responsible for the deaths of 121 Rhode Island residents, 45 per cent of all resident accidental deaths in 1982, accounting for a rate of 12.6 per 100,000 estimated population. Table F, below, gives the number of Rhode Island resident deaths and rates for motor vehicle accidents for the years 1973-1982.

Table F - Deaths from Motor Vehicle Accidents, Rhode Island Residents, 1973-1982
(Rates per 100,000 Population)

Year	Number	Rate	Year	Number	Rate
1973	151	15.6	1978	124	13.3
1974	130	13.8	1979	140	15.1
1975	125	13.5	1980	140	14.8
1976	142	15.3	1981	116	12.2
1977	158	16.9	1982	121	12.6

Rhode Island's death rate from motor vehicle accidents has remained below the national rate for many years. The state's 1982 death rate was 37 per cent lower than the provisional national rate of 20.1.

Males accounted for 70 per cent of the 1982 deaths from motor vehicle accidents. The 85 male deaths in this category also represented 49 per cent of all accidental deaths to males. The median age at death was 28.8 for all motor vehicle accidents (28.6 for males and 30.0 for females).

FIGURE 11 - LEADING CAUSES OF DEATH FROM ACCIDENTS, RHODE ISLAND RESIDENTS, 1982



Table 30 distributes Rhode Island deaths from motor vehicle accidents by type of accident by age of decedent. Highway collisions accounted for 103 (85 per cent) of all motor vehicle accidents to Rhode Island residents during 1982.

Non-Motor Vehicle Accidents accounted for 150 of the 271 accidental deaths (55 per cent) to Rhode Island residents in 1982. These non-motor vehicle accidents were distributed as follows: falls, 47 per cent; drowning, 10 per cent; fires and flames, 9 per cent; inhalation of food or other object, 7 per cent; poisoning and water transport accidents, 5 per cent each; electric current and railway accidents, each less than one per cent. (See Table 30 and Figure 11).

Non-motor vehicle accidents may be seen by place of accident by age in Table 28. Over half of these accidents (52 per cent) occurred at home; 11 per cent in resident institutions; 5 per cent at places of recreation; and 2 per cent in places of industry.

Chronic Obstructive Pulmonary Diseases and Allied Conditions was the fifth leading cause of death in 1982. Because of changes from the Eighth to the Ninth Revision of the International Classification of Diseases, this group of diseases was not ranked as one of the ten leading causes before 1979. The comparability ratio between the Eighth and the Ninth Revision for this category is 1.8846, nationally, which means that 88 per cent more deaths are assigned to this category under the Ninth Revision than are assigned to its most nearly comparable category under the Eighth Revision ("Bronchitis, Emphysema, and Asthma"). This large variability can be accounted for almost entirely by the transfer of deaths assigned by the Eighth Revision to "Chronic Obstructive Lung Disease without mention of Asthma, Bronchitis, or Emphysema" (ICDA No. 519.3) to the new Ninth Revision title "Chronic Airways Obstruction Not Elsewhere Classified" (ICD No.496). In Figure 5 and Table 7, for deaths prior to 1979, the number of deaths assigned to ICDA No. 519.3 have been included with the number assigned to the Eighth Revision title "Bronchitis, Emphysema, and Asthma" (ICDA No. 490-492) in order to make that category more comparable to the new Ninth Revision title. Because these figures are not available nationally, there is no comparability ratio for the Ninth Revision title and this special grouping.

There were 270 deaths to Rhode Island residents from this cause of death in 1982, accounting for a rate of 28.2 per 100,000 estimated population. The provisional national rate was 25.9, eight per cent lower than the state rate.

Chronic obstructive pulmonary diseases was the fourth leading cause of death for males, with males accounting for 67 per cent of the deaths from this cause. It was the fourth leading cause for all decedents aged 65 years and older (Tables 31 and 32). The median age (75.7) was slightly higher than the median age for all causes (74.6).

Diabetes Mellitus, with 252 deaths and a rate of 26.3 per 100,000 estimated population, was the sixth leading cause of death in 1982. The Rhode Island death rate from diabetes has been among the highest in the nation, and the state's 1982 rate was 84 per cent higher than the provisional national rate of 14.3. It was the fourth leading cause for females and the sixth leading cause for males (Table 31). The median ages for females (78.9) and for males (69.9) were close to the median ages for all female and male deaths (78.1 and 71.3, respectively). The median age for all diabetes deaths was 75.7.

Pneumonia and Influenza accounted for 151 deaths and ranked as the seventh leading cause in 1982, yielding a rate of 15.8 per 100,000 estimated population. Of the 151 deaths in this category, 150 were classified to pneumonia and one to

influenza. The state rate for both pneumonia and influenza was 28 per cent lower than the national provisional rate of 21.8 for 1982.

Pneumonia and influenza constituted the seventh leading cause of death for females and the eighth leading cause for males (Table 31). The male rate of 17.5 was 23 per cent higher than the female rate of 14.2. These deaths occurred predominantly among older persons: the median age was 82.6 years and only 15 decedents (10 per cent) were less than 65 years old (Tables C and 25).

Caution should be exercised in interpreting statistics on pneumonia mortality. In this report, as well as in national publications, deaths are classified to pneumonia only when that disease is designated by the certifying physician as the underlying cause of death, i.e., as the disease initiating the chain of events leading to death. Furthermore, in Rhode Island, when pneumonia is initially classified as the underlying cause of death, the Division of Vital Statistics routinely queries the physician to confirm whether the pneumonia initiated the chain of events leading to death or whether it was a terminal event secondary to another disease or condition. If the pneumonia was secondary to another disease or condition, the death is classified to the disease or condition which led to the pneumonia. It may be inferred, therefore, that deaths involving pneumonia are much greater in number than those classified to pneumonia as the underlying cause of death.

Additional caution should be exercised when analyzing pneumonia mortality for Rhode Island between 1980 and 1982. Although the Division of Vital Statistics has queried pneumonia deaths routinely for several years, no pneumonia deaths were queried in 1981, due to staff shortages. The program for querying pneumonia deaths was resumed again in 1982. Death rates for pneumonia fluctuated during that period, increasing 14 per cent from 1980 to 1981 and decreasing 36 per cent from 1981 to 1982. Part of that fluctuation may be due to the discontinuance and resumption of the query program, rather than increases or decreases in pneumonia deaths for Rhode Island residents.

Chronic Liver Disease and Cirrhosis was the eighth leading cause in 1982, with 126 deaths and a rate of 13.2 per 100,000 estimated population. It ranked as the seventh leading cause of death for males. The provisional national rate of 11.8 for 1982 was eleven per cent lower than the state rate.

Chronic liver disease and cirrhosis is primarily a disease of the middle years. During 1982, decedents 45-64 years of age accounted for 52 per cent of all deaths from this category. In contrast, only 19 per cent of deaths from all causes in 1982 were in this age category. Chronic liver disease and cirrhosis was the third leading cause of death in this age group, and the median age at death was 62.3 years, substantially lower than for all deaths (74.6).

Suicide was the ninth leading cause of death in 1982, with 110 deaths and a rate of 11.5 per 100,000 population. Suicide was ranked as one of the ten leading causes of death to Rhode Island residents for the first time in 1974. It reached its highest ranking in 1977, when it was the seventh leading cause of death. The state rate for 1982 was four per cent lower than the provisional national rate of 12.0. There were almost three times the number of suicides for males than for females; suicide ranked eighth among males but only twelfth among females. It was the second leading cause for decedents aged 5-19 years and ranked third for those 20-44 years old. The median age at death for all suicides was 35.6; the median age for females (45.0) was 34 per cent higher than for males (33.7).

Atherosclerosis and Hypertension ranked tenth and sixteenth, respectively, in 1982. There were 107 deaths classified to Atherosclerosis (a rate of 11.2) and 38 to Hypertension (a rate of 4.0) (Table 7). These relatively low rates seem to contradict the known devastating effects of these two diseases on the Rhode Island population and on that of the nation as a whole. These low rates occur each year because of the procedure used in classifying deaths for statistical purposes. World Health Organization (WHO) classification rules direct us to assign deaths from atherosclerosis or hypertension to more specific forms of these diseases (such as arteriosclerotic heart disease or acute myocardial infarction) whenever the more specific diseases are mentioned on the death certificate. One must be aware of this procedure, then, when interpreting mortality statistics prepared in accordance with WHO guidelines. The actual involvement of atherosclerosis and hypertension in deaths from diseases of the cardiovascular system is greatly in excess of the relatively few deaths classified to these diseases, both in this report and in national publications. The provisional national rates for 1982 were 11.5 for atherosclerosis and 3.4 for hypertension.

Other Leading Causes, ranking 11th through 20th, accounted for 452 deaths, five per cent of all deaths to Rhode Island residents in 1982. The number of deaths in each category was relatively small, ranging from 74 for "Nephritis, Nephrotic Syndrome, and Nephrosis" to 27 for "Cholelithiasis and Other Disorders of the Gall Bladder" (Table 7). For this reason, comparisons of the death rates for these categories should be made with caution. Table H below lists these causes with the state rate and the provisional national rate per 100,000 estimated population for 1982.

Table G - Rhode Island Resident Deaths and Death Rates for Other Leading Causes in 1982 with Provisional U.S.Rates(Rates per 100,000 Estimated Population)

1982 Rank	Cause of Death (ICD) 1975	Rhode Island Number	Rhode Island Rate	U.S. Rate (Provisional)
11.	Nephritis, Nephrotic Syndrome and Nephrosis(580-589)	74	7.7	7.9
12.	Certain Conditions Originating in the Perinatal Period(760-779)	65	6.8	9.0
13.	Congenital Anomalies(740-759)	55	5.7	5.7
14.	Ulcer of Stomach and Duodenum(531-533)	48	5.0	3.1
15.	Septicemia(038)	44	4.6	4.9
16.	Hypertension with or without Renal Disease(401,403)	38	4.0	3.4
17.	Homicide and Legal Intervention(E960-978)	37	3.9	9.6
18.	Hernia and Intestinal Obstruction* (550-553,560)	33	3.4	2.1
19.	Benign Neoplasms*(210-239)	31	3.2	3.0
20.	Cholelithiasis*(574-575)	27	2.8	1.3

* For complete category title, see Ninth Revision International Classification of Diseases, 1975.

Caution should be observed in comparing the state's crude rates with the provisional U.S. rates because of the differing age and sex composition of the two populations. As mentioned earlier, the state's proportion of persons 65 years of age and over, according to the 1980 census, was 18 per cent higher than the national proportion.

MARRIAGE AND DIVORCE

Marriage and divorce statistics in this publication relate only to those events which occurred within the state. No data has been included for Rhode Island residents who were married or divorced in other states because exchange of certificates among the states is not complete. There were 7,885 marriages and 3,619 divorces filed in Rhode Island in 1982, yielding rates of 8.2 and 3.8, respectively, per 1,000 estimated population. The divorce rate has no relationship to the marriage rate because most of the divorces in a given year terminate marriages that have lasted a number of years (only 4 of the 1982 divorces were granted to persons who were married less than a year, and 265 divorces were of persons who had been married 25 years of more).

MARRIAGE

The 1982 rate of 8.2 marriages per 1,000 estimated population was the highest rate since 1953. Comparison of the state's average rates for the five-year periods of 1968 to 1972 and 1978 to 1982 shows a one per cent decrease (from 8.0 in the 1968 to 1972 period to 7.9 in the 1978 to 1982 period) (Table A). The Rhode Island rate has been consistently below the national rate in each of the past 30 years; the last ten years are shown in Figure 12. The state rate for 1982 was 24 per cent below the provisional United States rate of 10.8 in 1982.

In past years, June has been the most popular month for marriages, except for 1981, with May taking its place. This tradition continued again with 999 marriages recorded for the month of June, averaging 33.3 marriages per day. The second highest average occurred in May and September (31.7). Six months, May through October, had averages above the year's daily rate of 21.5. The lowest average occurred in January, when only 317 marriages were performed, for a daily average of 10.2. The months of January through March, and also December, each averaged fewer than 15 marriages per day.

The number of brides and grooms married in Rhode Island in 1982 is shown according to their usual residence in Table 33. Because a marriage usually takes place in the bride's home town or the municipality of the church that she attends, it is not surprising that there were far fewer participants who were non-residents of Rhode Island among the brides than among the grooms. In 1982, 14 per cent of the grooms were non-residents, whereas only 9 per cent of the brides resided outside the state.

The location of churches and courts is an important factor in determining the number of marriages performed in a particular city or town. Of the four municipalities where the Family Courts meet (Newport, Providence, Warwick and Westerly), only Warwick, with a rate of 7.9, fell below the state average. Another factor to consider is that frequently a church is located so that part of its congregation resides in an adjacent city or town.

Table 3 shows the number of marriages occurring in each city or town with the rates per 1,000 estimated population occurring in that area. The highest rate (54.2) was recorded in New Shoreham. Among those municipalities with an estimated population greater than 5,000, three had rates one-third or more higher than the state rate (10.9 or more): Newport, 17.5; Scituate, 11.5; and Westerly, 11.4. Two towns with greater than 5,000 estimated population hadrates one-third or more lower than the state rate (5.5 or less): Glocester, 4.8 and North Smithfield, 5.2.

FIGURE 12 - MARRIAGE RATES PER 1,000 POPULATION: RHODE ISLAND AND THE UNITED STATES, OCCURRENCE DATA, 1973-1982



FIGURE 13 - DIVORCE RATES PER 1,000 POPULATION: RHODE ISLAND AND THE UNITED STATES, OCCURRENCE DATA, 1973-1982



Table 36 shows the number of times previously married for each party. Sixty-one per cent of marriages involved those in which parties were marrying for the first time. Marriages in which one party was marrying for the first time and the other was marrying for the second time added 21 per cent; 13 per cent had both parties marrying for the second time; and in 5 per cent of the cases, at least one of the parties was marrying for the third time or more.

A breakdown of previous marital status is shown in Table 37. Marriages between one previously unmarried and one divorced partner accounted for 21 per cent of the total; marriages between two divorced individuals accounted for 13 per cent; between two widowed parties, one per cent; and where only one of the two parties was widowed, three per cent.

The age distribution of brides and grooms who married in Rhode Island in 1982, including the number of brides and grooms under age 18, is shown in Table 34.

The age distribution of brides and grooms by previous marital status is shown in Table 35. Seventeen per cent of all the brides who were marrying for the first time in 1982 were under 20 years of age, 4 per cent less than in 1981. Six per cent of the grooms, compared with five per cent in 1981, were under age 20. There were four brides under the age of 20 who had been previously married; whereas there were no grooms under the age of 20 who had previous marriages. Thirty nine per cent of all brides and 33 per cent of all grooms were in the age group 20-24 years. The percentage of teen-age brides and grooms has decreased over the last several years.

The median age at first marriage was 23.3 years for brides and 24.9 years for grooms. The median age for remarried persons was much higher than for single persons: for brides whose previous marital status was "divorced", it was 32.6 years; for previously divorced grooms, it was 35.1 years. The median age at remarriage for the widowed was 54.2 years for brides and 60.9 years for grooms. The median age in Rhode Island for all marriages was 24.8 years for brides and 27.3 years for grooms.

Educational achievement for brides and grooms is shown in Table 38. Twenty-one per cent of the brides and 25 per cent of the grooms were college graduates (the 1981 figures were 20 and 26 per cent, respectively). Three per cent of all the brides and four per cent of all grooms had completed eight or less years of schooling.

The race of the vast majority (95 per cent) of the 1982 marital partners was white, 94 per cent of marriages were between two white persons, and four per cent were between two non-white persons. Marriages between white brides and non-white grooms were one per cent of the total; between non-white brides and white grooms, three quarters of one per cent.

D I V O R C E

Reports of 3,619 final divorces were received by the Division of Vital Statistics in 1982 from the state's Family Courts. The rate of 3.8 per 1,000 estimated population was six per cent higher than the 1981 rate of 3.6. The 1978-1982 average rate of 3.7 was 131 per cent higher than the 1968-1972 rate of 1.6 (Table A).

The 1982 provisional national rate of 5.1 was 34 per cent above the state rate. The provisional national rates for each of the three previous years was 5.3. Rhode Island's rate has been consistently below the national rate for the past 10 years (Figure 13).

The total population is a poor base for determining the divorce rate. A more precise measure of divorce is the number of divorces per 1,000 married females aged 15 and over. This rate is accurately known only in decennial census years. The Rhode Island rate for 1980 was 16.7 divorces per 1,000 married females aged 15 and over. The rates for the previous ten year intervals, 1970, 1960, 1950, 1940, and 1930 were: 8.1, 5.0, 4.7, 4.2, and 5.0, respectively.

The highest daily average for divorces (12.1 per day) occurred in September, when 363 decrees were finalized. The lowest daily average (7.7 per day) occurred in November, when 231 decrees became final. The daily average for the year was 9.9.

Rhode Island law does not provide for annulment, but there were seven divorces on grounds of "void marriage" in 1982. The most frequent grounds for obtaining a final decree was "irreconcilable differences", accounting for 88 per cent of all divorces. Ten per cent were granted on the grounds of "living separate and apart three years" and one per cent on grounds of "extreme cruelty". The remaining divorces were distributed among the following grounds: "wilful desertion", "neglect and refusal to provide", and "other gross misbehavior".

The 1982 data on duration of marriage show that 46 per cent of the marriages had endured ten years or more; 30 per cent, five to nine years; and 24 per cent, one to four years. Only four final decrees were entered before the couple had been married a full year.

Age of husband and wife at the time of divorce are tabulated for all 1982 divorces in Table 39 and are tabulated by age according to previous marital status for husband and wife in Table 41. The median age at time of divorce for all men was 34.3 years and for all women, 31.8. The median age at time of divorce after a first marriage was 32.9 for husbands and 30.3 for wives. The median age of persons for whom the 1982 divorce terminated a remarriage was 40.4 for men and 37.7 for women. Among those terminating a remarriage, 22 per cent of the husbands and 16 per cent of the wives were 50 years of age or older. On those records where previous marital status was stated, 80 per cent of husbands and 82 per cent of wives were terminating a first marriage; 20 per cent of husbands and 18 per cent of wives were terminating a remarriage. Previous marital status was not stated for five per cent of the husbands and wives.

At least 3,802 children under 18 years of age were affected by a 1982 divorce decree. There were 304 records with the information regarding children not stated (eight per cent) (See Table 43). Thirty-seven per cent of the divorces in 1982 involved no children; 28 per cent involved one child; 25 per cent involved two children; eight per cent, three children; and three per cent, four or more children.

Education is one of the most poorly reported items on the divorce record. Education was not stated for 10 per cent of both husbands and wives divorced in 1982. In those cases where the item was reported, 18 per cent of the husbands and 12 per cent of the wives were college graduates; 8 per cent of the husbands and 5 per cent of the wives had completed eight years or less of schooling. A breakdown of educational achievement is shown in Table 44.

The race of the vast majority of people divorced in 1982 was white. Ninety-two per cent of both husbands and wives were stated to be white; four per cent of both husbands and wives were stated to be non-white; and the race item was not specified for four per cent of each.

Table 1 - United States Census Population of Rhode Island by Race and Sex, and Age by Sex, 1970 and 1980

Characteristic	Total Population*			Male			Female		
	1980	1970	Per Cent Change	1980	1970	Per Cent Change	1980	1970	Per Cent Change
RACE									
Total	947,154	949,723	- 0.3	451,251	464,291	- 2.8	495,903	482,434	+ 2.8
White	896,692	914,757	- 2.0	426,601	447,892	- 4.8	470,091	466,865	+ 0.7
Non-White	50,462	31,968	+ 57.9	24,650	16,399	+ 50.3	25,812	15,569	+ 65.8
Black	27,584	25,338	+ 8.9	13,351	12,825	+ 4.1	14,233	12,513	+ 13.7
Other Races	22,878	6,630	+245.1	11,299	3,574	+216.1	11,579	3,056	+278.9
AGE IN YEARS									
All Ages	947,154	949,723	- 0.3	451,251	464,291	- 2.8	495,903	482,434	+ 2.8
Under 5	56,692	76,035	- 25.4	28,887	38,878	- 25.7	27,805	37,157	- 25.2
Under 1	12,075	15,096	- 20.0	6,215	7,712	- 19.4	5,860	7,384	- 20.6
1 - 4	44,617	60,939	- 26.8	22,672	31,166	- 27.3	21,945	29,773	- 26.3
5 - 9	61,465	85,874	- 28.4	31,458	43,903	- 28.3	30,007	41,971	- 28.5
10 - 14	74,170	88,289	- 16.0	37,965	44,935	- 15.5	36,205	43,354	- 16.5
15 - 19	89,773	85,680	+ 4.8	44,771	44,181	+ 1.3	45,002	41,499	+ 8.4
20 - 24	90,231	87,963	+ 2.6	44,292	49,076	- 9.7	45,939	38,887	+ 18.1
25 - 29	76,215	59,319	+ 28.5	37,646	30,154	+ 24.8	38,569	29,165	+ 32.2
30 - 34	69,820	47,276	+ 47.7	34,583	23,586	+ 46.6	35,237	23,690	+ 48.7
35 - 39	54,393	47,465	+ 14.6	26,577	23,374	+ 13.7	27,816	24,091	+ 15.5
40 - 44	44,470	56,237	- 21.0	21,513	27,220	- 21.0	22,957	29,017	- 20.9
45 - 49	44,708	59,557	- 24.9	21,438	28,677	- 25.2	23,270	30,880	- 24.6
50 - 54	53,096	55,598	- 4.5	25,210	26,266	- 4.0	27,886	29,332	- 4.9
55 - 59	55,748	50,268	+ 10.9	26,182	23,523	+ 11.3	29,566	26,745	+ 10.5
60 - 64	49,451	43,232	+ 14.4	22,460	19,278	+ 16.5	26,991	23,954	+ 12.7
65 - 69	42,414	35,251	+ 20.3	16,346	14,947	+ 9.4	24,068	20,304	+ 18.5
70 - 74	33,148	28,665	+ 15.6	12,994	11,498	+ 13.0	20,154	17,167	+ 17.4
75 - 79	23,891	20,268	+ 17.9	8,619	7,892	+ 9.2	12,272	12,376	+ 23.4
80 - 84	15,491	12,030	+ 28.8	4,947	4,375	+ 13.1	10,544	7,655	+ 37.7
85 & Over	11,978	7,718	+ 55.2	3,363	2,528	+ 33.0	8,615	5,190	+ 66.0
Median Age	31.7	29.2	+ 8.6	30.1	26.9	+ 11.9	33.3	31.9	+ 4.4
65 Years & Over	126,922	103,932	+ 22.1	46,269	41,240	+ 12.2	78,653	62,692	+ 25.5

* The 1970 figures in this table add to 946,725 -- the original total. This total was later corrected to 949,723, but no corrections for age, sex, or race have been received.

Table 2 - Population of Rhode Island Cities and Towns by County: Census of 1970, 1980, and 1982 Estimate

City or Town by County	1970	1980	1982 Estimate*
STATL TOTAL	949,723	947,154	958,000
BRISTCL COUNTY	45,937	46,942	47,480
Barrington	17,554	16,174	16,359
Bristol	17,860	20,128	20,358
Warren	10,523	10,640	10,762
KENT COUNTY	142,382	154,163	155,928
Coventry	22,947	27,065	27,375
East Greenwich	9,577	10,211	10,328
Warwick	83,694	87,123	88,121
West Greenwich	1,841	2,738	2,769
West Warwick	24,323	27,026	27,335
NEWPORT COUNTY	94,228	81,383	82,315
Jamestown	2,911	4,040	4,086
Little Compton	2,385	3,085	3,120
Middletown	29,290	17,216	17,413
Newport	34,562	29,259	29,594
Portsmouth	12,521	14,257	14,420
Tiverton	12,559	13,526	13,681
PROVIDENCE COUNTY	581,470	571,349	577,892
Burrillville	10,087	13,164	13,315
Central Falls	18,716	16,995	17,190
Cranston	74,287	71,992	72,816
Cumberland	26,605	27,069	27,379
East Providence	48,207	50,980	51,564
Foster	2,626	3,370	3,409
Glocester	5,160	7,550	7,636
Johnston	22,037	24,907	25,192
Lincoln	16,182	16,949	17,143
North Providence	24,337	29,188	29,522
North Smithfield	9,349	9,972	10,086
Pawtucket	76,984	71,204	72,019
Providence	179,116	156,804	158,600
Scituate	7,489	8,405	8,501
Smithfield	13,468	16,886	17,079
Woonsocket	46,820	45,914	46,440
WASHINGTON COUNTY	85,706	93,317	94,386
Charlestown	2,863	4,800	4,855
Exeter	3,245	4,453	4,504
Hopkinton	5,392	6,406	6,479
Narragansett	7,138	12,088	12,226
New Shoreham	489	620	627
North Kingstown	29,793	21,938	22,189
Richmond	2,625	4,018	4,064
South Kingstown	16,913	20,414	20,648
Westerly	17,248	18,580	18,793

* Estimates obtained by extrapolation, using the 1982 statewide estimate obtained from Current Population Reports, February 1982, Series P-25,No.927, and the U.S. Census Population.

Table 3 - Number of Live Births, Deaths, and Marriages with Rates by City and Town - Rhode Island, 1982
(Rates per 1,000 Estimated Population)

City or Town	LIVE BIRTHS Number Occurrences	LIVE BIRTHS Number Residents	LIVE BIRTHS Resident Rate	DEATHS Number Occurrences	DEATHS Number Residents	DEATHS Resident Rate	MARRIAGES Occurrences Number	MARRIAGES Occurrences Rate
STATE TOTAL	13,032	12,499	13.0	9,101	8,975	9.4	7,885	8.2
Barrington	1	135	8.3	22	114	7.0	135	8.3
Bristol	4	264	13.0	107	204	10.0	212	10.4
Burrillville	0	177	13.3	120	111	8.3	105	7.9
Central Falls	1	297	17.3	125	233	13.6	129	7.5
Charlestown	0	75	15.4*	12	39	8.0*	49	10.1*
Coventry	0	392	14.3	48	180	6.6	168	6.1
Cranston	2	712	9.8	481	755	10.4	458	6.3
Cumberland	0	273	10.0	75	214	7.8	240	8.8
East Greenwich	0	102	9.9	6	79	7.6	97	9.4
East Providence	5	632	12.3	223	516	10.0	373	7.2
Exeter	0	42	9.3*	11	27	6.0*	18	4.0*
Foster	0	40	11.7*	9	34	10.0*	25	7.3*
Glocester	1	84	11.0	7	54	7.1	37	4.8
Hopkinton	0	97	15.0	12	48	7.4	61	9.4
Jamestown	1	76	18.6*	14	41	10.0*	60	14.7*
Johnston	0	272	10.8	83	183	7.3	143	5.7
Lincoln	0	187	10.9	36	165	9.6	114	6.6
Little Compton	0	31	9.9*	7	23	7.4*	33	10.6*
Middletown	1	249	14.3	69	94	5.4	99	5.7
Narragansett	0	132	10.8	18	83	6.8	77	6.3
Newport	904	409	13.8	361	289	9.8	517	17.5
New Shoreham	0	16	25.5*	4	8	12.8*	34	54.2*
North Kingstown	2	334	15.1	87	155	7.0	162	7.3
North Providence	1	291	9.9	372	267	9.0	176	6.0
North Smithfield	1	96	9.5	251	91	9.0	52	5.2
Pawtucket	840	1065	14.8	818	845	11.7	599	8.3
Portsmouth	2	194	13.5	20	102	7.1	139	9.6
Providence	7540	2557	16.1	3506	1774	11.2	1494	9.4
Richmond	0	71	17.5*	4	24	5.9*	10	2.5*
Scituate	0	87	10.2	11	56	6.6	98	11.5
Smithfield	0	172	10.1	64	112	6.6	102	6.0
South Kingstown	517	256	12.4	215	123	6.0	212	10.3
Tiverton	4	181	13.2	22	109	8.0	112	8.2
Warren	0	142	13.2	75	109	10.1	95	8.8
Warwick	1752	978	11.1	979	795	9.0	692	7.9
Westerly	700	252	13.4	270	170	9.0	215	11.4
West Greenwich	0	45	16.3*	4	18	6.5*	10	3.6*
West Warwick	1	397	14.5	53	228	8.3	207	7.6
Woonsocket	752	687	14.8	500	503	10.8	326	7.0

* Rate based on less than 5,000 population and may be statistically unreliable.

Table 4 - Population, Live Births, Deaths, Marriages and Divorces with Rates per 1,000 Population: Rhode Island, 1953-1982

Year	Population Estimates (Except Census Years)	Resident Live Births		Resident Total Deaths		Rhode Island Occurrences Marriages		Divorces	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate
1953	814,000	17,472	21.5	8,286	10.2	6,422	7.9	797	1.0
1954	817,000	18,046	22.1	8,191	10.0	6,110	7.5	823	1.0
1955	825,000	17,895	21.7	8,697	10.5	6,357	7.7	827	1.0
1956	843,000	18,174	21.6	8,415	10.0	6,325	7.5	913	1.1
1957	854,000	18,846	22.1	8,512	10.0	5,884	6.9	933	1.1
1958	860,000	18,295	21.3	8,737	10.2	5,659	6.6	946	1.1
1959	854,000	18,667	21.9	8,767	10.3	5,770	6.8	1,049	1.2
1960	859,488	18,386	21.4	8,984	10.5	5,817	6.8	1,055	1.2
1961	869,000	18,326	21.1	8,814	10.1	5,640	6.5	1,040	1.2
1962	877,600	18,320	20.9	9,127	10.4	5,575	6.4	921	1.0
1963	885,600	18,121	20.5	9,520	10.7	5,967	6.7	1,055	1.2
1964	893,500	18,010	20.2	9,319	10.4	6,103	6.8	1,100	1.2
1965	892,709	17,270	19.3	9,614	10.8	6,321	7.1	1,193	1.3
1966	898,000	16,314	18.2	9,454	10.5	6,122	6.8	1,273	1.4
1967	900,000	15,803	17.6	9,370	10.4	6,536	7.3	871	1.0
1968	914,000	15,211	16.6	9,717	10.6	7,311	8.0	971	1.1
1969	938,000	15,463	16.5	9,288	9.9	7,548	8.0	1,267	1.4
1970	949,723	15,821	16.7	9,497	10.0	7,531	7.9	1,687	1.8
1971	960,000	14,903	15.5	9,377	9.8	7,589	7.9	1,803	1.9
1972	968,000	13,288	13.7	9,519	9.8	7,858	8.1	2,018	2.1
1973	967,000	12,275	12.7	9,476	9.8	7,715	8.0	2,409	2.5
1974	940,300	11,337	12.1	9,089	9.7	7,255	7.7	2,522	2.7
1975	927,000	10,724	11.6	8,866	9.6	6,695	7.2	2,658	2.9
1976	927,000	10,786	11.6	9,168	9.9	6,905	7.4	3,276	3.5
1977	935,000	11,617	12.4	9,034	9.7	7,114	7.6	3,420	3.7
1978	935,000	11,515	12.3	8,847	9.5	7,277	7.8	3,475	3.7
1979	929,300	11,860	12.8	9,060	9.7	7,366	7.9	3,603	3.9
1980	947,154	12,166	12.8	9,300	9.8	7,490	7.9	3,593	3.8
1981	952,000	12,430	13.1	9,138	9.6	7,559	7.9	3,413	3.6
1982	958,000	12,499	13.0	8,975	9.4	7,885	8.2	3,619	3.8

1953-1956 Data from Vital Statistics of the United States, U.S. Government Publications.

Table 5 - Number of Infant, Neonatal and Perinatal Deaths with Rates
Rhode Island Residents, 1953 - 1982

	INFANT DEATHS (Under One Year)		NEONATAL DEATHS (Under 28 Days)		PERINATAL DEATHS						MATERNAL DEATHS	
					Early Infants (Under 7 Days)		Late Fetal Deaths (28 Weeks & Over)		Total Perinatal			
Year	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate**	Number	Rate#
1953	434	24.8	334	19.1	304	17.4	184	10.5	488	27.6	6	3.4
1954	416	23.1	332	18.4	295	16.3	199	11.0	494	27.1	11	6.1
1955	419	23.4	321	17.9	295	16.5	222	12.4	517	28.5	2	1.1
1956	439	24.2	332	18.3	304	16.7	223	12.3	527	28.6	3	1.7
1957	450	23.9	345	18.3	311	16.5	228	12.1	539	28.3	5	2.7
1958	388	21.2	287	15.7	257	14.0	208	11.4	465	25.1	5	2.7
1959	444	23.8	336	18.0	301	16.1	191	10.2	492	26.1	3	1.6
1960	423	23.0	300	16.3	280	15.2	195	10.6	475	25.6	6	3.3
1961	412	22.5	310	16.9	286	15.6	198	10.8	484	26.1	2	1.1
1962	468	25.5	350	19.1	311	17.0	202	11.0	513	27.7	1	0.5
1963	438	24.2	342	18.9	315	17.4	208	11.5	523	28.5	5	2.8
1964	449	24.9	342	19.0	310	17.2	196	10.9	506	27.8	2	1.1
1965	385	22.3	299	17.3	274	15.9	188	10.9	462	26.5	2	1.2
1966	359	22.0	269	16.5	247	15.1	151	9.3	398	24.2	2	1.2
1967	306	19.4	244	15.4	219	13.9	155	9.8	374	23.4	2	1.3
1968	326	21.4	252	16.6	236	15.5	131	8.6	267	23.9	-	-
1969	304	19.7	235	15.2	214	13.8	151	9.8	365	23.4	4	2.6
1970	312	19.7	241	15.2	218	13.8	135	8.5	353	22.1	4	2.5
1971	289	19.4	231	15.5	210	14.1	113	7.6	323	21.5	2	1.3
1972	257	19.3	194	14.6	176	13.2	93	7.0	269	20.1	-	-
1973	206	16.8	164	13.4	154	12.5	72	5.9	226	18.3	1	0.8
1974	176	15.5	137	12.1	124	10.9	79	7.0	203	17.8	1	0.9
1975	156	14.5	108	10.1	93	8.7	81	7.6	174	16.1	1	0.9
1976	155	14.4	121	11.2	106	9.8	74	6.9	180	16.6	1	0.9
1977	139	12.0	94	8.1	77	6.6	70	6.0	147	12.6	-	-
1978	158	13.7	121	10.5	99	8.6	61	5.3	160	13.8	2	1.7
1979	167	14.1	119	10.0	101	8.5	74	6.2	175	14.7	-	-
1980	133	10.9	102	8.4	86	7.1	72	5.9	158	12.9	2	1.6
1981	145	11.7	114	9.2	96	7.7	63	5.1	159	12.7	-	-
1982	125	10.0	100	8.0	86	6.9	58	4.6	144	11.5	1	0.8

* Rate per 1,000 Live Births
** Rate per 1,000 Live Births Combined with Late Fetal Deaths
\# Rate per 10,000 Live Births

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
TOTAL RHODE ISLAND, 1982

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-99	100+
RHODE ISLAND	8975	125	19	13	18	52	70	145	180	458	533	755	1024	1186	1316	1235	1817	28
BARRINGTON	114	1	0	0	1	2	1	2	1	6	5	7	19	19	15	11	23	1
BRISTOL	204	3	0	0	0	4	1	3	4	7	14	21	15	24	31	3E	40	1
BURRILLVILLE	111	2	1	0	0	6	0	2	3	7	4	11	16	12	17	13	16	1
CENTRAL FALLS	233	4	0	0	0	1	1	5	2	16	9	11	32	36	33	31	52	0
CHARLESTOWN	39	1	0	0	0	0	0	0	0	1	5	10	3	3	5	5	6	0
COVENTRY	180	7	0	0	1	0	1	3	3	9	19	15	25	18	33	18	28	0
CRANSTON	755	6	0	1	2	5	3	11	12	37	50	67	90	100	111	117	141	2
CUMBERLAND	214	5	0	0	1	0	4	2	4	14	17	24	22	26	28	28	38	1
EAST GREENWICH	79	1	0	0	0	0	0	0	3	9	5	4	8	9	15	14	11	0
EAST PROVIDENCE	516	7	1	0	1	0	6	4	6	22	36	53	58	59	66	74	123	0
EXETER	27	0	0	0	0	0	3	3	0	1	2	1	5	2	5	3	2	0
FOSTER	34	0	0	0	1	0	0	1	4	3	3	1	0	5	7	1	8	0
GLOCESTER	54	0	1	0	0	0	1	3	3	6	1	5	3	11	5	8	7	0
HOPKINTON	48	0	0	0	1	1	0	5	1	3	2	1	6	3	8	7	10	0
JAMESTOWN	41	1	1	0	0	1	0	1	0	2	1	3	5	6	7	4	9	0
JOHNSTON	183	2	0	0	0	0	1	3	2	8	9	14	32	34	30	19	29	0
LINCOLN	165	2	0	0	0	1	0	1	6	12	9	14	15	30	28	13	31	3
LITTLE COMPTON	23	0	0	0	0	0	0	0	0	0	1	0	2	2	7	5	6	0
MIDDLETOWN	94	0	1	0	0	1	0	0	2	8	6	9	10	12	13	13	18	1
NARRAGANSETT	83	2	0	1	0	1	1	3	1	9	8	5	8	10	11	10	13	0
NEWPORT	289	6	0	0	0	1	0	5	12	21	14	19	25	45	48	37	55	1
NEW SHOREHAM	8	0	0	0	0	0	0	0	0	0	1	0	3	0	2	0	2	0
NORTH KINGSTOWN	155	1	0	1	0	0	3	5	5	15	9	12	22	26	20	15	21	0
NORTH PROVIDENCE	267	1	1	1	0	0	3	4	5	13	17	23	43	35	37	42	41	1
NORTH SMITHFIELD	91	0	0	0	0	0	1	0	1	5	2	5	13	12	14	17	20	1
PAWTUCKET	845	10	0	0	2	4	4	15	16	29	44	68	95	120	123	118	195	2
PORTSMOUTH	102	1	0	1	1	0	1	4	3	4	6	9	17	13	16	12	15	0
PROVIDENCE	1774	32	3	1	0	9	18	33	29	96	108	135	195	213	233	242	420	6
RICHMOND	24	2	0	1	1	0	0	0	5	1	1	2	2	3	1	3	2	0
SCITUATE	56	0	1	0	0	1	0	0	1	4	5	5	6	4	8	5	15	1
SMITHFIELD	112	1	0	0	0	0	0	2	2	8	5	9	14	19	20	11	21	0
SOUTH KINGSTOWN	123	1	0	1	0	0	3	2	3	7	7	11	12	21	16	19	20	0
TIVERTON	109	0	0	0	0	1	1	2	3	7	12	12	14	14	18	14	11	0
WARREN	109	2	0	0	0	1	0	0	2	4	6	6	9	15	14	21	28	1
WARWICK	795	14	3	2	1	0	5	9	14	35	52	83	80	113	131	97	154	2
WESTERLY	170	1	2	0	2	0	0	3	2	5	5	17	16	22	34	28	32	1
WEST GREENWICH	18	1	0	0	0	0	0	1	1	0	1	2	2	2	4	1	3	0
WEST WARWICK	228	2	2	2	2	3	4	1	4	6	10	24	27	30	23	37	51	0
WOONSOCKET	503	6	2	1	1	9	4	7	15	18	22	38	55	58	79	86	100	2

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
WHITE MALES RHODE ISLAND, 1982

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-99	100+
RHODE ISLAND	4445	52	6	8	9	37	47	93	99	275	329	454	607	666	662	503	594	4
BARRINGTON	67	0	0	0	0	2	1	2	1	2	2	5	12	10	11	9	10	0
BRISTOL	109	2	0	0	0	4	0	2	2	3	10	9	9	15	14	20	19	0
BURRILLVILLE	61	0	0	0	0	6	0	1	1	5	4	6	12	7	11	6	2	0
CENTRAL FALLS	111	2	0	0	0	1	0	5	1	8	7	5	21	25	10	13	13	0
CHARLESTOWN	19	0	0	0	0	0	0	0	0	0	1	8	3	1	2	3	1	0
COVENTRY	103	5	0	0	1	0	1	2	2	3	15	8	17	9	19	11	10	0
CRANSTON	386	3	0	0	0	3	2	7	6	22	34	45	55	60	56	51	42	0
CUMBERLAND	109	2	0	0	0	0	2	1	3	10	8	17	14	14	14	12	11	1
EAST GREENWICH	44	0	0	0	0	0	0	0	1	9	3	3	3	5	7	8	5	0
EAST PROVIDENCE	242	2	1	0	1	0	4	2	4	13	25	29	38	38	29	25	31	0
EXETER	18	0	0	0	0	0	3	3	0	0	1	0	5	1	0	3	2	0
FOSTER	18	0	0	0	0	0	0	1	4	1	2	1	0	2	3	1	3	0
GLOCESTER	26	0	1	0	0	0	0	2	3	5	1	2	3	4	1	2	2	0
HOPKINTON	28	0	0	0	1	1	0	4	1	2	0	1	2	2	7	2	5	0
JAMESTOWN	24	0	0	0	0	0	0	1	0	1	1	3	4	4	5	2	3	0
JOHNSTON	106	0	0	0	0	0	1	3	2	6	6	9	19	25	14	6	16	0
LINCOLN	89	2	0	0	0	1	0	0	5	8	7	9	5	18	13	6	14	0
LITTLE COMPTON	12	0	0	0	0	0	0	0	0	0	1	0	2	1	5	1	2	0
MIDDLETOWN	52	0	0	0	0	1	0	0	1	6	6	6	7	5	8	5	7	0
NARRAGANSETT	44	0	0	1	0	1	1	2	1	8	7	0	5	5	5	5	3	0
NEWPORT	125	0	0	0	0	1	0	2	6	16	9	10	17	23	20	12	9	0
NEW SHOREHAM	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
NORTH KINGSTOWN	75	1	0	1	0	0	2	3	2	8	6	5	13	16	10	6	2	0
NORTH PROVIDENCE	124	1	0	0	0	0	2	0	1	8	7	16	24	21	22	13	9	0
NORTH SMITHFIELD	40	0	0	0	0	0	1	0	0	3	1	4	9	6	7	7	2	0
PAWTUCKET	450	6	0	0	2	3	3	8	10	20	30	37	63	62	70	49	86	1
PORTSMOUTH	54	0	0	0	0	0	0	2	3	3	4	5	7	11	8	6	5	0
PROVIDENCE	786	7	1	1	0	5	14	19	14	46	56	86	99	107	109	83	139	0
RICHMOND	13	1	0	1	1	0	0	0	2	0	1	1	2	2	1	0	1	0
SCITUATE	28	0	0	0	0	1	0	0	0	4	4	2	2	3	4	3	5	0
SMITHFIELD	54	0	0	0	0	0	0	1	1	5	3	5	4	11	11	5	8	0
SOUTH KINGSTOWN	65	1	0	1	0	0	2	2	1	5	5	6	8	13	9	9	3	0
TIVERTON	64	0	0	0	0	0	0	2	1	3	10	7	11	7	8	11	4	0
WARREN	48	1	0	0	0	1	0	0	1	3	2	1	6	9	6	6	12	0
WARWICK	392	10	0	0	0	0	3	7	7	20	30	50	53	56	63	40	52	1
WESTERLY	90	1	1	0	1	0	0	2	1	3	5	11	7	13	19	11	15	0
WEST GREENWICH	11	1	0	0	0	0	0	1	0	0	0	2	1	2	2	1	1	0
WEST WARWICK	118	1	0	2	1	2	4	0	2	5	5	15	13	20	19	17	12	0
WOONSOCKET	238	3	2	1	1	4	1	6	9	11	10	25	32	33	39	33	27	1

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
WHITE FEMALES RHODE ISLAND, 1982

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-99	100+
RHODE ISLAND	4271	53	11	5	8	13	22	40	67	155	172	280	393	494	631	703	1200	23
BARRINGTON	47	1	0	0	1	0	0	0	0	4	3	2	7	9	4	2	13	1
BRISTOL	95	1	0	0	0	0	1	1	2	4	4	12	6	9	17	16	21	1
BURRILLVILLE	50	2	1	0	0	0	0	1	2	2	0	5	4	5	6	7	14	1
CENTRAL FALLS	120	2	0	0	0	0	1	0	1	6	2	6	11	11	23	18	39	0
CHARLESTOWN	18	1	0	0	0	0	0	0	0	0	4	2	0	2	3	2	4	0
COVENTRY	77	2	0	0	0	0	0	1	1	6	4	7	8	9	14	7	18	0
CRANSTON	365	3	0	1	2	2	1	4	5	14	16	21	35	40	55	66	98	2
CUMBERLAND	102	3	0	0	0	0	2	1	1	4	8	7	8	12	14	15	27	0
EAST GREENWICH	33	1	0	0	0	0	0	0	2	0	2	1	4	4	8	5	6	0
EAST PROVIDENCE	253	5	0	0	0	0	2	2	1	8	9	22	17	19	32	48	88	0
EXETER	8	0	0	0	0	0	0	0	0	1	0	1	0	1	5	0	0	0
FOSTER	16	0	0	0	1	0	0	0	0	2	1	0	0	3	4	0	5	0
GLOCESTER	26	0	0	0	0	0	1	1	0	0	0	3	0	7	4	5	5	0
HOPKINTON	19	0	0	0	0	0	0	0	0	1	2	0	4	1	1	5	5	0
JAMESTOWN	17	1	1	0	0	1	0	0	0	1	0	0	1	2	2	2	6	0
JOHNSTON	77	2	0	0	0	0	0	0	0	2	3	5	14	9	16	13	13	0
LINCOLN	76	0	0	0	0	0	0	1	1	4	2	5	9	12	15	7	17	3
LITTLE COMPTON	11	0	0	0	0	0	0	0	0	0	0	0	0	1	2	4	4	0
MIDDLETOWN	40	0	1	0	0	0	0	0	1	2	0	3	3	7	4	7	11	1
NARRAGANSETT	38	2	0	0	0	0	0	1	0	1	1	5	3	5	6	4	10	0
NEWPORT	134	4	0	0	0	0	0	2	3	3	3	5	6	17	27	20	43	1
NEW SHOREHAM	6	0	0	0	0	0	0	0	0	0	1	0	3	0	1	0	1	0
NORTH KINGSTOWN	79	0	0	0	0	0	1	2	3	7	3	6	9	10	10	9	19	0
NORTH PROVIDENCE	142	0	1	1	0	0	1	4	4	5	10	7	18	14	15	29	32	1
NORTH SMITHFIELD	50	0	0	0	0	0	0	0	1	2	0	1	4	6	7	10	18	1
PAWTUCKET	383	3	0	0	0	1	1	6	4	9	12	30	32	56	52	69	108	0
PORTSMOUTH	46	1	0	1	1	0	1	1	0	1	2	3	9	2	8	6	10	0
PROVIDENCE	833	8	0	0	0	3	3	6	11	32	29	38	80	90	111	144	271	6
RICHMOND	11	1	0	0	0	0	0	0	3	1	0	1	0	1	0	3	1	0
SCITUATE	27	0	1	0	0	0	0	0	0	0	1	3	4	1	4	2	10	1
SMITHFIELD	58	1	0	0	0	0	0	1	1	3	2	4	10	8	9	6	13	0
SOUTH KINGSTOWN	56	0	0	0	0	0	1	0	2	2	2	4	4	8	7	10	16	0
TIVERTON	45	0	0	0	0	1	1	0	2	4	2	5	3	7	10	3	7	0
WARREN	60	1	0	0	0	0	0	0	1	1	4	5	3	6	8	15	15	1
WARWICK	399	4	3	2	1	0	2	2	7	15	22	33	27	57	66	56	101	1
WESTERLY	77	0	1	0	1	0	0	1	1	1	0	6	9	8	15	16	17	1
WEST GREENWICH	7	0	0	0	0	0	0	0	1	0	1	0	1	0	2	0	2	0
WEST WARWICK	109	1	2	0	1	1	0	1	2	1	5	9	14	10	4	19	39	0
WOONSOCKET	261	3	0	0	0	4	3	1	4	6	12	13	23	25	40	53	73	1

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
NON-WHITE MALES RHODE ISLAND, 1982

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-99	100+
RHODE ISLAND	130	13	1	0	0	0	1	7	9	14	20	12	13	9	7	13	10	1
BARRINGTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BRISTOL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BURRILLVILLE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CENTRAL FALLS	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
CHARLESTOWN	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
COVENTRY	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRANSTON	2	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0
CUMBERLAND	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0
EAST GREENWICH	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
EAST PROVIDENCE	8	0	0	0	0	0	0	0	0	1	1	1	2	0	1	0	2	0
EXETER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FOSTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GLOCESTER	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
HOPKINTON	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
JAMESTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JOHNSTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LINCOLN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE COMPTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MIDDLETOWN	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
NARRAGANSETT	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NEWPORT	16	2	0	0	0	0	0	0	2	2	1	3	2	2	0	1	1	0
NEW SHOREHAM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH KINGSTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH PROVIDENCE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
NORTH SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PAWTUCKET	7	1	0	0	0	0	0	1	1	0	1	1	0	0	1	0	0	1
PORTSMOUTH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROVIDENCE	79	10	1	0	0	0	1	5	3	8	16	6	8	7	3	6	5	0
RICHMOND	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SCITUATE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOUTH KINGSTOWN	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TIVERTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WARREN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WARWICK	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0
WESTERLY	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0
WEST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WEST WARWICK	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
WOONSOCKET	2	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
NON-WHITE FEMALES RHODE ISLAND, 1982

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-99	100+
RHODE ISLAND	124	7	1	0	1	2	0	5	4	13	11	9	11	16	16	15	13	0
BARRINGTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BRISTOL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BURRILLVILLE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CENTRAL FALLS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHARLESTOWN	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
COVENTRY	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRANSTON	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0
CUMBERLAND	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
EAST GREENWICH	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
EAST PROVIDENCE	13	0	0	0	0	0	0	0	1	0	1	1	1	2	4	1	2	0
EXETER	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
FOSTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GLOCESTER	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
HOPKINTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JAMESTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JOHNSTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LINCOLN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE COMPTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MIDDLETOWN	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
NARRAGANSETT	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NEWPORT	14	0	0	0	0	0	0	1	1	0	1	1	0	3	1	4	2	0
NEW SHOREHAM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH KINGSTOWN	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
NORTH PROVIDENCE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH SMITHFIELD	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
PAWTUCKET	5	0	0	0	0	0	0	0	1	0	1	0	0	2	0	0	1	0
PORTSMOUTH	2	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0
PROVIDENCE	75	7	1	0	0	1	0	3	1	10	6	5	8	9	10	9	5	0
RICHMOND	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SCITUATE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOUTH KINGSTOWN	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
TIVERTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WARREN	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
WARWICK	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
WESTERLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WEST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WEST WARWICK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WOONSOCKET	2	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
RACE AND/OR SEX UNKNOWN RHODE ISLAND, 1982

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-99	100+
RHODE ISLAND	5	0	0	0	0	0	0	0	1	1	1	0	0	1	0	1	0	0
BARRINGTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BRISTOL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BURRILLVILLE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CENTRAL FALLS	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
CHARLESTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
COVENTRY	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRANSTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CUMBERLAND	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EAST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EAST PROVIDENCE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXETER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FOSTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GLOCESTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HOPKINTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JAMESTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JOHNSTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LINCOLN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE COMPTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MIDDLETOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NARRAGANSETT	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
NEWPORT	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NEW SHOREHAM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH KINGSTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH PROVIDENCE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PAWTUCKET	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PORTSMOUTH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROVIDENCE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
RICHMOND	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SCITUATE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOUTH KINGSTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TIVERTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WARREN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WARWICK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WESTERLY	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
WEST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WEST WARWICK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WOONSOCKET	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 7 - Deaths and Death Rates for Leading Causes in 1982, with Comparability Ratios* and for Comparable Causes in 1973-1981
(Rhode Island Residents, Rate per 100,000 Population)

1982* Rank	Cause of Death(ICD)	1982		1981		1980		1979		Comparability Ratio	1978		1977		1976		1975		1974		1973	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1.	Diseases of Heart(390-398,402,404-429)	3712	387.5	3813	400.5	3831	404.5	3798	408.7	1.0126	3754	401.5	3757	401.8	3833	413.5	3778	407.6	4060	431.8	4051	418.9
2.	Malignant Neoplasms# (140-208)	2214	231.1	2152	226.1	2127	224.6	2124	228.6	1.0026	2159	230.9	2237	239.3	2117	228.4	2025	218.4	1926	204.8	1946	201.1
3.	Cerebrovascular Diseases (430-438)	595	62.1	622	65.3	723	76.3	708	76.2	1.0049	698	74.7	769	82.2	761	82.1	770	83.1	713	75.8	834	86.2
4.	Accidents and Adverse Effects(E800-E949)	271	28.3	293	30.8	328	34.6	309	33.3	0.9970	262	28.0	335	35.8	287	31.0	290	31.3	336	35.7	399	41.3
5.	Chronic Obstructive Pulmonary Diseases and Allied Conditions(490-496)	270	28.2	275	28.9	279	29.5	239	25.7	N.A.	211	22.6	169	18.1	222	23.9	177	19.1	186	19.8	169	17.5
6.	Diabetes Mellitus(250)	252	26.3	181	19.0	199	21.0	198	21.3	0.9991	205	21.9	185	19.8	209	22.5	223	24.1	202	21.5	257	26.6
7.	Pneumonia and Influenza (480-487)	151	15.8	235	24.7	206	21.7	149	16.0	0.9264	171	18.3	130	13.9	212	22.9	149	16.1	232	24.7	303	31.3
8.	Chronic Liver Disease and Cirrhosis(571)	126	13.2	135	14.2	148	15.6	139	15.0	1.0110	136	14.5	163	17.4	161	17.4	185	20.0	172	18.3	146	15.1
9.	Suicide(E950-E959)	110	11.5	105	11.0	108	11.4	115	12.4	1.0032	110	11.8	142	15.2	112	12.1	102	11.0	104	11.1	79	8.2
10.	Atherosclerosis(440)	107	11.2	124	13.0	135	14.3	166	17.9	1.0649	132	14.1	129	13.8	137	14.8	129	13.9	104	11.1	122	12.6
11.	Nephritis, Nephrotic Syndrome, and Nephrosis (580-589)	74	7.7	85	8.9	81	8.6	80	8.6	1.7397	32	3.4	43	4.6	43	4.6	49	5.3	30	3.2	33	3.4
12.	Certain Conditions Originating in the Perinatal Period(760-779)	65	6.8	77	8.1	69	7.3	93	10.0	1.0765	81	8.7	62	6.6	82	8.8	75	8.1	104	11.1	114	11.8
13.	Congenital Anomalies (740-759)	55	5.7	63	6.6	58	6.1	60	6.5	0.9984	65	7.0	59	6.3	61	6.6	45	4.9	51	5.4	69	7.1
14.	Ulcer of Stomach and Duodenum(531-533)	48	5.0	25	2.6	38	4.0	27	2.9	1.1192	26	2.8	30	3.2	34	3.7	32	3.5	25	2.7	40	4.1
15.	Septicemia(038)	44	4.6	63	6.5	37	3.9	37	4.0	0.8500	26	2.8	19	2.0	29	3.1	12	1.3	22	2.3	21	2.2
16.	Hypertension with or without Renal Disease(401,403)	38	4.0	35	3.7	32	3.4	37	4.0	1.2703	33	3.5	21	2.2	36	3.9	23	2.5	26	2.8	31	3.2
17.	Homicide and Legal Intervention(E960-E978)	37	3.9	48	5.0	55	5.8	37	4.0	1.0057	41	4.4	41	4.4	27	2.9	36	3.9	36	3.8	37	3.8
18.	Hernia and Intestinal Obstruction(550-553,560)	33	3.4	27	2.8	33	3.5	21	2.3	0.9432	16	1.7	31	3.3	27	2.9	25	2.7	39	4.1	32	3.3
19.	Benign Neoplasms#(210-239)	31	3.2	25	2.6	31	3.3	24	2.6	1.2085	22	2.4	29	3.1	24	2.6	15	1.6	30	3.2	31	3.2
20.	Cholelithiasis#(574-575)	27	2.8	25	1.6	10	1.1	14	1.5	1.0494	24	2.6	20	2.1	14	1.5	17	1.8	18	1.9	17	1.8

* Caution should be observed in comparing 1979-1982 causes with previous years because of major changes rsulting in the adoption of the Ninth Revision of the International Classification of Diseases in 1979. See Introduction for a discussion of comparability ratios.

\# For complete category title, see Ninth Revision, International Classification of Diseases, 1975.

N.A. Comparability ratio not available for categories 490-496. See discussion of this category on Page

TABLE 8 SELECTED HEALTH CHARACTERISTICS FOR RHODE ISLAND RESIDENTS BY NEIGHBORHOOD AND CITY OR TOWN: FIVE-YEAR TOTALS* WITH AVERAGE RATES, 1978-1982

NEIGHBORHOOD BY CITY OR TOWN	CENSUS TRACTS	1980 POPULATION	DEATHS NO.	DEATHS AVG. RATE(A)	INFANT DEATHS NO.	INFANT DEATHS AVG. RATE(B)	LIVE BIRTHS NO.	LIVE BIRTHS AVG. RATE(A)	OUT OF WEDLOCK NO.	OUT OF WEDLOCK RATIO(B)	LOW BIRTH WGHT NO.	LOW BIRTH WGHT RATIO(B)
RHODE ISLAND	ALL	947154	45320	9.6	728	12.0	60470	12.8	9206	152.2	3793	62.7
BARRINGTON	301-304	16174	547	6.8	6	7.8	774	9.6	23	29.7	28	36.2
BRISTOL	307-309	20128	947	9.4	13	10.9	1192	11.8	99	83.1	69	57.9
BURRILLVILLE	129,130	13164	539	8.2	7	7.8	896	13.6	81	90.4	57	63.6
CENTRAL FALLS	108-111	16995	1083	12.8	21	14.3	1473	17.3	323	219.3	121	82.1
CHARLESTOWN	511	4800	170	7.1(C)	5	13.4(C)	374	15.6(C)	49	131.0(C)	24	64.2(C)
COVENTRY	206,207	27065	908	6.7	26	14.2	1830	13.5	169	92.3	83	45.4
CRANSTON	134-148	71992	3681	10.2	31	9.1	3398	9.4	286	84.2	173	50.9
EDGEWOOD-PAWTUXET	134-136	13382	723	10.8	8	10.2	784	11.7	95	121.2	43	54.8
AUBURN	137,138,140	18402	1120	12.2	9	9.5	944	10.3	56	59.3	45	47.7
GARDEN CITY-DEAN ESTATES	139,143,144	12077	571	9.5	2	5.8(C)	344	5.7	14	40.7(C)	12	34.9(C)
ARLINGTON-KNIGHTSVILLE	141,147	11017	719	13.0	6	9.3	645	11.7	77	119.4	42	65.1
WEST CRANSTON	145,146,148	13165	421	6.4	6	10.3	583	8.9	31	53.2	23	39.5
STATE INSTITUTIONS-PETTACONSETT	142	3949	116	5.9(C)	0	0.0	96	4.9(C)	13	135.4(C)	8	83.3(C)
CUMBERLAND	112-114	27069	1073	7.9	21	16.1	1308	9.7	108	82.6	54	41.3
NORTH	114	14290	521	7.3	9	14.8	609	8.5	42	69.0	26	42.7
SOUTH	112,113	12779	554	8.7	12	17.2	697	10.9	66	94.7	28	40.2
EAST GREENWICH	209	10211	428	8.4	7	14.0	501	9.8	59	117.8	38	75.8
EAST PROVIDENCE	101-107	50980	2548	10.0	29	9.8	2970	11.7	299	100.7	177	59.6
NORTH	101	7463	382	10.2	5	12.6(C)	397	10.6	33	83.1(C)	29	73.0(C)
NORTH CENTER	102,103	11694	619	10.6	9	11.8	764	13.1	81	106.0	42	55.0
SOUTH CENTER	104,105	17076	843	9.9	8	8.4	952	11.2	91	95.6	54	56.7
SOUTH	106,107	14747	701	9.5	7	8.2	858	11.6	94	109.6	52	60.6
EXETER	505	4453	128	5.7(C)	4	12.9(C)	311	14.0(C)	26	83.6(C)	15	48.2(C)
FOSTER	133	3370	137	8.1(C)	1	4.9(C)	205	12.2(C)	10	48.8(C)	12	58.5(C)
GLOCESTER	131	7550	253	6.7	3	6.1(C)	495	13.1	33	66.7(C)	30	60.6(C)
HOPKINTON	507	6406	250	7.8	8	17.5(C)	456	14.2	51	111.8(C)	25	54.8(C)
JAMESTOWN	413	4040	215	10.6(C)	6	20.3(C)	296	14.7(C)	22	74.3(C)	14	47.3(C)
JOHNSTON	122-125	24907	936	7.5	13	9.7	1334	10.7	90	67.5	69	51.7
LINCOLN	115-117	16949	844	10.0	10	12.0	832	9.8	60	72.1	28	33.7
NORTH	115	4717	254	10.8(C)	2	7.5(C)	266	11.3(C)	16	60.2(C)	9	33.8(C)
SOUTH	116,117	12232	589	9.6	8	14.2	565	9.2	44	77.9	19	33.6
LITTLE COMPTON	414	3085	138	8.9(C)	2	11.0(C)	181	11.7(C)	17	93.9(C)	7	38.7(C)
MIDDLETOWN	402-404	17186	507	5.9	12	9.3	1291	15.0	110	85.2	70	54.2
NARRAGANSETT	515	12088	416	6.9	6	8.5	708	11.7	56	79.1	31	43.8

TABLE 8 SELECTED HEALTH CHARACTERISTICS FOR RHODE ISLAND RESIDENTS BY NEIGHBORHOOD AND CITY OR TOWN: FIVE-YEAR TOTALS• WITH AVERAGE RATES, 1978-1982

NEIGHBORHOOD BY CITY OR TOWN	CENSUS TRACTS	1980 POPULATION	DEATHS NO.	DEATHS AVG. RATE(A)	INFANT DEATHS NO.	INFANT DEATHS AVG. RATE(B)	LIVE BIRTHS NO.	LIVE BIRTHS AVG. RATE(A)	OUT OF WEDLOCK NO.	OUT OF WEDLOCK RATIO(B)	LOW BIRTH WGHT NO.	LOW BIRTH WGHT RATIO(B)
NEWPORT	405-412	29259	1486	10.2	27	12.9	2095	14.3	482	230.1	146	69.7
NORTH	405,406											
	410-412	16421	818	10.0	21	14.7	1429	17.4	385	269.4	115	80.5
SOUTH	407-409	12838	657	10.2	4	6.0	665	10.4	96	144.4	31	46.6
NEW SHOREHAM	415	620	42	13.5(C)	0	0.0	63	20.3(C)	6	95.2(C)	2	31.7(C)
NORTH KINGSTOWN	501-504	21938	776	7.1	10	6.0	1654	15.1	132	79.8	77	46.6
NORTH PROVIDENCE	118-121	29188	1338	9.2	5	3.6	1395	9.6	69	49.5	63	45.2
NORTH SMITHFIELD	128	9972	438	8.8	8	16.5(C)	486	9.7	29	59.7(C)	28	57.6(C)
PAWTUCKET	149-171	71204	4253	11.9	63	13.1	4814	13.5	762	158.3	330	68.6
FAIRLAWN	150-163	7139	368	10.3	2	5.4(C)	372	10.4	24	64.5(C)	19	51.1(C)
WOODLAWN-DOWNTOWN	149,151,152, 161,162,164	16254	1196	14.7	17	12.3	1378	17.0	341	247.5	100	72.6
OAKHILL	165,166	5658	313	11.1	2	5.5(C)	361	12.8	33	91.4(C)	20	55.4(C)
PLEASANT VIEW-EAST SIDE	153,154,160 167,171	14874	813	10.9	26	20.4	1275	17.1	240	188.2	101	79.2
NORTH DARLINGTON	155-159	17038	986	11.2	11	10.3	1064	12.1	99	93.0	70	65.8
SOUTH DARLINGTON	168-170	9641	572	11.9	5	13.9(C)	360	7.5	24	66.7(C)	19	52.8(C)
PORTSMOUTH	401	14257	485	6.9	8	7.8	1025	14.4	65	63.4	36	35.1
PROVIDENCE	001-037	156804	9209	11.7	181	15.2	11915	15.2	3605	302.6	1014	85.1
WASHINGTON PARK	001	7763	349	9.0	7	9.7	718	18.5	183	254.9	43	59.9
ELMWOOD	002,003	14219	781	11.0	30	16.5	1820	25.6	710	390.1	169	92.9
SOUTH PROVIDENCE(D)	004-007	9271	508	11.0	31	26.0	1191	25.7	652	547.4	133	111.7
FEDERAL HILL-OLNEYVILLE	008-011,019	14041	1263	18.0	15	16.7	899	12.8	310	344.8	84	93.4
WEST END	012-015	13968	884	12.7	28	16.7	1675	24.0	630	376.1	168	100.3
ANNEX-MANTON	016-018,020	17630	1062	12.0	20	14.2	1408	16.0	350	248.6	98	69.6
ELMHURST-UPPER MT. PLEASANT	021,023,024	20755	1166	11.2	7	7.8	900	8.7	90	100.0	49	54.4
SMITH HILL-LOWER MT. PLEASANT	022,025,026	9404	644	13.7	13	16.2	803	17.1	219	272.7	52	64.8
EAGLE PARK-WANSKUCK	027-029	14791	811	11.0	10	12.0	831	11.2	178	214.2	66	79.4
HOPE	030-033	12299	874	14.2	12	14.3	840	13.7	208	247.6	84	100.0
EAST SIDE	034,035	10185	546	10.7	3	7.2(C)	418	8.2	20	47.8(C)	27	64.6(C)
COLLEGE HILL-FOX POINT	036,037	12278	314	5.1	5	12.5(C)	400	6.5	48	120.0(C)	39	97.5(C)
INNER CITY (E)	003-007,009-014,019,025, 026,031,037	51637	3364	13.0	106	19.9	5338	20.7	2198	411.8	551	103.2
RICHMOND	506	4018	122	6.1(C)	6	18.1(C)	331	16.5(C)	42	126.9(C)	11	33.2(C)
SCITUATE	132	8405	332	7.9	4	8.1(C)	494	11.8	28	56.7(C)	24	48.6(C)
SMITHFIELD	126,127	16886	538	6.4	8	9.2	871	10.3	56	64.3	56	64.3

TABLE 8 SELECTED HEALTH CHARACTERISTICS FOR RHODE ISLAND RESIDENTS BY NEIGHBORHOOD AND CITY OR TOWN: FIVE-YEAR TOTALS* WITH AVERAGE RATES, 1978-1982

NEIGHBORHOOD BY CITY OR TOWN	CENSUS TRACTS	1980 POPULATION	DEATHS NO.	DEATHS AVG. RATE(A)	INFANT DEATHS NO.	INFANT DEATHS AVG. RATE(B)	LIVE BIRTHS NO.	LIVE BIRTHS AVG. RATE(A)	OUT OF WEDLOCK NO.	OUT OF WEDLOCK RATIO(B)	LOW BIRTH WGHT NO.	LOW BIRTH WGHT RATIO(B)
SOUTH KINGSTOWN	512-514	20414	637	6.2	9	7.1	1259	12.3	158	125.5	60	47.7
TIVERTON	416,417	13526	555	8.2	5	6.6	762	11.3	76	99.7	47	61.7
WARREN	305,306	10640	516	9.7	10	15.4	651	12.2	60	92.2	32	49.2
WARWICK	210-224	87123	4013	9.2	50	10.4	4815	11.1	467	97.0	274	56.9
LAKEWOOD-SPRING GREEN	210,212,213	17633	1023	11.6	11	12.6	874	9.9	64	73.2	47	53.8
NORWOOD-HILLSGROVE	211,214	14830	664	9.0	3	3.8	786	10.6	60	76.3	39	49.6
GREENWOOD-PONTIAC	221,223	9155	463	10.1	2	5.0(C)	401	8.8	30	74.8(C)	16	39.9(C)
BUTTONWOODS	219	12407	520	8.4	10	13.3	753	12.1	50	66.4	47	62.4
OAKLAND BEACH-WARWICK NECK	215-218	18433	785	8.5	15	12.1	1242	13.5	207	166.7	86	69.2
COWESETT-POTOWAMUT	220,222,224	14395	558	7.8	9	11.9	758	10.5	56	73.9	39	51.5
WESTERLY	508,510	18580	884	9.5	17	12.9	1319	14.2	150	113.7	63	47.8
WEST GREENWICH	209	2738	83	6.1(C)	1	5.0(C)	202	14.8(C)	15	74.3(C)	10	49.5(C)
WEST WARWICK	201-205	27026	1179	8.7	29	14.3	2029	15.0	265	130.6	121	59.6
WOONSOCKET	172-185	45914	2680	11.7	56	16.2	3465	15.1	768	221.6	274	79.1
FAIRMOUNT-CENTRAL	172,174,176	8844	459	10.4	10	12.0	833	18.8	275	330.1	69	82.8
GLOBE-NORTH END	173,175	7305	402	11.0	6	11.6	517	14.2	56	108.3	31	60.0
BERNON	177-179	10177	601	11.8	13	16.6	781	15.3	151	193.3	63	80.7
SOCIAL	180-183	8983	717	16.0	15	19.2	781	17.4	197	252.2	72	92.2
EAST WOONSOCKET	184,185	10605	499	9.4	12	21.9	549	10.4	86	156.6	39	71.0

* THE SUM OF NEIGHBORHOOD FIGURES WILL NOT ALWAYS EQUAL THE CITY OR TOWN TOTAL BECAUSE TOTALS INCLUDE ITEMS WITH CENSUS TRACT UNKNOWN.

(A) AVERAGE RATE PER 1,000 POPULATION ACCORDING TO THE 1980 CENSUS.

(B) AVERAGE RATIO PER 1,000 LIVE BIRTHS, 1978-1982.

(C) RATE BASED ON FEWER THAN 500 LIVE BIRTHS AND/OR LESS THAN 5,000 POPULATION AND MAY BE STATISTICALLY UNRELIABLE.

(D) SOUTH PROVIDENCE IS ALSO REFERRED TO AS "MODEL CITY AREA".

(E) PROVIDENCE "INNER CITY" GROUPING INCLUDES CENSUS TRACTS THAT ALSO APPEAR IN OTHER NEIGHBORHOOD GROUPINGS.

Table 9 - Number of Births Out of Wedlock with Ratio per 1,000 Live Births: Rhode Island, 1959-1982 (Rhode Island Residents)

	BIRTHS OUT OF WEDLOCK				
Year	Number	Ratio	Year	Number	Ratio
1959	614	32.9	1971	1,116	74.9
1960	611	33.2	1972	1,064	80.1
1961	611	33.3	1973	1,140	92.9
1962	528	28.8	1974	1,133	99.9
1963	580	21.0	1975	1,244	116.0
1964	662	36.8	1976	1,352	125.3
1965	694	40.2	1977	1,577	135.7
1966	778	47.7	1978	1,623	140.9
1967	847	53.6	1979	1,704	143.7
1968	911	59.9	1980	1,904	156.5
1969	1,022	66.1	1981	1,966	158.2
1970	1,148	72.6	1982	2,009	160.7

Table 10 - Resident Births Out of Wedlock with Ratio per 1,000 Total Births in Specified Age Group: Rhode Island 1973-1982

			AGE OF MOTHER IN YEARS				
Year		Total	Under 20	20-24	25-29	30-34	35 and Over
1973	Number	1,140	567	380	112	53	27
	Ratio	92.9	304.3	87.8	29.0	34.6	39.4
1974	Number	1,133*	585	331	142	53	19
	Ratio	99.9	336.8	85.4	37.3	38.1	37.0
1975	Number	1,244	618	379	163	53	31
	Ratio	116.0	385.5	103.6	44.5	40.0	66.1
1976	Number	1,352*	632	430	192	66	31
	Ratio	125.3	401.3	116.5	51.8	48.2	70.0
1977	Number	1,577	700	589	181	72	35
	Ratio	135.7	431.6	147.4	46.3	45.1	71.4
1978	Number	1,623*	693	583	215	95	36
	Ratio	140.9	467.0	150.6	55.5	53.2	72.6
1979	Number	1,704*	715	605	260	90	34
	Ratio	143.7	477.9	154.7	64.3	47.0	68.8
1980	Number	1,904	764	726	269	102	43
	Ratio	156.5	510.0	176.9	66.9	50.3	83.2
1981	Number	1,966*	768	743	286	127	40
	Ratio	158.2	526.7	183.7	67.6	59.3	72.3
1982	Number	2,009	767	775	312	111	43
	Ratio	160.7	544.0	191.7	73.4	51.1	68.8

* Includes one or more items with age not stated.

TABLE 11 - RESIDENT LIVE BIRTHS BY SEX AND RACE OF CHILD AND AGE OF MOTHER AND LIVE BIRTH ORDER, RHODE ISLAND, 1982

RACE, SEX, AND AGE OF MOTHER	LIVE BIRTH ORDER									
	TOTAL	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
ALL AGES TOTAL	12499	5697	4213	1650	519	222	89	41	41	27
WHITE MALE	5750	2677	1955	743	225	76	31	17	16	10
WHITE FEMALE	5435	2535	1894	691	178	88	19	14	8	8
NON-WHITE MALE	639	236	180	105	56	32	18	3	4	5
NON-WHITE FEMALE	636	231	173	106	58	24	21	7	13	3
UNKNOWN MALE	19	9	5	3	1	0	0	0	0	1
UNKNOWN FEMALE	20	9	6	2	1	2	0	0	0	0
UNDER 15 YEARS TOTAL	11	11	0	0	0	0	0	0	0	0
WHITE MALE	6	6	0	0	0	0	0	0	0	0
WHITE FEMALE	2	2	0	0	0	0	0	0	0	0
NON-WHITE MALE	2	2	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	1	0	0	0	0	0	0	0	0
15 YEARS TOTAL	54	53	1	0	0	0	0	0	0	0
WHITE MALE	19	19	0	0	0	0	0	0	0	0
WHITE FEMALE	20	19	1	0	0	0	0	0	0	0
NON-WHITE MALE	9	9	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	6	6	0	0	0	0	0	0	0	0
16 YEARS TOTAL	153	139	11	1	1	0	0	0	0	1
WHITE MALE	56	50	5	0	0	0	0	0	0	1
WHITE FEMALE	60	58	2	0	0	0	0	0	0	0
NON-WHITE MALE	17	12	3	1	1	0	0	0	0	0
NON-WHITE FEMALE	20	19	1	0	0	0	0	0	0	0
17 YEARS TOTAL	252	220	30	2	0	0	0	0	0	0
WHITE MALE	114	105	8	1	0	0	0	0	0	0
WHITE FEMALE	91	80	11	0	0	0	0	0	0	0
NON-WHITE MALE	19	13	6	0	0	0	0	0	0	0
NON-WHITE FEMALE	27	22	4	1	0	0	0	0	0	0
UNKNOWN MALE	1	0	1	0	0	0	0	0	0	0

TABLE 11 - RESIDENT LIVE BIRTHS BY SEX AND RACE OF CHILD AND AGE OF MOTHER AND LIVE BIRTH ORDER, RHODE ISLAND, 1982

RACE, SEX, AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER								
		FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
18 YEARS TOTAL	404	317	75	9	2	0	0	0	0	1
WHITE MALE	175	137	33	4	1	0	0	0	0	0
WHITE FEMALE	161	131	27	2	0	0	0	0	0	1
NON-WHITE MALE	28	18	9	1	0	0	0	0	0	0
NON-WHITE FEMALE	39	30	6	2	1	0	0	0	0	0
UNKNOWN FEMALE	1	1	0	0	0	0	0	0	0	0
19 YEARS TOTAL	536	404	95	34	1	0	1	0	0	1
WHITE MALE	239	189	38	12	0	0	0	0	0	0
WHITE FEMALE	216	165	36	13	1	0	0	0	0	1
NON-WHITE MALE	42	27	10	5	0	0	0	0	0	0
NON-WHITE FEMALE	35	20	10	4	0	0	1	0	0	0
UNKNOWN MALE	3	3	0	0	0	0	0	0	0	0
UNKNOWN FEMALE	1	0	1	0	0	0	0	0	0	0
20 YEARS TOTAL	666	437	173	44	10	1	0	0	0	1
WHITE MALE	277	190	70	16	0	1	0	0	0	0
WHITE FEMALE	287	193	71	19	4	0	0	0	0	0
NON-WHITE MALE	57	29	20	5	3	0	0	0	0	0
NON-WHITE FEMALE	40	23	11	3	2	0	0	0	0	1
UNKNOWN MALE	3	1	1	1	0	0	0	0	0	0
UNKNOWN FEMALE	2	1	0	0	1	0	0	0	0	0
21 YEARS TOTAL	766	435	261	53	8	6	2	0	0	1
WHITE MALE	357	208	123	18	3	3	1	0	0	1
WHITE FEMALE	311	191	103	16	1	0	0	0	0	0
NON-WHITE MALE	49	18	16	10	1	3	1	0	0	0
NON-WHITE FEMALE	46	15	19	9	3	0	0	0	0	0
UNKNOWN MALE	3	3	0	0	0	0	0	0	0	0
22 YEARS TOTAL	796	422	260	88	20	5	1	0	0	0
WHITE MALE	372	210	121	31	8	2	0	0	0	0
WHITE FEMALE	327	178	106	36	6	1	0	0	0	0
NON-WHITE MALE	50	18	15	14	1	2	0	0	0	0
NON-WHITE FEMALE	43	14	16	7	5	0	1	0	0	0
UNKNOWN MALE	1	0	1	0	0	0	0	0	0	0
UNKNOWN FEMALE	3	2	1	0	0	0	0	0	0	0

TABLE 11 - RESIDENT LIVE BIRTHS BY SEX AND RACE OF CHILD AND AGE OF MOTHER AND LIVE BIRTH ORDER, RHODE ISLAND, 198[illegible]

RACE, SEX, AND AGE OF MOTHER	LIVE BIRTH ORDER									
	TOTAL	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
23 YEARS										
TOTAL	891	451	322	84	19	7	2	1	0	5
WHITE MALE	407	212	144	40	6	2	1	0	0	2
WHITE FEMALE	380	205	137	29	4	3	1	0	0	1
NON-WHITE MALE	51	17	19	7	4	1	0	1	0	2
NON-WHITE FEMALE	49	16	19	8	5	1	0	0	0	0
UNKNOWN FEMALE	4	1	3	0	0	0	0	0	0	0
24 YEARS										
TOTAL	924	436	329	112	30	9	2	1	2	3
WHITE MALE	411	200	147	49	11	2	2	0	0	0
WHITE FEMALE	434	210	162	47	10	2	0	1	1	1
NON-WHITE MALE	39	12	11	8	6	1	0	0	0	1
NON-WHITE FEMALE	38	12	9	8	3	4	0	0	1	1
UNKNOWN MALE	1	1	0	0	0	0	0	0	0	0
UNKNOWN FEMALE	1	1	0	0	0	0	0	0	0	0
25-29 YEARS										
TOTAL	4248	1676	1656	635	182	60	22	6	3	8
WHITE MALE	2001	819	768	290	82	25	9	3	2	3
WHITE FEMALE	1901	775	783	268	50	16	5	2	0	2
NON-WHITE MALE	162	41	48	33	23	10	5	0	0	2
NON-WHITE FEMALE	174	38	56	41	26	7	3	1	1	1
UNKNOWN MALE	4	1	1	1	1	0	0	0	0	0
UNKNOWN FEMALE	6	2	0	2	0	2	0	0	0	0
30-34 YEARS										
TOTAL	2171	588	850	455	153	68	28	15	10	4
WHITE MALE	1013	278	418	217	64	14	9	8	3	2
WHITE FEMALE	992	281	395	204	66	33	4	5	2	2
NON-WHITE MALE	91	17	19	19	13	13	8	0	2	0
NON-WHITE FEMALE	74	12	17	15	10	8	7	2	3	0
UNKNOWN MALE	1	0	1	0	0	0	0	0	0	0
35-39 YEARS										
TOTAL	547	100	142	121	82	51	22	12	15	2
WHITE MALE	269	53	75	59	42	21	7	5	6	1
WHITE FEMALE	223	42	58	53	34	26	5	4	1	0
NON-WHITE MALE	19	3	4	2	3	1	4	1	1	0
NON-WHITE FEMALE	32	1	4	6	3	3	6	2	7	0
UNKNOWN MALE	2	0	0	1	0	0	0	0	0	1
UNKNOWN FEMALE	2	1	1	0	0	0	0	0	0	0

TABLE 11 - RESIDENT LIVE BIRTHS BY SEX AND RACE OF CHILD AND AGE OF MOTHER AND LIVE BIRTH ORDER, RHODE ISLAND, 1982

RACE, SEX, AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER								
		FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
40-44 YEARS TOTAL	70	6	7	12	10	15	7	5	8	0
WHITE MALE	29	1	4	6	7	6	2	0	3	0
WHITE FEMALE	28	4	2	4	2	7	3	2	4	0
NON-WHITE MALE	3	0	0	0	1	1	0	1	0	0
NON-WHITE FEMALE	10	1	1	2	0	1	2	2	1	0
45-49 YEARS TOTAL	7	0	1	0	1	0	2	1	2	0
WHITE MALE	5	0	1	0	1	0	0	1	2	0
WHITE FEMALE	1	0	0	0	0	0	1	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	1	0	0	0
50-64 YEARS TOTAL	1	0	0	0	0	0	0	0	1	0
NON-WHITE MALE	1	0	0	0	0	0	0	0	1	0
AGE UNKNOWN TOTAL	2	2	0	0	0	0	0	0	0	0
WHITE FEMALE	1	1	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	1	0	0	0	0	0	0	0	0

TABLE 12 - RESIDENT BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1982

RACE, SEX AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER								
		FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
ALL AGES TOTAL	2009	1183	422	237	81	52	14	9	6	5
WHITE MALE	777	494	143	83	28	18	4	2	3	2
WHITE FEMALE	707	438	153	77	15	11	6	5	0	2
NON-WHITE MALE	242	111	61	40	15	11	1	1	2	0
NON-WHITE FEMALE	263	132	58	35	21	11	3	1	1	1
UNKNOWN MALE	9	4	3	1	1	0	0	0	0	0
UNKNOWN FEMALE	11	4	4	1	1	1	0	0	0	0
UNDER 15 YEARS TOTAL	10	10	0	0	0	0	0	0	0	0
WHITE MALE	6	6	0	0	0	0	0	0	0	0
WHITE FEMALE	1	1	0	0	0	0	0	0	0	0
NON-WHITE MALE	2	2	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	1	0	0	0	0	0	0	0	0
15 YEARS TOTAL	47	47	0	0	0	0	0	0	0	0
WHITE MALE	17	17	0	0	0	0	0	0	0	0
WHITE FEMALE	15	15	0	0	0	0	0	0	0	0
NON-WHITE MALE	9	9	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	6	6	0	0	0	0	0	0	0	0
16 YEARS TOTAL	133	123	9	0	0	0	0	0	0	1
WHITE MALE	46	41	4	0	0	0	0	0	0	1
WHITE FEMALE	54	52	2	0	0	0	0	0	0	0
NON-WHITE MALE	14	12	2	0	0	0	0	0	0	0
NON-WHITE FEMALE	19	18	1	0	0	0	0	0	0	0
17 YEARS TOTAL	161	141	18	2	0	0	0	0	0	0
WHITE MALE	70	64	5	1	0	0	0	0	0	0
WHITE FEMALE	54	48	6	0	0	0	0	0	0	0
NON-WHITE MALE	15	12	3	0	0	0	0	0	0	0
NON-WHITE FEMALE	21	17	3	1	0	0	0	0	0	0
UNKNOWN MALE	1	0	1	0	0	0	0	0	0	0

TABLE 12 - RESIDENT BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1982

RACE, SEX, AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER								
		FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
18 YEARS TOTAL	204	169	29	5	2	0	0	0	0	0
WHITE MALE	79	69	8	1	1	0	0	0	0	0
WHITE FEMALE	79	63	14	2	0	0	0	0	0	0
NON-WHITE MALE	17	11	5	1	0	0	0	0	0	0
NON-WHITE FEMALE	28	25	1	1	1	0	0	0	0	0
UNKNOWN FEMALE	1	1	0	0	0	0	0	0	0	0
19 YEARS TOTAL	212	163	31	17	0	0	1	0	0	0
WHITE MALE	83	69	5	6	0	0	0	0	0	0
WHITE FEMALE	72	59	8	5	0	0	0	0	0	0
NON-WHITE MALE	26	17	5	4	0	0	0	0	0	0
NON-WHITE FEMALE	27	15	9	2	0	0	1	0	0	0
UNKNOWN MALE	3	3	0	0	0	0	0	0	0	0
UNKNOWN FEMALE	1	0	1	0	0	0	0	0	0	0
20 YEARS TOTAL	213	135	54	17	5	1	0	0	0	1
WHITE MALE	84	57	18	8	0	1	0	0	0	0
WHITE FEMALE	63	44	17	2	0	0	0	0	0	0
NON-WHITE MALE	34	18	10	4	2	0	0	0	0	0
NON-WHITE FEMALE	29	16	8	2	2	0	0	0	0	1
UNKNOWN MALE	2	0	1	1	0	0	0	0	0	0
UNKNOWN FEMALE	1	0	0	0	1	0	0	0	0	0
21 YEARS TOTAL	191	105	55	23	4	3	1	0	0	0
WHITE MALE	75	46	23	4	0	1	1	0	0	0
WHITE FEMALE	67	40	20	7	0	0	0	0	0	0
NON-WHITE MALE	25	10	6	6	1	2	0	0	0	0
NON-WHITE FEMALE	23	8	6	6	3	0	0	0	0	0
UNKNOWN MALE	1	1	0	0	0	0	0	0	0	0
22 YEARS TOTAL	145	70	37	26	7	4	1	0	0	0
WHITE MALE	63	36	14	8	3	2	0	0	0	0
WHITE FEMALE	47	25	10	9	3	0	0	0	0	0
NON-WHITE MALE	20	4	6	8	0	2	0	0	0	0
NON-WHITE FEMALE	12	3	6	1	1	0	1	0	0	0
UNKNOWN FEMALE	3	2	1	0	0	0	0	0	0	0

TABLE 12 - RESIDENT BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1982

RACE, SEX, AND AGE OF MOTHER	LIVE BIRTH ORDER									
	TOTAL	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
23 YEARS TOTAL	139	53	46	22	6	1	0	1	0	0
WHITE MALE	46	23	15	7	1	0	0	0	0	0
WHITE FEMALE	54	27	15	9	2	1	0	0	0	0
NON-WHITE MALE	16	7	4	3	1	0	0	1	0	0
NON-WHITE FEMALE	20	5	10	3	2	0	0	0	0	0
UNKNOWN FEMALE	3	1	2	0	0	0	0	0	0	0
24 YEARS TOTAL	87	25	32	14	9	6	1	0	0	0
WHITE MALE	27	6	12	4	2	2	1	0	0	0
WHITE FEMALE	30	13	12	4	1	0	0	0	0	0
NON-WHITE MALE	10	1	4	2	3	0	0	0	0	0
NON-WHITE FEMALE	20	5	4	4	3	4	0	0	0	0
25-29 YEARS TOTAL	312	101	80	73	30	19	3	4	1	1
WHITE MALE	119	41	25	32	12	6	1	1	0	1
WHITE FEMALE	113	42	33	26	4	4	2	2	0	0
NON-WHITE MALE	37	7	13	7	6	4	0	0	0	0
NON-WHITE FEMALE	40	11	9	7	7	4	0	1	1	0
UNKNOWN MALE	1	0	0	0	1	0	0	0	0	0
UNKNOWN FEMALE	2	0	0	1	0	1	0	0	0	0
30-34 YEARS TOTAL	111	22	29	25	15	13	2	2	1	2
WHITE MALE	39	12	10	6	6	3	1	1	0	0
WHITE FEMALE	46	8	15	10	5	5	0	1	0	2
NON-WHITE MALE	14	1	2	4	2	3	1	0	1	0
NON-WHITE FEMALE	11	1	1	5	2	2	0	0	0	0
UNKNOWN MALE	1	0	1	0	0	0	0	0	0	0
35-39 YEARS TOTAL	36	8	3	11	2	5	3	2	2	0
WHITE MALE	20	7	1	5	2	3	0	0	2	0
WHITE FEMALE	11	1	1	3	0	1	3	2	0	0
NON-WHITE MALE	2	0	1	1	0	0	0	0	0	0
NON-WHITE FEMALE	3	0	0	2	0	1	0	0	0	0

TABLE 12 - RESIDENT BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1982

RACE, SEX, AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER								
		FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
40-44 YEARS TOTAL	6	0	0	2	1	0	2	0	1	0
WHITE MALE	3	0	0	1	1	0	0	0	1	0
WHITE FEMALE	1	0	0	0	0	0	1	0	0	0
NON-WHITE FEMALE	2	0	0	1	0	0	1	0	0	0
50-64 YEARS TOTAL	1	0	0	0	0	0	0	0	1	0
NON-WHITE MALE	1	0	0	0	0	0	0	0	1	0
AGE UNKNOWN TOTAL	1	1	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	1	0	0	0	0	0	0	0	0

TABLE 13 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1982

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
ALL AGES TOTAL	12499**	760	65	60	131	504	1915	4609	3859	1072	232	29
WHITE	11185	616	50	45	108	413	1615	4031	3591	1004	218	29
NON-WHITE	1275	141	14	15	21	91	288	565	258	68	14	0
RACE UNKNOWN	39	3	1	0	2	0	12	13	10	0	0	0
UNDER 15 YEARS TOTAL	11	1	0	0	0	1	2	5	2	0	0	0
WHITE	8	1	0	0	0	1	1	5	1	0	0	0
NON-WHITE	3	0	0	0	0	0	1	1	1	0	0	0
15 YEARS TOTAL	54	7	0	0	3	4	11	22	10	4	0	0
WHITE	39	4	0	0	1	3	6	18	8	3	0	0
NON-WHITE	15	3	0	0	2	1	5	4	2	1	0	0
16 YEARS TOTAL	153	19	5	1	2	11	33	60	30	10	1	0
WHITE	116	11	1	1	1	8	23	43	24	9	0	0
NON-WHITE	37	8	4	0	1	3	10	11	6	1	1	0
17 YEARS TOTAL	252	20	0	2	3	15	50	91	74	15	2	0
WHITE	205	14	0	2	2	10	37	73	65	14	2	0
NON-WHITE	46	6	0	0	1	5	13	18	8	1	0	0
RACE UNKNOWN	1	0	0	0	0	0	0	0	1	0	0	0
18 YEARS TOTAL	404	32	2	2	9	19	75	150	112	28	3	1
WHITE	336	27	1	2	8	16	56	120	101	26	2	1
NON-WHITE	67	4	1	0	0	3	19	30	11	2	1	0
RACE UNKNOWN	1	1	0	0	1	0	0	0	0	0	0	0

TABLE 13 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1982

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
19 YEARS TOTAL	536	36	6	4	3	23	108	204	150	26	11	0
WHITE	455	27	5	4	3	15	86	173	132	26	10	0
NON-WHITE	77	9	1	0	0	8	20	30	17	0	1	0
RACE UNKNOWN	4	0	0	0	0	0	2	1	1	0	0	0
20 YEARS TOTAL	666	46	7	6	8	25	122	252	194	41	8	3
WHITE	564	32	5	2	8	17	97	207	184	34	7	3
NON-WHITE	97	14	2	4	0	8	24	41	10	7	1	0
RACE UNKNOWN	5	0	0	0	0	0	1	4	0	0	0	0
21 YEARS TOTAL	766	59	4	2	15	38	134	290	210	56	13	2
WHITE	668	47	3	2	13	29	112	248	191	54	12	2
NON-WHITE	95	12	1	0	2	9	21	41	18	2	1	0
RACE UNKNOWN	3	0	0	0	0	0	1	1	1	0	0	0
22 YEARS TOTAL	796	50	4	6	3	37	117	312	243	65	8	0
WHITE	699	42	2	5	3	32	100	270	218	61	7	0
NON-WHITE	93	8	2	1	0	5	15	40	25	4	1	0
RACE UNKNOWN	4	0	0	0	0	0	2	2	0	0	0	0
23 YEARS TOTAL	891	57	4	3	13	37	125	356	264	70	13	3
WHITE	787	45	4	1	11	29	103	315	240	66	13	3
NON-WHITE	100	12	0	2	2	8	20	39	24	4	0	0
RACE UNKNOWN	4	0	0	0	0	0	2	2	0	0	0	0
24 YEARS TOTAL	924	48	3	3	5	37	139	347	292	82	14	2
WHITE	845	37	1	3	3	30	123	314	277	78	14	2
NON-WHITE	77	11	2	0	2	7	15	33	14	4	0	0
RACE UNKNOWN	2	0	0	0	0	0	1	0	1	0	0	0

TABLE 13 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1982

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
25-29 YEARS												
TOTAL	4248	231	18	19	43	151	611	1570	1328	409	83	10
WHITE	3902	193	16	13	37	127	537	1444	1243	390	79	10
NON-WHITE	336	37	1	6	6	24	71	124	81	19	4	0
RACE UNKNOWN	10	1	1	0	0	0	3	2	4	0	0	0
30-34 YEARS												
TOTAL	2171	119	10	9	14	86	299	747	738	198	57	7
WHITE	2005	105	10	7	9	79	261	677	710	184	55	7
NON-WHITE	165	14	0	2	5	7	38	69	28	14	2	0
RACE UNKNOWN	1	0	0	0	0	0	0	1	0	0	0	0
35-39 YEARS												
TOTAL	547	29	2	3	9	15	72	175	193	60	16	1
WHITE	492	26	2	3	8	13	60	157	181	52	15	1
NON-WHITE	51	2	0	0	0	2	12	18	10	8	1	0
RACE UNKNOWN	4	1	0	0	1	0	0	0	2	0	0	0
40-44 YEARS												
TOTAL	70	5	0	0	1	4	16	24	17	6	2	0
WHITE	57	5	0	0	1	4	12	18	15	5	2	0
NON-WHITE	13	0	0	0	0	0	4	6	2	1	0	0
45-49 YEARS												
TOTAL	7	1	0	0	0	1	1	2	1	2	0	0
WHITE	6	0	0	0	0	0	1	2	1	2	0	0
NON-WHITE	1	1	0	0	0	1	0	0	0	0	0	0
AGE UNKNOWN												
TOTAL	3	0	0	0	0	0	0	1	1	0	1	0
WHITE	1	0	0	0	0	0	0	1	0	0	0	0
NON-WHITE	2	0	0	0	0	0	0	0	1	0	1	0

* THE EQUIVALENT OF THE GRAM WEIGHTS IN TERMS OF POUNDS AND OUNCES ARE AS FOLLOWS:

1000 GR OR LESS - 2 LB 3 OZ OR LESS
1001 - 1500 GR - 2 LB 4 OZ - 3 LB 4 OZ
1501 - 2000 GR - 3 LB 5 OZ - 4 LB 6 OZ
2001 - 2500 GR - 4 LB 7 OZ - 5 LB 8 OZ
2501 - 3000 GR - 5 LB 9 OZ - 6 LB 9 OZ
3001 - 3500 GR - 6 LB 10 OZ - 7 LB 11 OZ
3501 - 4000 GR - 7 LB 12 OZ - 8 LB 13 OZ
4001 - 4500 GR - 8 LB 14 OZ - 9 LB 14 OZ
4501 - 5000 GR - 9 LB 15 OZ - 11 LB 0 OZ
5001 GR OR MORE - 11 LB 1 OZ OR MORE

** TOTALS MAY INCLUDE BIRTHS OF UNKNOWN WEIGHT # LOW BIRTH WEIGHT REFERS TO INFANTS WHO WEIGHED 2500 GRAMS (5 LB 8 OZ) OR LESS

TABLE 14 - RESIDENT PLURAL LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1982

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501 2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
ALL AGES TOTAL	217**	105	9	11	24	61	73	30	7	0	0	0
WHITE	185	86	7	5	20	54	63	28	6	0	0	0
NON-WHITE	32	19	2	6	4	7	10	2	1	0	0	0
UNDER 15 YEARS TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
15 YEARS TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
16 YEARS TOTAL	2	2	2	0	0	0	0	0	0	0	0	0
NON-WHITE	2	2	2	0	0	0	0	0	0	0	0	0
17 YEARS TOTAL	4	1	0	0	0	1	2	1	0	0	0	0
WHITE	4	1	0	0	0	1	2	1	0	0	0	0
18 YEARS TOTAL	6	4	0	1	2	1	0	0	0	0	0	0
WHITE	6	4	0	1	2	1	0	0	0	0	0	0

TABLE 14 - RESIDENT PLURAL LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1982

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS*									
			1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
19 YEARS TOTAL	6	1	0	0	0	1	4	1	0	0	0	0
WHITE	5	1	0	0	0	1	3	1	0	0	0	0
NON-WHITE	1	0	0	0	0	0	1	0	0	0	0	0
20 YEARS TOTAL	8	4	0	2	0	2	3	1	0	0	0	0
WHITE	2	0	0	0	0	0	1	1	0	0	0	0
NON-WHITE	6	4	0	2	0	2	2	0	0	0	0	0
21 YEARS TOTAL	13	9	2	0	4	3	4	0	0	0	0	0
WHITE	11	8	2	0	4	2	3	0	0	0	0	0
NON-WHITE	2	1	0	0	0	1	1	0	0	0	0	0
22 YEARS TOTAL	6	4	1	0	1	2	2	0	0	0	0	0
WHITE	6	4	1	0	1	2	2	0	0	0	0	0
23 YEARS TOTAL	16	13	2	0	3	8	3	0	0	0	0	0
WHITE	16	13	2	0	3	8	3	0	0	0	0	0
24 YEARS TOTAL	16	3	0	0	0	3	10	2	1	0	0	0
WHITE	16	3	0	0	0	3	10	2	1	0	0	0

TABLE 14 - RESIDENT PLURAL LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1982

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
25-29 YEARS TOTAL	85	40	0	6	9	25	26	15	4	0	0	0
WHITE	72	31	0	2	6	23	22	15	4	0	0	0
NON-WHITE	13	9	0	4	3	2	4	0	0	0	0	0
30-34 YEARS TOTAL	41	18	2	0	3	13	16	7	0	0	0	0
WHITE	35	15	2	0	2	11	15	5	0	0	0	0
NON-WHITE	6	3	0	0	1	2	1	2	0	0	0	0
35-39 YEARS TOTAL	12	6	0	2	2	2	2	3	1	0	0	0
WHITE	12	6	0	2	2	2	2	3	1	0	0	0
40-44 YEARS TOTAL	2	0	0	0	0	0	1	0	1	0	0	0
NON-WHITE	2	0	0	0	0	0	1	0	1	0	0	0
45-49 YEARS												
AGE UNKNOWN												

* SEE TABLE 13 FOR EQUIVALENT WEIGHT IN POUNDS AND OUNCES

** TOTALS MAY INCLUDE BIRTHS OF UNKNOWN WEIGHT # LOW BIRTH WEIGHT REFERS TO INFANTS WHO WEIGHED 2500 GRAMS (5 LB 8 OZ) OR LESS

TABLE 15 - RESIDENT LIVE BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1982

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
ALL AGES												
TOTAL	2009**	205	16	19	39	131	434	759	457	120	29	2
WHITE	1484	125	9	11	28	77	298	562	373	97	24	2
NON-WHITE	505	79	7	8	10	54	129	187	82	23	5	0
RACE UNKNOWN	20	1	0	0	1	0	7	10	2	0	0	0
UNDER 15 YEARS												
TOTAL	10	1	0	0	0	1	2	5	2	0	0	0
WHITE	7	1	0	0	0	1	1	4	1	0	0	0
NON-WHITE	3	0	0	0	0	0	1	1	1	0	0	0
15 YEARS												
TOTAL	47	6	0	0	3	3	10	19	9	3	0	0
WHITE	32	3	0	0	1	2	5	15	7	2	0	0
NON-WHITE	15	3	0	0	2	1	5	4	2	1	0	0
16 YEARS												
TOTAL	133	15	2	1	2	10	31	50	27	9	1	0
WHITE	100	10	0	1	1	8	22	39	21	8	0	0
NON-WHITE	33	5	2	0	1	2	9	11	6	1	1	0
17 YEARS												
TOTAL	161	14	0	1	2	11	30	62	44	9	2	0
WHITE	124	10	0	1	2	7	20	46	37	9	2	0
NON-WHITE	36	4	0	0	0	4	10	16	6	0	0	0
RACE UNKNOWN	1	0	0	0	0	0	0	0	1	0	0	0
18 YEARS												
TOTAL	204	18	1	1	6	10	47	74	49	14	1	0
WHITE	158	14	0	1	5	8	33	54	44	12	0	0
NON-WHITE	45	3	1	0	0	2	14	20	5	2	1	0
RACE UNKNOWN	1	1	0	0	1	0	0	0	0	0	0	0

TABLE 15 - RESIDENT LIVE BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1982

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS*									
			1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
19 YEARS												
TOTAL	212	23	5	1	3	14	49	72	53	10	4	0
WHITE	155	14	4	1	3	6	34	51	42	10	3	0
NON-WHITE	53	9	1	0	0	8	13	20	10	0	1	0
RACE UNKNOWN	4	0	0	0	0	0	2	1	1	0	0	0
20 YEARS												
TOTAL	213	25	3	3	3	16	41	79	44	18	5	1
WHITE	147	13	2	0	3	8	27	52	38	11	5	1
NON-WHITE	63	12	1	3	0	8	13	25	6	7	0	0
RACE UNKNOWN	3	0	0	0	0	0	1	2	0	0	0	0
21 YEARS												
TOTAL	191	21	1	1	4	15	45	74	40	8	2	0
WHITE	142	13	1	1	2	9	34	53	31	8	2	0
NON-WHITE	48	8	0	0	2	6	11	20	9	0	0	0
RACE UNKNOWN	1	0	0	0	0	0	0	1	0	0	0	0
22 YEARS												
TOTAL	145	12	0	2	0	10	26	60	38	9	0	0
WHITE	110	7	0	1	0	6	19	47	31	6	0	0
NON-WHITE	32	5	0	1	0	4	6	11	7	3	0	0
RACE UNKNOWN	3	0	0	0	0	0	1	2	0	0	0	0
23 YEARS												
TOTAL	139	11	0	2	4	5	28	62	29	9	0	0
WHITE	100	3	0	0	2	1	20	49	23	6	0	0
NON-WHITE	36	8	0	2	2	4	7	12	6	3	0	0
RACE UNKNOWN	3	0	0	0	0	0	1	2	0	0	0	0
24 YEARS												
TOTAL	87	12	3	3	0	6	16	30	24	4	0	1
WHITE	57	6	1	3	0	2	9	23	16	2	0	1
NON-WHITE	30	6	2	0	0	4	7	7	8	2	0	0

TABLE 15 - RESIDENT LIVE BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1982

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
25-29 YEARS TOTAL	312	34	1	2	7	24	79	109	65	17	8	0
WHITE	232	21	1	1	5	14	54	83	53	14	7	0
NON-WHITE	77	13	0	1	2	10	23	25	12	3	1	0
RACE UNKNOWN	3	0	0	0	0	0	2	1	0	0	0	0
30-34 YEARS TOTAL	111	7	0	1	2	4	19	48	27	6	4	0
WHITE	85	4	0	0	1	3	12	35	25	5	4	0
NON-WHITE	25	3	0	1	1	1	7	12	2	1	0	0
RACE UNKNOWN	1	0	0	0	0	0	0	1	0	0	0	0
35-39 YEARS TOTAL	36	6	0	1	3	2	8	12	5	4	1	0
WHITE	31	6	0	1	3	2	7	9	4	4	1	0
NON-WHITE	5	0	0	0	0	0	1	3	1	0	0	0
40-44 YEARS TOTAL	6	0	0	0	0	0	3	3	0	0	0	0
WHITE	4	0	0	0	0	0	1	3	0	0	0	0
NON-WHITE	2	0	0	0	0	0	2	0	0	0	0	0
AGE UNKNOWN TOTAL	2	0	0	0	0	0	0	0	1	0	1	0
NON-WHITE	2	0	0	0	0	0	0	0	1	0	1	0

* SEE TABLE 13 FOR EQUIVALENT WEIGHT IN POUNDS AND OUNCES

** TOTALS MAY INCLUDE BIRTHS OF UNKNOWN WEIGHT # LOW BIRTH WEIGHT REFERS TO INFANTS WHO WEIGHED 2500 GRAMS (5 LB 8 OZ) OR LESS

TABLE 16 - BIRTHS BY CITY OR TOWN BY SELECTED CHARACTERISTICS, RHODE ISLAND, 1982

CITY OR TOWN	ALL RACES				WHITE				NON-WHITE				UNKNOWN
	TOTAL BIRTHS	BORN IN HOSPITAL	BORN OUT OF WEDLOCK	LOW BIRTH WEIGHT	TOTAL BIRTHS	BORN IN HOSPITAL	BORN OUT OF WEDLOCK	LOW BIRTH WEIGHT	TOTAL BIRTHS	BORN IN HOSPITAL	BORN OUT OF WEDLOCK	LOW BIRTH WEIGHT	TOTAL
RHODE ISLAND	12499	12398	2009	760	11185	11123	1484	616	1275	1237	505	141	39
BARRINGTON	135	133	2	2	133	131	2	2	2	2	0	0	0
BRISTOL	264	260	24	18	261	257	24	18	3	3	0	0	0
BURRILLVILLE	177	176	29	11	176	175	29	11	1	1	0	0	0
CENTRAL FALLS	297	296	68	16	284	283	61	16	13	13	7	0	0
CHARLESTOWN	75	74	16	7	75	74	16	7	0	0	0	0	0
COVENTRY	392	392	37	17	389	389	37	17	2	2	0	0	1
CRANSTON	712	709	62	37	683	680	55	35	27	27	5	2	2
CUMBERLAND	273	273	26	13	271	271	26	12	1	1	0	0	1
EAST GREENWICH	102	102	20	6	99	99	20	6	3	3	0	0	0
EAST PROVIDENCE	632	627	74	43	574	571	55	35	51	50	17	8	7
EXETER	42	42	3	1	42	42	3	1	0	0	0	0	0
FOSTER	40	40	3	1	40	40	3	1	0	0	0	0	0
GLOCESTER	84	83	5	4	84	83	5	4	0	0	0	0	0
HOPKINTON	97	97	14	2	97	97	14	2	0	0	0	0	0
JAMESTOWN	76	75	7	4	74	74	7	4	2	1	0	0	0
JOHNSTON	272	272	23	16	267	267	21	16	4	4	1	0	1
LINCOLN	187	187	12	7	185	185	12	7	1	1	0	0	1
LITTLE COMPTON	31	31	1	1	31	31	1	1	0	0	0	0	0
MIDDLETOWN	249	248	22	15	226	225	19	14	23	23	3	1	0
NARRAGANSETT	132	130	13	5	126	124	10	5	6	6	3	0	0
NEWPORT	409	406	73	19	356	353	53	15	53	53	20	4	0
NEW SHOREHAM	16	16	1	0	16	16	1	0	0	0	0	0	0
NORTH KINGSTOWN	334	331	26	13	324	321	23	12	10	10	3	1	0
NORTH PROVIDENCE	291	290	15	10	281	280	14	10	9	9	1	0	1
NORTH SMITHFIELD	96	96	5	3	95	95	5	3	1	1	0	0	0
PAWTUCKET	1065	1064	187	79	968	967	157	71	95	95	29	8	2
PORTSMOUTH	194	192	9	2	188	186	8	2	6	6	1	0	0
PROVIDENCE	2557	2507	792	210	1681	1666	392	103	859	824	386	106	17
RICHMOND	71	71	10	5	69	69	10	5	2	2	0	0	0
SCITUATE	87	87	5	3	87	87	5	3	0	0	0	0	0
SMITHFIELD	172	171	9	9	167	166	9	9	4	4	0	0	1
SOUTH KINGSTOWN	256	251	31	10	233	228	23	6	20	20	8	3	3
TIVERTON	181	176	25	14	180	175	25	14	1	1	0	0	0
WARREN	142	141	10	4	141	140	10	4	1	1	0	0	0
WARWICK	978	974	95	56	959	955	92	54	18	18	3	2	1
WESTERLY	252	252	30	14	246	246	29	14	6	6	1	0	0
WEST GREENWICH	45	45	4	1	44	44	4	1	1	1	0	0	0
WEST WARWICK	397	395	60	21	387	385	59	21	10	10	1	0	0
WOONSOCKET	687	686	161	61	646	646	145	55	40	39	16	6	1

TABLE 17 - RESIDENT LIVE BIRTHS BY CITY OR TOWN BY MONTH
RHODE ISLAND, 1982

CITY OR TOWN	TOTAL	JAN	FEB	MARCH	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
RHODE ISLAND	12499	998	927	1008	1052	1100	1069	1086	1134	1114	1062	956	993
BARRINGTON	135	10	11	7	5	12	13	19	18	9	17	7	7
BRISTOL	264	33	17	26	25	17	26	22	26	20	14	21	17
BURRILLVILLE	177	15	18	15	17	22	12	13	13	15	18	9	10
CENTRAL FALLS	297	21	19	22	25	19	24	31	37	21	16	32	30
CHARLESTOWN	75	5	8	6	6	7	8	6	12	7	5	2	3
COVENTRY	392	24	43	27	34	37	33	38	34	31	37	28	26
CRANSTON	712	45	49	70	62	73	52	68	65	66	71	41	50
CUMBERLAND	273	16	18	30	26	26	30	18	26	32	11	22	18
EAST GREENWICH	102	8	4	12	8	12	8	10	12	7	3	6	12
EAST PROVIDENCE	632	38	41	57	56	55	64	62	49	56	57	46	51
EXETER	42	4	1	3	4	6	7	2	4	3	2	4	2
FOSTER	40	7	3	3	0	4	2	6	1	2	4	5	3
GLOCESTER	84	9	9	10	4	9	5	7	3	8	5	11	4
HOPKINTON	97	7	4	8	13	13	6	8	8	8	5	7	10
JAMESTOWN	76	4	8	4	6	10	6	4	9	11	3	5	6
JOHNSTON	272	17	26	25	20	32	27	23	22	23	28	15	14
LINCOLN	187	20	14	12	14	15	10	12	23	21	20	8	18
LITTLE COMPTON	31	3	1	5	4	3	5	2	1	1	3	2	1
MIDDLETOWN	249	18	24	25	24	20	21	18	17	20	26	15	21
NARRAGANSETT	132	6	15	7	8	13	11	16	6	16	8	11	13
NEWPORT	409	36	33	28	29	39	27	42	42	37	39	29	28
NEW SHOREHAM	16	2	0	3	1	1	1	3	2	2	1	0	0
NORTH KINGSTOWN	334	28	26	24	27	26	34	25	37	30	22	30	25
NORTH PROVIDENCE	291	23	30	24	22	17	16	29	23	27	28	28	24
NORTH SMITHFIELD	96	3	7	8	11	11	5	4	13	7	9	9	9
PAWTUCKET	1065	100	84	70	90	98	79	79	96	87	95	93	94
PORTSMOUTH	194	14	16	15	12	11	19	18	16	20	18	16	19
PROVIDENCE	2557	245	166	199	236	195	216	204	232	235	209	208	212
RICHMOND	71	4	5	7	7	5	7	8	11	6	2	3	6
SCITUATE	87	11	3	7	8	10	9	10	5	4	10	4	6
SMITHFIELD	172	11	10	11	21	17	19	18	14	16	11	12	12
SOUTH KINGSTOWN	256	19	17	21	18	24	18	25	17	27	25	22	23
TIVERTON	181	17	13	16	15	13	11	23	13	17	18	11	14
WARREN	142	9	10	14	10	7	17	5	20	9	17	10	14
WARWICK	978	76	72	80	75	88	92	81	81	97	84	65	87
WESTERLY	252	20	15	20	21	21	27	29	22	29	15	16	17
WEST GREENWICH	45	0	4	3	3	7	4	2	1	2	7	6	6
WEST WARWICK	397	31	33	32	38	42	29	30	35	32	42	29	24
WOONSOCKET	687	39	50	52	47	63	69	66	68	51	57	68	57

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1982

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
RHODE ISLAND	12499	2009	760	60	10178	1429	83	27	782
BARRINGTON	135	2	2	2	125	4	0	0	6
301	43	0	1	1	38	2	0	0	3
302	25	2	0	0	24	1	0	0	0
303	42	0	0	1	40	1	0	0	1
304	25	0	1	0	23	0	0	0	2
UNKNOWN	0	0	0	0	0	0	0	0	0
BRISTOL	264	24	18	1	199	31	3	2	29
307	103	8	12	0	75	15	0	1	12
308	49	4	2	0	41	3	0	0	5
309	112	12	4	1	83	13	3	1	12
UNKNOWN	0	0	0	0	0	0	0	0	0
BURRILLVILLE	177	29	11	0	156	16	1	0	4
129	87	14	8	0	77	9	0	0	1
130	90	15	3	0	79	7	1	0	3
CENTRAL FALLS	297	68	16	2	226	31	5	1	34
108	71	13	2	0	58	4	1	0	8
109	78	16	1	1	65	5	1	0	7
110	72	23	5	1	50	8	2	0	12
111	76	16	8	0	53	14	1	1	7
UNKNOWN	0	0	0	0	0	0	0	0	0
CHARLESTOWN-511	75	16	7	2	61	10	0	0	4
COVENTRY	392	37	17	3	348	36	1	2	5
206	289	27	14	3	253	31	1	1	3
207	103	10	3	0	95	5	0	1	2
CRANSTON	712	62	37	3	626	45	3	0	38
134	54	6	6	0	51	2	0	0	1
135	75	14	4	0	61	7	1	0	6
136	39	4	2	0	29	5	0	0	5
137	79	3	2	2	71	2	0	0	6

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1982

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
CRANSTON(CONT.)									
138	56	2	9	0	50	2	0	0	4
139	18	0	0	0	16	2	0	0	0
140	50	5	2	0	46	1	0	0	3
141	60	10	2	0	51	4	1	0	4
142	16	3	0	0	15	1	0	0	0
143	34	0	1	0	30	1	0	0	3
144	17	0	1	0	15	0	0	0	2
145	58	0	0	1	54	3	0	0	1
146	34	0	1	0	30	4	0	0	0
147	86	10	5	0	76	9	0	0	1
148	36	5	2	0	31	2	1	0	2
UNKNOWN	0	0	0	0	0	0	0	0	0
CUMBERLAND	273	26	13	0	238	25	1	0	9
112	71	6	3	0	53	13	0	0	5
113	74	7	4	0	64	7	0	0	3
114	128	13	6	0	121	5	1	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0
EAST GREENWICH-209	102	20	6	0	89	12	1	0	0
EAST PROVIDENCE	632	74	43	0	517	57	3	0	55
101	87	9	8	0	77	9	0	0	1
102	107	12	5	0	87	4	0	0	16
103	49	4	1	0	36	7	1	0	5
104	91	14	4	0	72	9	0	0	10
105	101	8	10	0	84	8	0	0	9
106	112	23	10	0	90	14	1	0	7
107	85	4	5	0	71	6	1	0	7
UNKNOWN	0	0	0	0	0	0	0	0	0
EXETER-505	42	3	1	0	35	7	0	0	0
FOSTER-133	40	3	1	0	35	1	0	0	4
GLOCESTER-131	84	5	4	0	69	11	0	0	4

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1982

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
HOPKINTON-507	97	14	2	0	85	9	1	0	2
JAMESTOWN-413	76	7	4	1	67	6	0	0	3
JOHNSTON	272	23	16	0	235	16	2	1	18
122	54	3	2	0	49	3	1	0	1
123	79	7	7	0	71	2	0	0	6
124	96	7	2	0	81	8	1	0	6
125	43	6	5	0	34	3	0	1	5
UNKNOWN	0	0	0	0	0	0	0	0	0
LINCOLN	187	12	7	1	168	13	1	1	4
115	67	5	0	1	62	2	1	0	2
116	28	1	1	0	26	2	0	0	0
117	92	6	6	0	80	9	0	1	2
UNKNOWN	0	0	0	0	0	0	0	0	0
LITTLE COMPTON-414	31	1	1	1	27	2	1	0	1
MIDDLETOWN	249	22	15	7	212	35	1	0	1
402	16	0	1	2	16	0	0	0	0
403	172	15	13	5	145	26	0	0	1
404	61	7	1	0	51	9	1	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0
NARRAGANSETT-515	132	13	5	2	112	19	0	0	1
NEWPORT	409	73	19	2	339	62	4	1	3
405	107	31	6	0	89	15	1	1	1
406	80	18	3	1	66	12	1	0	1
407	41	2	1	0	35	6	0	0	0
408	32	4	1	0	27	5	0	0	0
409	50	7	2	0	41	7	2	0	0
410	41	4	0	0	35	6	0	0	0
411	29	5	4	1	22	7	0	0	0
412	30	2	2	0	25	4	0	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1982

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
NEW SHOREHAM-415	16	1	0	0	13	2	0	0	1
NORTH KINGSTOWN	334	26	13	2	296	33	0	1	4
501	168	10	12	1	147	18	0	1	2
502	12	0	0	0	11	1	0	0	0
503	74	8	0	0	69	4	0	0	1
504	80	8	1	1	69	10	0	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0
NORTH PROVIDENCE	291	15	10	0	266	14	0	0	11
118	78	6	6	0	69	4	0	0	5
119	61	4	1	0	57	1	0	0	3
120	46	1	2	0	43	3	0	0	0
121	106	4	1	0	97	6	0	0	3
UNKNOWN	0	0	0	0	0	0	0	0	0
NORTH SMITHFIELD-128	96	5	3	0	88	5	0	0	3
PAWTUCKET	1065	187	79	5	842	150	7	2	64
149	5	1	2	0	3	2	0	0	0
150	45	3	1	0	41	4	0	0	0
151	120	35	9	0	90	17	2	0	11
152	21	7	2	1	14	4	0	0	3
153	46	11	2	1	33	9	1	0	3
154	49	5	6	0	41	5	0	0	3
155	60	6	8	0	51	7	0	1	1
156	51	5	4	0	44	5	0	0	2
157	34	2	0	1	29	4	0	0	1
158	41	5	2	0	34	7	0	0	0
159	42	2	4	1	30	6	0	0	6
160	53	12	3	0	39	10	0	0	4
161 **	73	21	5	0	52	11	2	0	8
163	25	1	1	0	20	3	0	0	2
164 **	84	22	6	0	60	17	1	0	6

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1982

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
PAWTUCKET(CONT.)									
165	54	4	4	0	48	4	0	1	1
166	32	5	0	0	24	4	1	0	3
167	58	5	10	0	47	10	0	0	1
168	32	2	1	0	25	3	0	0	4
169	16	2	0	0	15	1	0	0	0
170	35	2	3	0	32	3	0	0	0
171	89	29	6	1	70	14	0	0	5
UNKNOWN	0	0	0	0	0	0	0	0	0
PORTSMOUTH-401	194	9	2	2	176	16	0	0	2
PROVIDENCE	2557	792	210	5	1702	418	33	11	393
1	152	40	8	1	100	18	2	0	32
2	254	98	26	0	152	51	6	2	43
3	166	70	21	0	84	41	2	1	38
4	114	51	15	0	62	25	6	1	20
5	71	47	6	0	34	24	0	0	13
6	34	19	6	0	15	9	0	0	10
7	30	17	2	0	18	7	0	0	5
8	5	1	1	0	4	0	0	0	1
9	32	14	2	0	15	12	1	0	4
10	27	7	4	0	23	2	0	1	1
11	27	6	0	0	20	3	0	1	3
12	70	40	9	0	40	17	2	0	11
13	108	31	11	0	61	14	1	0	32
14	157	58	17	0	76	39	1	1	40
15	41	2	3	1	32	6	0	0	3
16	82	9	5	0	72	7	0	0	3
17	46	9	3	0	33	5	0	0	8
18	96	40	6	0	64	16	2	2	12
19	95	40	8	0	47	22	2	0	24
20	58	22	1	0	42	12	0	1	3

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1992

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
PROVIDENCE(CONT.)									
21	84	10	4	0	72	6	1	0	5
22	49	11	5	0	35	5	1	0	8
23	54	2	1	0	49	4	0	0	1
24	45	4	0	0	39	3	0	0	3
25	59	15	4	0	44	6	0	0	9
26	63	26	4	1	34	13	1	0	15
27	53	22	6	0	41	6	1	0	5
28	51	7	3	0	39	8	0	0	4
29	56	11	6	2	44	5	0	1	6
30	0	0	0	0	0	0	0	0	0
31	66	30	6	0	50	5	2	0	9
32	64	14	4	0	47	7	1	0	9
33	71	6	2	0	66	5	0	0	0
34	37	0	2	0	34	2	0	0	1
35	61	5	1	0	52	4	1	0	4
36	24	1	1	0	23	0	0	0	1
37	55	7	7	0	39	9	0	0	7
UNKNOWN	0	0	0	0	0	0	0	0	0
INNER CITY	1174	478	122	1	662	248	18	5	241
RICHMOND-506	71	10	5	0	57	13	0	0	1
SCITUATE-132	87	5	3	0	76	9	0	0	2
SMITHFIELD	172	9	9	0	151	13	1	0	7
126	83	5	1	0	72	8	0	0	3
127	89	4	8	0	79	5	1	0	4
SOUTH KINGSTOWN	256	31	10	2	222	29	1	0	4
512	107	16	4	1	86	20	0	0	1
513	138	12	6	1	127	8	0	0	3
514	7	1	0	0	6	0	1	0	0
UNKNOWN	4	2	0	0	3	1	0	0	0
TIVERTON	181	25	14	8	157	22	1	0	1

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1982

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
TIVERTON(CONT.)									
416	102	13	8	7	90	10	1	0	1
417	77	12	6	1	65	12	0	0	0
WARREN	142	10	4	0	117	14	0	0	11
305	70	8	1	0	57	7	0	0	6
306	72	2	3	0	60	7	0	0	5
WARWICK	978	95	56	3	847	101	6	1	23
210	91	7	4	1	77	11	1	0	2
211	66	6	4	0	59	7	0	0	0
212	44	4	0	0	36	6	0	0	2
213	59	1	3	0	56	2	0	0	1
214	89	9	5	0	76	12	0	1	0
215	117	20	7	1	102	11	0	0	4
216	10	0	0	0	9	1	0	0	0
217	83	16	7	0	67	11	2	0	3
218	58	3	6	0	48	9	0	0	1
219	161	13	11	0	138	18	0	0	5
220	41	8	0	0	34	6	1	0	0
221	33	2	2	0	30	1	1	0	1
222	59	1	3	1	56	2	1	0	0
223	39	2	3	0	35	2	0	0	2
224	28	3	1	0	24	2	0	0	2
UNKNOWN	0	0	0	0	0	0	0	0	0
WESTERLY	252	30	14	1	221	28	0	0	3
508	130	16	6	0	111	17	0	0	2
509	107	13	7	1	96	10	0	0	1
510	13	0	1	0	13	0	0	0	0
UNKNOWN	2	1	0	0	1	1	0	0	0
WEST GREENWICH-208	45	4	1	1	39	6	0	0	0
WEST WARWICK	397	60	21	1	321	56	2	3	15
201	134	13	6	1	110	21	1	0	2

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1982

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
WEST WARWICK(CONT.)									
202	76	15	2	0	60	9	0	3	4
203	93	19	7	0	68	18	1	0	6
204	46	10	2	0	37	6	0	0	3
205	48	3	4	0	46	2	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0
WOONSOCKET	687	161	61	3	618	52	4	1	12
172	21	7	2	0	16	5	0	0	0
173	66	9	5	0	61	4	0	0	1
174	87	31	8	0	79	5	1	0	2
175	39	4	5	1	39	0	0	0	0
176	64	22	4	0	56	6	0	1	1
177	40	1	2	0	38	0	0	0	2
178	46	12	4	0	41	4	1	0	0
179	79	15	5	0	70	8	0	0	1
180	24	12	3	0	21	3	0	0	0
181	58	21	6	0	51	5	0	0	2
182	35	4	4	0	34	1	0	0	0
183	34	9	5	1	28	4	1	0	1
184	65	12	5	0	55	7	1	0	2
185	29	2	3	1	29	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

** BETWEEN 1960 AND 1965, CENSUS TRACT 162 WAS DIVIDED BETWEEN TRACTS 161 AND 164.

Table 18A - Births and Births Out of Wedlock, 1982
All Ages and Teen-Ages by City or Town of Residence

	ALL BIRTHS	TEEN-AGE BIRTHS	ALL BIRTHS OUT OF WEDLOCK	TEEN-AGE OUT OF WEDLOCK
RHODE ISLAND	12,499	1,410	2,009	767
Barrington	135	(a)	(a)	(a)
Bristol	264	32	24	11
Burrillville	177	23	29	10
Central Falls	297	56	68	29
Charlestown	75	(a)	16	(a)
Coventry	392	27	37	13
Cranston	712	41	62	20
Cumberland	273	23	26	14
East Greenwich	102	13	20	12
East Providence	632	71	74	28
Exeter	42	(a)	(a)	(a)
Foster	40	(a)	(a)	(a)
Glocester	84	8	(a)	(a)
Hopkinton	97	11	14	(a)
Jamestown	76	(a)	7	(a)
Johnston	272	17	23	8
Lincoln	187	14	12	6
Little Compton	31	(a)	(a)	(a)
Middletown	249	18	22	8
Narragansett	132	7	13	(a)
Newport	409	38	73	23
New Shoreham	16	(a)	(a)	0
North Kingstown	334	23	26	13
North Providence	291	13	15	(a)
North Smithfield	96	6	(a)	(a)
Pawtucket	1,065	124	187	66
Portsmouth	194	16	9	6
Providence	2,557*	432	792*	273
Richmond	71	8	10	6
Scituate	87	(a)	(a)	(a)
Smithfield	172	11	9	(a)
South Kingstown	256	21	31	13
Tiverton	181	22	25	14
Warren	142	11	10	(a)
Warwick	978*	96	95	52
Westerly	252	19	30	6
West Greenwich	45	8	(a)	(a)
West Warwick	397	57	60	27
Woonsocket	687	120	161	71

* Includes one birth with mother's age unknown.

(a) Number is greater than zero but less than six.

TABLE 19A - FETAL DEATHS OCCURRING IN RHODE ISLAND BY
RACE OF FETUS, WEEKS OF UTEROGESTATION, AND MODE OF DELIVERY, 1982

MODE OF DELIVERY	TOTAL	RACE			WEEKS OF UTEROGESTATION			
		WHITE	NON-WHITE	UNKNOWN	UNDER 20	20 - 27	28 AND OVER	UNKNOWN
TOTAL	8400	7037	731	632	8261	71	58	9
SPONTANEOUS	697	137	17	543	576	57	58	4
INDUCED	7703	6890	714	90	7685	14	0	4

TABLE 19B - FETAL DEATHS OCCURRING IN RHODE ISLAND BY
MONTH OF DELIVERY BY WEEKS OF UTEROGESTATION 1982

MONTH	TOTAL	WEEKS OF UTEROGESTATION			
		UNDER 20	20 - 27	28 AND OVER	UNKNOWN
TOTAL	8400	8261	71	58	8
JANUARY	752	741	6	5	0
FEBRUARY	745	735	6	4	0
MARCH	810	800	6	3	1
APRIL	731	716	7	6	2
MAY	745	732	5	7	0
JUNE	664	654	5	5	0
JULY	683	666	7	10	0
AUGUST	718	706	7	4	1
SEPTEMBER	595	584	5	4	2
OCTOBER	692	682	6	3	1
NOVEMBER	623	615	3	3	1
DECEMBER	641	629	8	4	0

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1982

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
RHODE ISLAND	6352	1842	4456	639	478	139	5713	1364	4320
BARRINGTON	69	27	42	15	15	0	54	12	42
301	27	9	18	6	6	0	21	3	18
302	8	2	6	1	1	0	7	1	6
303	18	7	11	2	2	0	16	5	11
304	15	9	6	6	6	0	9	3	6
UNKNOWN TRACT	1	0	1	0	0	0	1	0	1
BRISTOL	106	37	69	21	18	3	85	19	66
307	23	11	12	10	8	2	13	3	10
308	36	12	24	4	4	0	32	8	24
309	42	13	29	6	6	0	36	7	29
UNKNOWN TRACT	5	1	4	1	0	1	4	1	3
BURRILLVILLE	55	22	32	8	7	1	47	15	31
129	36	15	21	4	3	1	32	12	20
130	19	7	11	4	4	0	15	3	11
CENTRAL FALLS	139	60	76	11	7	2	128	53	74
108	38	15	23	2	1	1	36	14	22
109	36	19	16	4	3	0	32	16	16
110	37	15	21	3	2	0	34	13	21
111	26	11	14	2	1	1	24	10	13
UNKNOWN TRACT	2	0	2	0	0	0	2	0	2
CHARLESTOWN	28	9	19	3	3	0	25	6	19
511	28	9	19	3	3	0	25	6	19
COVENTRY	151	36	113	9	7	1	142	29	112
206	103	24	78	5	4	1	98	20	77
207	48	12	35	4	3	0	44	9	35
CRANSTON	415	116	295	48	39	9	367	77	286
134	42	10	31	6	4	2	36	6	29
135	43	11	32	10	8	2	33	3	30
136	9	5	3	2	2	0	7	3	3
137	43	16	27	1	1	0	42	15	27

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1982

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
138	25	9	16	4	3	1	21	6	15
139	21	3	18	2	2	0	19	1	18
140	25	7	17	6	4	2	19	3	15
141	30	10	20	2	2	0	28	8	20
142	9	2	7	0	0	0	9	2	7
143	23	9	13	4	3	1	19	6	12
144	14	4	10	2	1	1	12	3	9
145	43	11	32	4	4	0	39	7	32
146	15	5	10	2	2	0	13	3	10
147	53	10	43	1	1	0	52	9	43
148	19	4	15	2	2	0	17	2	15
UNKNOWN TRACT	1	0	1	0	0	0	1	0	1
CUMBERLAND	155	44	111	18	17	1	137	27	110
112	40	14	26	6	6	0	34	8	26
113	33	8	25	2	2	0	31	6	25
114	80	22	58	10	9	1	70	13	57
UNKNOWN TRACT	2	0	2	0	0	0	2	0	2
EAST GREENWICH	64	13	51	4	4	0	60	9	51
209	64	13	51	4	4	0	60	9	51
EAST PROVIDENCE	305	82	220	44	36	7	261	48	213
101	31	9	21	6	6	0	25	3	21
102	64	17	47	12	7	5	52	10	42
103	31	10	20	5	3	1	26	7	19
104	48	11	37	4	4	0	44	7	37
105	64	19	45	10	10	0	54	9	45
106	41	8	33	3	3	0	38	5	33
107	24	8	16	4	3	1	20	5	15
UNKNOWN TRACT	2	0	1	0	0	0	2	0	1
EXETER	21	11	10	6	5	1	15	6	9
505	21	11	10	6	5	1	15	6	9

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1982

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
FOSTER	21	9	12	3	2	1	18	7	11
133	21	9	12	3	2	1	18	7	11
GLOCESTER	22	10	12	2	2	0	20	8	12
131	22	10	12	2	2	0	20	8	12
HOPKINTON	20	8	11	2	1	0	18	7	11
507	20	8	11	2	1	0	18	7	11
JAMESTOWN	30	12	17	4	4	0	26	8	17
413	30	12	17	4	4	0	26	8	17
JOHNSTON	159	53	106	23	19	4	136	34	102
122	28	12	16	6	6	0	22	6	16
123	51	18	33	7	6	1	44	12	32
124	49	14	35	4	2	2	45	12	33
125	29	8	21	6	5	1	23	3	20
UNKNOWN TRACT	2	1	1	0	0	0	2	1	1
LINCOLN	86	25	61	8	8	0	78	17	61
115	25	10	15	3	3	0	22	7	15
116	11	1	10	1	1	0	10	0	10
117	49	13	36	3	3	0	46	10	36
124	1	1	0	1	1	0	0	0	0
LITTLE COMPTON	12	6	6	0	0	0	12	6	6
414	12	6	6	0	0	0	12	6	6
MIDDLETOWN	88	24	63	1	0	0	87	24	63
402	4	2	1	1	0	0	3	2	1
403	42	16	26	0	0	0	42	16	26
404	41	6	35	0	0	0	41	6	35
UNKNOWN TRACT	1	0	1	0	0	0	1	0	1
NARRAGANSETT	131	21	109	16	12	4	115	9	105
515	131	21	109	16	12	4	115	9	105

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1982

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
NEWPORT	302	54	245	8	4	1	294	50	244
405	47	15	32	1	0	1	46	15	31
406	41	5	36	0	0	0	41	5	36
407	50	7	43	1	1	0	49	6	43
408	52	11	39	3	1	0	49	10	39
409	35	5	30	1	1	0	34	4	30
410	26	1	25	0	0	0	26	1	25
411	24	7	16	2	1	0	22	6	16
412	18	2	16	0	0	0	18	2	16
UNKNOWN TRACT	9	1	8	0	0	0	9	1	8
NEW SHOREHAM	8	3	5	0	0	0	8	3	5
415	8	3	5	0	0	0	8	3	5
NORTH KINGSTOWN	151	43	107	13	10	3	138	33	104
501	63	18	44	6	5	1	57	13	43
503	46	12	34	4	3	1	42	9	33
504	41	13	28	3	2	1	38	11	27
UNKNOWN TRACT	1	0	1	0	0	0	1	0	1
NORTH PROVIDENCE	162	40	121	26	21	5	136	19	116
118	44	11	33	4	3	1	40	8	32
119	26	6	19	4	4	0	22	2	19
120	34	10	24	8	6	2	26	4	22
121	58	13	45	10	8	2	48	5	43
NORTH SMITHFIELD	42	9	33	6	6	0	36	3	33
128	42	9	33	6	6	0	36	3	33
PAWTUCKET	536	172	361	39	29	10	497	143	351
149	3	0	3	0	0	0	3	0	3
150	36	11	25	5	4	1	31	7	24
151	38	12	25	2	0	2	36	12	23
152	13	4	9	1	0	1	12	4	8
153	18	4	14	1	1	0	17	3	14
154	11	4	7	1	1	0	10	3	7
155	24	8	16	1	1	0	23	7	16

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1982

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
156	20	4	16	1	0	1	19	4	15
157	24	9	15	2	2	0	22	7	15
158	19	5	14	3	3	0	16	2	14
159	18	2	16	0	0	0	18	2	16
160	32	9	23	2	2	0	30	7	23
161	47	25	21	2	2	0	45	23	21
163	8	3	5	1	0	1	7	3	4
164	52	17	34	5	3	2	47	14	32
165	34	14	20	4	4	0	30	10	20
166	16	7	9	1	1	0	15	6	9
167	20	7	13	1	1	0	19	6	13
168	19	4	15	1	1	0	18	3	15
169	6	2	4	1	1	0	5	1	4
170	22	6	16	1	1	0	21	5	16
171	46	12	34	2	0	2	44	12	32
UNKNOWN TRACT	10	3	7	1	1	0	9	2	7
PORTSMOUTH	66	14	52	3	3	0	63	11	52
401	66	14	52	3	3	0	63	11	52
PROVIDENCE	1575	460	1103	148	86	57	1427	374	1046
2	1	0	1	0	0	0	1	0	1
1	83	35	48	13	10	3	70	25	45
2	135	51	83	11	6	4	124	45	79
3	85	28	57	5	2	3	80	26	54
4	44	17	25	3	1	1	41	16	24
5	38	12	25	3	1	2	35	11	23
6	15	5	10	0	0	0	15	5	10
7	26	5	21	2	0	2	24	5	19
8	24	0	24	0	0	0	24	0	24
9	20	7	13	1	0	1	19	7	12
10	19	3	15	1	0	0	18	3	15

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1982

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
11	19	3	16	4	1	3	15	2	13
12	40	6	34	1	1	0	39	5	34
13	43	14	29	8	5	3	35	9	26
14	59	27	31	6	3	2	53	24	29
15	21	6	15	1	1	0	20	5	15
16	45	13	32	7	5	2	38	8	30
17	18	2	16	1	0	1	17	2	15
18	46	15	31	5	3	2	41	12	29
19	40	13	26	4	3	1	36	10	25
20	29	9	19	2	0	1	27	9	18
21	57	22	35	10	6	4	47	16	31
22	25	7	18	5	4	1	20	3	17
23	37	6	31	6	3	3	31	3	28
24	49	12	37	5	4	1	44	8	36
25	41	22	18	3	2	1	38	20	17
26	44	19	24	3	2	:	41	17	23
27	28	4	24	9	3	6	19	1	18
28	30	7	23	6	4	2	24	3	21
29	43	13	30	4	3	1	39	10	29
31	45	14	31	4	2	2	41	12	29
32	40	8	32	3	2	1	37	6	31
33	40	9	31	1	1	0	39	8	31
34	32	12	19	1	1	0	31	11	19
35	48	7	41	2	2	0	46	5	41
36	103	12	91	5	3	2	93	9	89
37	43	11	31	2	2	0	41	9	31
UNKNOWN TRACT	20	4	16	1	0	1	19	4	15
RICHMOND	21	8	13	8	8	0	13	0	13
506	20	7	13	7	7	0	13	0	13
513	1	1	0	1	1	0	0	0	0

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1982

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
SCITUATE	57	16	41	4	3	1	53	13	40
132	57	16	41	4	3	1	53	13	40
SMITHFIELD	103	31	72	13	12	1	90	19	71
126	54	14	40	3	3	0	51	11	40
127	49	17	32	10	9	1	39	8	31
SOUTH KINGSTOWN	168	44	122	23	14	7	145	30	115
512	61	15	44	9	3	4	52	12	40
513	63	24	39	14	11	3	49	13	36
514	44	5	39	0	0	0	44	5	39
TIVERTON	44	19	24	2	2	0	42	17	24
416	25	10	14	0	0	0	25	10	14
417	19	9	10	2	2	0	17	7	10
WARREN	56	22	33	10	9	0	46	13	33
305	18	7	11	4	4	0	14	3	11
306	38	15	22	6	5	0	32	10	22
WARWICK	490	123	361	38	28	7	452	95	354
210	51	12	39	6	5	1	45	7	38
211	27	7	20	2	1	1	25	6	19
212	21	3	18	1	1	0	20	2	18
213	19	3	16	0	0	0	19	3	16
214	42	7	34	3	1	1	39	6	33
215	49	11	36	4	1	2	45	10	34
216	11	5	6	0	0	0	11	5	6
217	49	13	35	3	2	1	46	11	34
218	20	5	15	3	2	1	17	3	14
219	68	21	45	7	6	0	61	15	45
220	27	3	24	0	0	0	27	3	24
221	37	16	21	4	4	0	33	12	21
222	42	10	32	2	2	0	40	8	32
223	14	3	11	1	1	0	13	2	11
224	10	4	6	2	2	0	8	2	6
UNKNOWN TRACT	3	0	3	0	0	0	3	0	3

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1982

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
WESTERLY	73	16	54	5	2	0	68	14	54
508	23	4	18	1	0	0	22	4	18
509	38	8	28	4	2	0	34	6	28
510	11	3	8	0	0	0	11	3	8
UNKNOWN TRACT	1	1	0	0	0	0	1	1	0
WEST GREENWICH	17	8	9	2	2	0	15	6	9
208	17	8	9	2	2	0	15	6	9
WEST WARWICK	165	45	118	11	8	2	154	37	116
201	51	17	34	7	7	0	44	10	34
202	19	5	14	0	0	0	19	5	14
203	46	11	34	2	0	1	44	11	33
204	14	4	10	1	0	1	13	4	9
205	31	6	24	1	1	0	30	5	24
UNKNOWN TRACT	4	2	2	0	0	0	4	2	2
WOONSOCKET	239	90	147	34	25	8	205	65	139
172	10	5	5	1	0	1	9	5	4
173	18	9	9	5	5	0	13	4	9
174	31	13	18	5	3	2	26	10	16
175	16	3	13	2	2	0	14	1	13
176	27	8	18	3	2	1	24	6	17
177	15	6	9	4	3	1	11	3	8
178	22	8	14	0	0	0	22	8	14
179	26	12	14	2	2	0	24	10	14
180	11	4	7	0	0	0	11	4	7
181	8	5	3	3	3	0	5	2	3
182	9	4	5	2	1	1	7	3	4
183	12	4	8	1	0	1	11	4	7
184	19	3	15	3	1	1	16	2	14
185	12	6	6	3	3	0	9	3	6
UNKNOWN TRACT	3	0	3	0	0	0	3	0	3

* TOTALS MAY INCLUDE ITEMS WITH UNKNOWN MARITAL STATUS

TABLE 21 - INDUCED FETAL DEATHS
BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND
NATURE OF PREVIOUS DELIVERIES TO MOTHER. RHODE ISLAND OCCURRENCES 1982

	ALL AGES	AGE OF MOTHER IN YEARS															
		< 15	15	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	UNK-NOWN
TOTAL	7703	36	110	298	512	641	641	678	699	575	461	408	1429	736	355	113	6	5
MARITAL STATUS OF MOTHER																		
MARRIED	1767	0	2	3	7	26	41	84	97	96	109	127	525	359	207	77	5	2
UNMARRIED	5886	35	108	295	502	612	598	590	600	477	348	281	894	366	140	36	1	3
UNKNOWN	50	1	0	0	3	3	2	4	2	2	4	0	10	11	8	0	0	0
PREVIOUS DELIVERIES TO MOTHER																		
NONE	3608	34	99	267	435	433	431	406	354	265	176	141	356	114	31	4	0	2
ONE	1804	2	10	29	66	131	157	162	206	159	143	117	393	175	46	7	0	1
PREVIOUS DELIVERIES WERE																		
*L.B. S.F.D. I.F.D.																		
0 0 1	1005	2	7	16	42	81	99	106	134	110	84	69	188	54	11	1	0	1
0 1 0	84	0	0	5	4	7	5	7	8	5	9	4	17	12	1	0	0	0
1 0 0	715	0	3	8	20	43	53	49	64	44	50	44	188	109	34	6	0	0
TWO	1092	0	1	2	10	14	45	75	90	90	81	77	333	188	63	21	0	2
PREVIOUS DELIVERIES WERE																		
*L.B. S.F.D. I.F.D.																		
0 0 2	183	0	0	1	4	3	12	19	27	18	15	17	51	14	2	0	0	0
0 1 1	26	0	0	0	0	0	2	3	4	3	2	3	7	2	0	0	0	0
0 2 0	6	0	0	0	1	0	1	0	0	1	0	0	2	1	0	0	0	0
1 0 1	338	0	0	1	3	7	15	25	35	37	32	16	115	37	13	1	0	1
1 1 0	77	0	0	0	1	2	7	6	8	3	6	6	18	16	3	1	0	0
2 0 0	462	0	1	0	1	2	8	22	16	28	26	35	140	118	45	19	0	1

TABLE 21 - INDUCED FETAL DEATHS
BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND
NATURE OF PREVIOUS DELIVERIES TO MOTHER. RHODE ISLAND OCCURRENCES 1982

				AGE OF MOTHER IN YEARS														
			ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	UNK-NOWN
THREE			571	0	0	0	0	2	6	24	35	37	34	37	183	111	74	26	2	0
PREVIOUS DELIVERIES WERE																				
*L.B.	S.F.D.	I.F.D.																		
0	0	3	38	0	0	0	0	0	1	3	4	1	6	3	13	6	0	1	0	0
0	1	2	7	0	0	0	0	0	0	3	1	1	1	0	1	0	0	0	0	0
0	2	1	3	0	0	0	0	0	0	0	2	0	0	0	0	1	0	0	0	0
0	3	0	3	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0	0
1	0	2	93	0	0	0	0	0	2	3	7	12	3	6	38	15	5	2	0	0
1	1	1	32	0	0	0	0	2	0	1	3	3	0	6	13	2	2	0	0	0
1	2	0	15	0	0	0	0	0	1	1	0	0	0	1	5	4	2	1	0	0
2	0	1	167	0	0	0	0	0	0	7	8	15	12	11	61	36	15	2	0	0
2	1	0	65	0	0	0	0	0	0	3	4	1	7	6	15	15	10	4	0	0
3	0	0	148	0	0	0	0	0	2	3	6	4	5	4	35	31	40	16	2	0
FOUR			323	0	0	0	0	0	2	6	8	14	16	29	100	70	57	21	0	0
PREVIOUS DELIVERIES WERE																				
*L.B.	S.F.D.	I.F.D.																		
0	0	4	8	0	0	0	0	0	0	0	1	1	1	0	4	1	0	0	0	0
0	1	3	2	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0
0	2	2	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
1	0	3	22	0	0	0	0	0	0	2	1	1	2	4	9	2	1	0	0	0
1	1	2	10	0	0	0	0	0	0	0	0	1	0	1	5	2	1	0	0	0
1	2	1	3	0	0	0	0	0	0	0	0	1	0	0	0	2	0	0	0	0
1	3	0	6	0	0	0	0	0	0	0	0	0	0	1	1	2	2	0	0	0
2	0	2	69	0	0	0	0	0	0	3	2	5	6	5	26	7	12	3	0	0
2	1	1	30	0	0	0	0	0	0	1	0	1	1	5	13	2	6	1	0	0
2	2	0	15	0	0	0	0	0	0	0	0	0	0	1	6	4	3	1	0	0
3	0	1	67	0	0	0	0	0	1	0	4	4	2	7	15	20	11	3	0	0
3	1	0	38	0	0	0	0	0	1	0	0	0	1	3	14	10	7	2	0	0
4	0	0	52	0	0	0	0	0	0	0	0	0	0	2	2	6	17	14	11	0	0

TABLE 21 - INDUCED FETAL DEATHS
BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND
NATURE OF PREVIOUS DELIVERIES TO MOTHER. RHODE ISLAND OCCURRENCES 1982

				AGE OF MOTHER IN YEARS														
			ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	UNK-NOWN
FIVE			156	0	0	0	0	0	0	2	4	7	6	4	39	42	37	13	2	0
PREVIOUS DELIVERIES WERE																				
•L.B.	S.F.D.	I.F.D.																		
0	0	5	3	0	0	0	0	0	0	0	1	0	0	0	2	0	0	0	0	0
0	1	4	2	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0
0	5	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
1	0	4	7	0	0	0	0	0	0	0	1	2	1	0	1	2	0	0	0	0
1	2	2	5	0	0	0	0	0	0	0	0	0	0	0	3	1	1	0	0	0
1	3	1	3	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	0
1	4	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
2	0	3	15	0	0	0	0	0	0	0	1	0	1	0	5	6	1	1	0	0
2	1	2	13	0	0	0	0	0	0	0	1	1	0	1	3	5	2	0	0	0
2	2	1	4	0	0	0	0	0	0	0	0	0	0	0	2	1	0	1	0	0
2	3	0	6	0	0	0	0	0	0	1	0	2	0	0	1	1	1	0	0	0
3	0	2	25	0	0	0	0	0	0	0	0	1	1	2	6	8	4	2	1	0
3	1	1	9	0	0	0	0	0	0	0	0	0	2	1	3	1	1	1	0	0
3	2	0	7	0	0	0	0	0	0	0	0	1	0	0	1	0	3	2	0	0
4	0	1	21	0	0	0	0	0	0	0	1	0	0	0	0	4	5	9	1	1	0
4	1	0	17	0	0	0	0	0	0	0	0	0	0	0	0	3	5	5	4	0	0
5	0	0	17	0	0	0	0	0	0	0	0	0	0	0	0	2	5	9	1	0	0

TABLE 21 - INDUCED FETAL DEATHS
BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND
NATURE OF PREVIOUS DELIVERIES TO MOTHER. RHODE ISLAND OCCURRENCES 1982

PREVIOUS DELIVERIES WERE *L.B.	S.F.D.	I.F.D.	ALL AGES	AGE OF MOTHER IN YEARS: < 15	15	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	UNK-NOWN
SIX			68	0	0	0	0	0	0	0	2	1	4	2	14	17	19	8	1	0
0	0	6	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
0	1	5	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
1	0	5	4	0	0	0	0	0	0	0	1	0	1	0	1	0	1	0	0	0
1	2	3	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
1	3	2	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
1	5	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
2	0	4	6	0	0	0	0	0	0	0	0	0	0	0	2	3	1	0	0	0
2	2	2	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
2	3	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
2	4	0	3	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0	0	0
3	0	3	7	0	0	0	0	0	0	0	0	0	0	1	1	3	1	1	0	0
3	1	2	4	0	0	0	0	0	0	0	0	0	0	0	2	1	1	0	0	0
3	2	1	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
3	3	0	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0
4	0	2	11	0	0	0	0	0	0	0	1	0	0	1	1	2	5	0	1	0
4	1	1	3	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0
4	2	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
5	0	1	5	0	0	0	0	0	0	0	0	0	0	0	0	1	3	1	0	0
5	1	0	4	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	0	0
6	0	0	7	0	0	0	0	0	0	0	0	0	2	0	1	1	1	2	0	0
SEVEN +			73	0	0	0	0	1	0	1	0	1	1	1	10	19	27	12	1	0
UNKNOWN			8	0	0	0	1	0	0	2	0	1	0	0	1	1	1	1	0	0

* L.B. REFERS TO PREVIOUS LIVE BIRTHS, S.F.D. TO PREVIOUS SPONTANEOUS FETAL DEATHS, AND I.F.D. TO PREVIOUS INDUCED FETAL DEATHS

TABLE 22A - SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE UTEROGESTATION OCCURRING IN RHODE ISLAND BY NUMBER OF CHILD IN TOTAL BIRTH ORDER NUMBER OF PREVIOUS FETAL DEATHS AND AGE OF MOTHER 1982

BIRTH ORDER OF THIS FETUS	TOTAL		AGE OF MOTHER IN YEARS							
	NUMBER	PERCENT	UNDER 20	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	OVER 44	UNKNOWN
TOTAL FETAL DEATHS OF 20 WEEKS OR MORE	115	100.0	17	35	35	12	9	2	0	5
FIRST DELIVERY	31	27.0	9	8	11	1	1	1	0	0
SECOND DELIVERY	33	28.7	4	10	9	5	3	1	0	1
NO PREVIOUS FETAL DEATHS	19		3	4	7	2	3	0	0	0
ONE PREVIOUS FETAL DEATH	14		1	6	2	3	0	1	0	1
THIRD DELIVERY	17	14.8	0	7	8	2	0	0	0	0
NO PREVIOUS FETAL DEATHS	8		0	3	3	2	0	0	0	0
ONE PREVIOUS FETAL DEATH	4		0	3	1	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	5		0	1	4	0	0	0	0	0
FOURTH DELIVERY	4	3.5	0	0	2	1	1	0	0	0
NO PREVIOUS FETAL DEATHS	1		0	0	0	1	0	0	0	0
ONE PREVIOUS FETAL DEATH	1		0	0	0	0	1	0	0	0
TWO PREVIOUS FETAL DEATHS	1		0	0	1	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	1		0	0	1	0	0	0	0	0
FIFTH DELIVERY	2	1.7	0	0	2	0	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	1		0	0	1	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	1		0	0	1	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
SIXTH DELIVERY	4	3.5	0	0	1	2	1	0	0	0
NO PREVIOUS FETAL DEATHS	3		0	0	0	2	1	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	1		0	0	1	0	0	0	0	0
SEVENTH DELIVERY	1	0.9	0	0	1	0	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	1		0	0	1	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
EIGHTH OR MORE DELIVERY	4	3.5	0	1	1	0	2	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	1		0	1	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	3		0	0	1	0	2	0	0	0
UNKNOWN BIRTH ORDER	19	16.5	4	9	0	1	1	0	0	4

TABLE 22B - SPONTANEOUS FETAL DEATHS OCCURRING IN RHODE ISLAND BY

NUMBER OF CHILD IN TOTAL BIRTH ORDER NUMBER OF PREVIOUS FETAL DEATHS AND AGE OF MOTHER 1982

BIRTH ORDER OF THIS FETUS	TOTAL		AGE OF MOTHER IN YEARS							
	NUMBER	PERCENT	UNDER 20	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	OVER 44	UNKNOWN
TOTAL SPONTANEOUS FETAL DEATHS	697	100.0	68	181	234	137	64	6	0	7
FIRST DELIVERY	235	33.7	42	70	82	29	10	2	0	0
SECOND DELIVERY	208	29.8	14	59	70	47	16	1	0	1
NO PREVIOUS FETAL DEATHS	148		11	35	50	37	15	0	0	0
ONE PREVIOUS FETAL DEATH	60		3	24	20	10	1	1	0	1
THIRD DELIVERY	112	16.1	5	27	38	30	12	0	0	0
NO PREVIOUS FETAL DEATHS	54		2	12	15	18	7	0	0	0
ONE PREVIOUS FETAL DEATH	41		2	13	14	9	3	0	0	0
TWO PREVIOUS FETAL DEATHS	17		1	2	9	3	2	0	0	0
FOURTH DELIVERY	59	8.5	2	9	25	16	6	1	0	0
NO PREVIOUS FETAL DEATHS	14		1	0	6	4	3	0	0	0
ONE PREVIOUS FETAL DEATH	24		1	3	10	7	3	0	0	0
TWO PREVIOUS FETAL DEATHS	17		0	6	6	4	0	1	0	0
THREE+ PREVIOUS FETAL DEATHS	4		0	0	3	1	0	0	0	0
FIFTH DELIVERY	20	2.9	0	1	10	6	3	0	0	0
NO PREVIOUS FETAL DEATHS	2		0	1	0	0	1	0	0	0
ONE PREVIOUS FETAL DEATH	4		0	0	2	1	1	0	0	0
TWO PREVIOUS FETAL DEATHS	4		0	0	3	1	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	10		0	0	5	4	1	0	0	0
SIXTH DELIVERY	15	2.2	0	1	2	5	6	1	0	0
NO PREVIOUS FETAL DEATHS	5		0	0	0	2	3	0	0	0
ONE PREVIOUS FETAL DEATH	3		0	0	0	1	1	1	0	0
TWO PREVIOUS FETAL DEATHS	3		0	1	1	1	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	4		0	0	1	1	2	0	0	0
SEVENTH DELIVERY	6	0.9	0	0	2	1	3	0	0	0
NO PREVIOUS FETAL DEATHS	3		0	0	0	1	2	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	1		0	0	1	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	2		0	0	1	0	1	0	0	0
EIGHTH OR MORE DELIVERY	10	1.4	0	2	2	0	4	1	0	1
NO PREVIOUS FETAL DEATHS	1		0	0	0	0	1	0	0	0
ONE PREVIOUS FETAL DEATH	4		0	1	0	0	1	1	0	1
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	5		0	1	2	0	2	0	0	0
UNKNOWN BIRTH ORDER	32	4.6	5	12	3	3	4	0	0	5

TABLE 23 - SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE UTEROGESTATION OCCURRING IN RHODE ISLAND BY WEIGHT OF FETUS AND AGE OF MOTHER 1982

FETAL WEIGHT IN GRAMS	TOTAL		AGE OF MOTHER IN YEARS							
	NUMBER	PER CENT	UNDER 20	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	UNKNOWN
TOTAL	115	100.0	17	35	35	12	9	2	0	5
1,000 OR LESS	34	29.6	7	11	8	3	2	2	0	1
1,001 - 1,500	10	8.7	1	2	6	1	0	0	0	0
1,501 - 2,000	3	2.6	0	1	0	0	2	0	0	0
2,001 - 2,500	9	7.8	2	3	2	1	1	0	0	0
LOW WEIGHT TOTAL	56	48.7	10	17	16	5	5	2	0	1
2,501 - 3,000	4	3.5	0	2	2	0	0	0	0	0
3,001 - 3,500	6	5.2	0	2	1	1	2	0	0	0
3,501 - 4,000	2	1.7	1	0	1	0	0	0	0	0
4,001 - 4,500	1	0.9	0	0	1	0	0	0	0	0
4,501 - 5,000	1	0.9	0	0	1	0	0	0	0	0
5,001 OR MORE	0	0.0	0	0	0	0	0	0	0	0
NOT STATED	45	39.1	6	14	13	6	2	0	0	4

TABLE 24 - FETAL DEATHS OCCURRING IN RHODE ISLAND BY

SELECTED CAUSE OF DEATH AND WEEKS OF UTEROGESTATION 1982

CAUSE OF FETAL DEATH (ICD, 1975)	FETAL DEATHS BY WEEKS OF UTEROGESTATION									
	TOTAL		UNDER 20		20 - 27		28 OR MORE		UNKNOWN	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
ALL CAUSES	8400	100.0	8261	98.3	71	0.8	58	0.7	10	0.1
CONGENITAL ANOMALIES (740-759)	8	0.1	0	0.0	4	5.6	4	6.9	0	0.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	8391	99.9	8261	100.0	66	93.0	54	93.1	10	100.0
MATERNAL COMPLICATIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY (760)	3	0.0	0	0.0	1	1.4	2	3.4	0	0.0
MATERNAL COMPLICATIONS OF PREGANCY (761)	559	6.7	534	6.5	11	15.5	10	17.2	4	40.0
COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)	48	0.6	23	0.3	12	16.9	13	22.4	0	0.0
SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT (765)	5	0.1	0	0.0	5	7.0	0	0.0	0	0.0
BIRTH TRAUMA (767)	1	0.0	0	0.0	1	1.4	0	0.0	0	0.0
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (768)	25	0.3	1	0.0	8	11.3	15	25.9	1	10.0
FETAL AND NEONATAL HAEMORRHAGE (772)	3	0.0	0	0.0	0	0.0	3	5.2	0	0.0
CONDITIONS INVOLVING THE INTEGUMENT AND TEMPERATURE REGULATION (778)	2	0.0	0	0.0	0	0.0	2	3.4	0	0.0
OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (779)	7745	92.2	7703	93.2	28	39.4	9	15.5	5	50.0
OTHER CAUSES (RESIDUAL)	1	0.0	0	0.0	1	1.4	0	0.0	0	0.0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1982

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ALL CAUSES																	
TOTAL	8975*	125	19	13	18	52	70	145	180	458	533	755	1024	1186	1316	1235	1845
WHITE MALE	4445	52	6	8	9	37	47	93	99	275	329	454	607	666	662	503	598
WHITE FEMALE	4271	53	11	5	8	13	22	40	67	155	172	280	393	494	631	703	1223
NON-WHITE MALE	130	13	1	0	0	0	1	7	9	14	20	12	13	9	7	13	11
NON-WHITE FEMALE	124	7	1	0	1	2	0	5	4	13	11	9	11	16	16	15	13
UNKNOWN MALE	4	0	0	0	0	0	0	0	1	1	1	0	0	0	0	1	0
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
CERTAIN OTHER INTESTINAL INFECTIONS (007,009)																	
TOTAL	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TUBERCULOSIS(010-018)																	
TOTAL	5	0	0	0	1	0	0	0	1	0	1	0	0	0	2	0	0
WHITE MALE	2	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0
WHITE FEMALE	2	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0
NON-WHITE FEMALE	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)																	
TOTAL	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0
WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
OTHER TUBERCULOSIS(013-018)																	
TOTAL	3	0	0	0	1	0	0	0	1	0	1	0	0	0	0	0	0
WHITE MALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
WHITE FEMALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
MENINGOCOCCAL INFECTION(036)																	
TOTAL	2	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0
WHITE FEMALE	2	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0
SEPTICEMIA(038)																	
TOTAL	44	1	1	0	1	0	0	0	1	1	1	0	7	5	9	7	10
WHITE MALE	19	0	0	0	0	0	0	0	0	0	1	0	2	2	7	3	4
WHITE FEMALE	24	0	1	0	1	0	0	0	1	1	0	0	5	3	2	4	6
NON-WHITE FEMALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1982

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
VIRAL HEPATITIS(070)																	
TOTAL	7	0	0	0	0	0	0	0	2	0	1	1	1	1	1	0	0
WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
WHITE FEMALE	3	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	0
NON-WHITE MALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
ALL OTHER INFECTIOUS AND PARASITIC DISEASES(001-003,005,020-032,037, 039 -041,046-054,056-066,071-088,098-139																	
TOTAL	22	1	0	0	0	0	0	2	1	2	2	1	4	3	0	1	5
WHITE MALE	11	0	0	0	0	0	0	2	0	2	1	0	2	2	0	1	1
WHITE FEMALE	11	1	0	0	0	0	0	0	1	0	1	1	2	1	0	0	4
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)																	
TOTAL	2214	1	5	3	2	2	6	25	56	168	209	260	332	360	315	244	226
WHITE MALE	1147	1	2	2	2	0	4	12	20	81	111	135	185	205	169	114	104
WHITE FEMALE	1004	0	2	1	0	2	2	12	31	79	85	118	142	143	139	125	117
NON-WHITE MALE	32	0	0	0	0	0	0	1	2	2	7	3	5	1	4	3	4
NON-WHITE FEMALE	30	0	1	0	0	0	0	0	3	6	6	4	0	4	3	2	1
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX(140-149)																	
TOTAL	37	0	0	0	0	0	0	0	2	1	5	6	7	6	3	5	2
WHITE MALE	27	0	0	0	0	0	0	0	1	1	3	4	6	3	3	5	1
WHITE FEMALE	10	0	0	0	0	0	0	0	1	0	2	2	1	3	0	0	1
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM(150-159)																	
TOTAL	696	0	0	0	0	1	0	3	7	42	61	71	102	119	105	85	100
WHITE MALE	349	0	0	0	0	0	0	2	3	21	37	42	56	56	47	43	41
WHITE FEMALE	326	0	0	0	0	1	0	1	2	20	18	29	45	59	56	37	58
NON-WHITE MALE	12	0	0	0	0	0	0	0	1	1	3	0	1	1	2	3	0
NON-WHITE FEMALE	10	0	0	0	0	0	0	0	1	0	3	0	0	3	0	2	1
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS(160-165)																	
TOTAL	568	0	0	0	0	0	0	1	13	49	67	83	96	108	84	45	22
WHITE MALE	402	0	0	0	0	0	0	1	4	33	44	56	69	84	65	30	16
WHITE FEMALE	149	0	0	0	0	0	0	0	7	14	19	24	24	24	18	15	4
NON-WHITE MALE	11	0	0	0	0	0	0	0	1	1	3	1	3	0	0	0	2
NON-WHITE FEMALE	6	0	0	0	0	0	0	0	1	1	1	2	0	0	1	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1982

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
MALIGNANT NEOPLASMS OF BREAST(174-175)																	
TOTAL	189	0	0	0	0	0	0	6	10	19	26	25	26	23	23	19	12
WHITE FEMALE	183	0	0	0	0	0	0	6	10	18	24	25	26	21	22	19	12
NON-WHITE FEMALE	5	0	0	0	0	0	0	0	0	1	2	0	0	1	1	0	0
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)																	
TOTAL	221	0	1	0	0	0	0	0	4	13	9	23	38	33	27	36	37
WHITE MALE	95	0	0	0	0	0	0	0	0	0	2	9	17	20	15	13	19
WHITE FEMALE	119	0	0	0	0	0	0	0	4	12	7	13	20	13	11	23	16
NON-WHITE MALE	5	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	2
NON-WHITE FEMALE	2	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)																	
TOTAL	100	0	0	0	0	0	0	2	2	7	12	9	12	12	20	12	12
WHITE MALE	68	0	0	0	0	0	0	1	2	4	11	4	7	9	13	7	10
WHITE FEMALE	31	0	0	0	0	0	0	1	0	3	1	5	5	3	6	5	2
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES(170-173,190-199)																	
TOTAL	235	1	1	3	2	1	1	7	11	21	21	27	30	34	29	23	23
WHITE MALE	124	1	1	2	2	0	1	5	7	10	9	14	17	19	15	11	10
WHITE FEMALE	106	0	0	1	0	1	0	2	4	8	11	12	13	15	14	12	13
NON-WHITE MALE	2	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
NON-WHITE FEMALE	3	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0
LEUKEMIA(204-208)																	
TOTAL	64	0	3	0	0	0	2	4	4	5	4	7	9	7	6	9	4
WHITE MALE	34	0	1	0	0	0	1	2	3	3	3	4	7	4	2	4	0
WHITE FEMALE	27	0	2	0	0	0	1	1	1	2	1	2	2	3	3	5	4
NON-WHITE MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0
OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES(200-203)																	
TOTAL	104	0	0	0	0	0	3	2	3	11	4	9	12	18	18	10	14
WHITE MALE	49	0	0	0	0	0	2	1	0	9	2	2	6	10	9	1	7
WHITE FEMALE	53	0	0	0	0	0	1	1	2	2	2	6	6	8	9	9	7
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1982

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE(210-239)																	
TOTAL	31	0	1	0	1	0	0	0	1	1	1	2	3	5	2	8	6
WHITE MALE	10	0	0	0	1	0	0	0	0	0	1	2	0	3	1	2	0
WHITE FEMALE	21	0	1	0	0	0	0	0	1	1	0	0	3	2	1	6	6
DIABETES MELLITUS(250)																	
TOTAL	252	0	0	0	0	0	0	3	4	13	13	25	27	35	43	34	55
WHITE MALE	104	0	0	0	0	0	0	2	3	9	6	14	17	14	17	6	16
WHITE FEMALE	136	0	0	0	0	0	0	1	1	2	5	11	9	20	24	25	39
NON-WHITE MALE	3	0	0	0	0	0	0	0	0	2	1	0	0	0	0	0	0
NON-WHITE FEMALE	9	0	0	0	0	0	0	0	0	0	1	0	1	1	2	3	1
NUTRITIONAL DEFICIENCIES(260-269)																	
TOTAL	8	0	0	0	0	0	0	0	0	0	0	0	0	0	3	1	4
WHITE MALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2
WHITE FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	2
ANEMIAS(280-285)																	
TOTAL	25	0	0	0	0	0	0	1	1	0	1	2	1	1	2	8	8
WHITE MALE	10	0	0	0	0	0	0	0	0	0	1	2	0	1	0	3	3
WHITE FEMALE	14	0	0	0	0	0	0	1	1	0	0	0	0	0	2	5	5
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
MENINGITIS(320-322)																	
TOTAL	3	1	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0
WHITE MALE	2	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
MAJOR CARDIOVASCULAR DISEASES (390-448)																	
TOTAL	4535	3	1	0	2	5	3	12	46	151	223	343	491	603	724	726	1202
WHITE MALE	2139	1	0	0	1	4	3	7	30	112	154	223	302	336	336	276	348
WHITE FEMALE	2298	1	1	0	1	1	0	4	14	30	57	103	176	253	377	435	845
NON-WHITE MALE	44	0	0	0	0	0	0	1	1	5	8	7	6	7	3	5	1
NON-WHITE FEMALE	51	1	0	0	0	0	0	0	0	4	3	4	7	7	8	9	8
UNKNOWN MALE	3	0	0	0	0	0	0	0	1	0	1	0	0	0	0	1	0
DISEASES OF THE HEART (390-398,402,404-429)																	
TOTAL	3712	3	1	0	2	1	3	9	38	136	198	302	420	502	603	584	910
WHITE MALE	1808	1	0	0	1	1	3	6	28	102	141	202	265	276	284	224	274
WHITE FEMALE	1826	1	1	0	1	0	0	2	8	26	46	91	145	214	311	350	630
NON-WHITE MALE	36	0	0	0	0	0	0	1	1	5	7	6	5	7	1	2	1
NON-WHITE FEMALE	39	1	0	0	0	0	0	0	0	3	3	3	5	5	7	7	5
UNKNOWN MALE	3	0	0	0	0	0	0	0	1	0	1	0	0	0	0	1	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1982

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE(390-398)																	
TOTAL	46	0	0	0	1	0	0	1	2	4	3	6	9	8	8	3	1
WHITE MALE	17	0	0	0	1	0	0	0	2	3	0	1	5	1	3	1	0
WHITE FEMALE	28	0	0	0	0	0	0	1	0	1	3	5	4	7	4	2	1
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
HYPERTENSIVE HEART DISEASE(402)																	
TOTAL	45	0	0	0	0	0	0	0	0	2	4	6	5	5	8	6	9
WHITE MALE	15	0	0	0	0	0	0	0	0	2	2	3	4	2	0	1	1
WHITE FEMALE	27	0	0	0	0	0	0	0	0	0	1	3	1	2	8	4	8
NON-WHITE MALE	2	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
HYPERTENSIVE HEART AND RENAL DISEASE (404)																	
TOTAL	4	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	1
WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
WHITE FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1
ISCHEMIC HEART DISEASE (410-414)																	
TOTAL	3096	0	0	0	0	0	0	3	26	103	167	254	347	430	497	494	775
WHITE MALE	1516	0	0	0	0	0	0	2	21	78	121	173	218	238	238	189	238
WHITE FEMALE	1521	0	0	0	0	0	0	1	3	19	38	74	120	183	252	299	532
NON-WHITE MALE	28	0	0	0	0	0	0	0	1	4	4	5	5	6	1	1	1
NON-WHITE FEMALE	28	0	0	0	0	0	0	0	0	2	3	2	4	3	6	4	4
UNKNOWN MALE	3	0	0	0	0	0	0	0	1	0	1	0	0	0	0	1	0
ACUTE MYOCARDIAL INFARCTION (410)																	
TOTAL	1649	0	0	0	0	0	0	1	19	64	119	173	229	275	288	215	266
WHITE MALE	886	0	0	0	0	0	0	0	16	51	87	120	141	146	150	89	86
WHITE FEMALE	733	0	0	0	0	0	0	1	2	10	26	49	85	125	136	123	176
NON-WHITE MALE	18	0	0	0	0	0	0	0	1	3	3	3	3	2	1	1	1
NON-WHITE FEMALE	10	0	0	0	0	0	0	0	0	0	2	1	0	2	1	1	3
UNKNOWN MALE	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE(411)																	
TOTAL	8	0	0	0	0	0	0	0	0	0	0	0	0	3	2	1	2
WHITE MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	1
WHITE FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1982

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ANGINA PECTORIS(413)																	
TOTAL	4	0	0	0	0	0	0	1	0	0	0	0	3	0	0	0	0
WHITE MALE	2	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0
WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0
OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ICHEMIC HEART DISEASE(412,414)																	
TOTAL	1435	0	0	0	0	0	0	1	7	39	48	81	115	152	207	278	507
WHITE MALE	624	0	0	0	0	0	0	1	5	27	34	53	76	90	87	100	151
WHITE FEMALE	782	0	0	0	0	0	0	0	1	9	12	25	33	57	115	175	355
NON-WHITE MALE	10	0	0	0	0	0	0	0	0	1	1	2	2	4	0	0	0
NON-WHITE FEMALE	18	0	0	0	0	0	0	0	0	2	1	1	4	1	5	3	1
UNKNOWN MALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
OTHER DISEASES OF ENDOCARDIUM(424)																	
TOTAL	45	0	0	0	0	0	2	0	1	1	2	1	3	6	10	8	11
WHITE MALE	14	0	0	0	0	0	2	0	0	0	1	0	2	0	3	2	4
WHITE FEMALE	30	0	0	0	0	0	0	0	1	0	1	1	1	6	7	6	7
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)																	
TOTAL	476	3	1	0	1	1	1	5	9	26	22	35	54	53	79	73	113
WHITE MALE	245	1	0	0	0	1	1	4	5	19	17	25	35	35	40	31	31
WHITE FEMALE	217	1	1	0	1	0	0	0	4	6	3	9	18	16	39	39	81
NON-WHITE MALE	6	0	0	0	0	0	0	1	0	1	2	1	0	0	0	1	0
NON-WHITE FEMALE	8	1	0	0	0	0	0	0	0	0	0	1	1	2	0	2	1
HYPERTENSION WITH OR WITHOUT RENAL DISEASE(401,403)																	
TOTAL	38	0	0	0	0	0	0	0	1	0	2	6	4	4	7	4	10
WHITE MALE	15	0	0	0	0	0	0	0	0	0	1	1	1	3	2	3	4
WHITE FEMALE	20	0	0	0	0	0	0	0	1	0	0	4	3	1	4	1	6
NON-WHITE MALE	3	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0
CEREBROVASCULAR DISEASES (430-438)																	
TOTAL	595	0	0	0	0	4	0	3	6	12	16	20	51	71	87	102	223
WHITE MALE	224	0	0	0	0	3	0	1	2	7	7	14	27	41	34	34	54
WHITE FEMALE	358	0	0	0	0	1	0	2	4	4	9	5	22	28	51	64	168
NON-WHITE MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	0
NON-WHITE FEMALE	9	0	0	0	0	0	0	0	0	1	0	1	2	2	1	1	1

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1982

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE(431-432)																	
TOTAL	90	0	0	0	0	2	0	1	2	7	1	3	13	15	14	12	20
WHITE MALE	37	0	0	0	0	2	0	0	2	4	0	1	8	8	4	4	4
WHITE FEMALE	50	0	0	0	0	0	0	1	0	3	1	2	5	6	10	6	16
NON-WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)																	
TOTAL	123	0	0	0	0	0	0	1	1	2	2	3	4	20	18	15	57
WHITE MALE	47	0	0	0	0	0	0	1	0	1	1	3	2	11	9	6	13
WHITE FEMALE	74	0	0	0	0	0	0	0	1	0	1	0	2	9	8	9	44
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
CEREBRAL EMBOLISM(434.1)																	
TOTAL	3	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1
WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0
WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)																	
TOTAL	379	0	0	0	0	2	0	1	3	3	13	14	33	36	54	75	145
WHITE MALE	138	0	0	0	0	1	0	0	0	2	6	10	16	22	20	24	37
WHITE FEMALE	233	0	0	0	0	1	0	1	3	1	7	3	15	13	33	49	107
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
NON-WHITE FEMALE	7	0	0	0	0	0	0	0	0	0	0	1	2	1	1	1	1
ATHEROSCLEROSIS(440)																	
TOTAL	107	0	0	0	0	0	0	0	0	1	4	3	12	12	15	16	44
WHITE MALE	44	0	0	0	0	0	0	0	0	1	2	3	5	5	10	5	13
WHITE FEMALE	61	0	0	0	0	0	0	0	0	0	2	0	6	7	5	11	30
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES(441-448)																	
TOTAL	83	0	0	0	0	0	0	0	1	2	3	12	4	14	12	20	15
WHITE MALE	48	0	0	0	0	0	0	0	0	2	3	3	4	11	6	10	3
WHITE FEMALE	33	0	0	0	0	0	0	0	1	0	0	3	0	3	6	9	11
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1992

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ACUTE BRONCHITIS AND BRONCHIOLITIS(466)																	
TOTAL	3	0		0	0	0	0	2	0	0	0	1	0	0	0	0	0
WHITE MALE	2	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0
WHITE FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
PNEUMONIA AND INFLUENZA(480-487)																	
TOTAL	151	4	0	0	0	0	0	0	1	5	0	5	12	18	16	28	62
WHITE MALE	78	3	0	0	0	0	0	0	1	4	0	3	9	10	7	12	29
WHITE FEMALE	70	1	0	0	0	0	0	0	0	1	0	2	2	7	9	15	33
NON-WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
PNEUMONIA(480-486)																	
TOTAL	150	4	0	0	0	0	0	0	1	5	0	5	12	18	16	27	62
WHITE MALE	78	3	0	0	0	0	0	0	1	4	0	3	9	10	7	12	29
WHITE FEMALE	69	1	0	0	0	0	0	0	0	1	0	2	2	7	9	14	33
NON-WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
INFLUENZA(487)																	
TOTAL	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS(490-496)																	
TOTAL	270	1	0	0	0	1	2	1	1	10	9	23	32	45	70	41	34
WHITE MALE	181	0	0	0	0	0	2	1	1	4	5	15	25	33	49	28	18
WHITE FEMALE	87	1	0	0	0	1	0	0	0	6	4	8	7	11	20	13	16
NON-WHITE FEMALE	2	-0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)																	
TOTAL	20	1	0	0	0	0	0	0	0	1	2	2	1	4	2	3	4
WHITE MALE	7	0	0	0	0	0	0	0	0	0	0	0	1	1	2	2	1
WHITE FEMALE	13	1	0	0	0	0	0	0	0	1	2	2	0	3	0	1	3
EMPHYSEMA(492)																	
TOTAL	46	0	0	0	0	0	1	0	0	1	2	3	4	9	16	5	5
WHITE MALE	32	0	0	0	0	0	1	0	0	0	1	2	4	6	11	4	3
WHITE FEMALE	14	0	0	0	0	0	0	0	0	1	1	1	0	3	5	1	2

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1982

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ASTHMA(493)																	
TOTAL	10	0	0	0	0	0	1	1	0	0	0	2	2	0	1	1	2
WHITE MALE	3	0	0	0	0	0	1	1	0	0	0	0	0	0	1	0	0
WHITE FEMALE	7	0	0	0	0	0	0	0	0	0	0	2	2	0	0	1	2
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)																	
TOTAL	194	0	0	0	0	0	0	0	1	8	5	16	25	32	51	32	23
WHITE MALE	139	0	0	0	0	0	0	0	1	4	4	13	20	26	35	22	14
WHITE FEMALE	53	0	0	0	0	1	0	0	0	4	1	3	5	5	15	10	9
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
ULCER OF STOMACH AND DUODENUM(531-533)																	
TOTAL	48	0	0	0	0	0	0	0	1	0	4	3	3	5	6	11	15
WHITE MALE	26	0	0	0	0	0	0	0	0	0	4	2	1	4	4	6	5
WHITE FEMALE	21	0	0	0	0	0	0	0	1	0	0	1	2	1	2	4	10
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
APPENDICITIS(540-543)																	
TOTAL	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA(550-553,560)																	
TOTAL	33	0	0	0	0	0	0	0	1	1	3	2	3	3	6	4	10
WHITE MALE	11	0	0	0	0	0	0	0	0	1	1	1	2	0	3	1	2
WHITE FEMALE	21	0	0	0	0	0	0	0	1	0	1	1	1	3	3	3	8
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
CHRONIC LIVER DISEASE AND CIRRHOSIS(571)																	
TOTAL	126	0	0	0	0	0	0	3	7	28	14	24	18	18	6	5	3
WHITE MALE	91	0	0	0	0	0	0	3	6	21	8	14	14	15	4	4	2
WHITE FEMALE	31	0	0	0	0	0	0	0	0	6	5	9	4	3	2	1	1
NON-WHITE MALE	3	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER(574-575)																	
TOTAL	27	0	0	0	0	0	0	1	0	2	0	2	2	2	1	7	10
WHITE MALE	11	0	0	0	0	0	0	0	0	1	0	1	2	1	1	3	2
WHITE FEMALE	15	0	0	0	0	0	0	1	0	1	0	1	0	1	0	3	8
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1982

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS(580-589)																	
TOTAL	74	3	0	0	0	0	0	1	1	2	1	4	5	6	12	10	29
WHITE MALE	36	2	0	0	0	0	0	1	0	2	0	1	4	4	7	5	9
WHITE FEMALE	37	1	0	0	0	0	0	0	1	0	1	3	1	2	5	4	19
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME(580-581)																	
TOTAL	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS, NEPHROPATHY, AND RENAL SCLEROSIS, UNSPECIFIED(582-583,587)																	
TOTAL	11	0	0	0	0	0	0	0	0	0	0	1	1	1	1	3	4
WHITE MALE	7	0	0	0	0	0	0	0	0	0	0	1	1	1	1	2	1
WHITE FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3
RENAL FAILURE,DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, & SMALL KIDNEY OF UNKNOWN CAUSE(584-586,588-589)																	
TOTAL	62	3	0	0	0	0	0	1	1	2	1	3	4	5	10	7	25
WHITE MALE	28	2	0	0	0	0	0	1	0	2	0	0	3	3	5	4	8
WHITE FEMALE	33	1	0	0	0	0	0	0	1	0	1	3	1	2	5	3	16
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
INFECTIONS OF KIDNEY(590)																	
TOTAL	8	0	0	0	0	0	0	0	0	0	0	0	1	1	3	1	2
WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
WHITE FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	1	1	2	0	2
HYPERPLASIA OF PROSTATE(600)																	
TOTAL	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM(630-676)																	
TOTAL	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
WHITE FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1982

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (640-676)																	
TOTAL	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
WHITE FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES(740-759)																	
TOTAL	55	35	2	2	0	3	2	3	0	2	0	2	1	1	1	0	1
WHITE MALE	19	14	0	0	0	1	0	1	0	0	0	1	0	1	0	0	1
WHITE FEMALE	32	18	2	2	0	2	2	1	0	2	0	1	1	0	1	0	0
NON-WHITE MALE	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	2	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD(760-779)																	
TOTAL	65	65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE MALE	26	26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE FEMALE	26	26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE MALE	9	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	4	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME(767-769)																	
TOTAL	20	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE MALE	5	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE FEMALE	7	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE MALE	6	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD(760-766,770-779)																	
TOTAL	45	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE MALE	21	21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE FEMALE	19	19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE MALE	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS(780-799)																	
TOTAL	24	6	2	1	0	1	3	1	0	3	1	0	0	0	0	2	4
WHITE MALE	13	3	1	1	0	1	1	1	0	3	1	0	0	0	0	1	0
WHITE FEMALE	8	1	1	0	0	0	2	0	0	0	0	0	0	0	0	1	3
NON-WHITE MALE	3	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1982

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ALL OTHER DISEASES(RESIDUAL)																	
TOTAL	514	4	3	3	1	3	2	7	8	31	31	35	57	59	73	74	122
WHITE MALE	226	1	1	2	0	1	2	4	3	13	20	18	29	26	42	25	39
WHITE FEMALE	260	3	2	1	1	2	0	1	3	14	9	16	25	31	29	46	76
NON-WHITE MALE	16	0	0	0	0	0	0	1	2	2	2	1	1	1	0	2	4
NON-WHITE FEMALE	12	0	0	0	0	0	0	1	0	2	0	0	2	1	2	1	3
ACCIDENTS AND ADVERSE EFFECTS(E800-E949)																	
TOTAL	271	0	4	3	9	24	30	38	19	21	11	13	17	9	18	21	34
WHITE MALE	167	0	2	2	5	20	18	29	14	13	9	9	8	5	11	10	12
WHITE FEMALE	95	0	1	1	4	4	11	6	5	6	2	3	9	3	7	11	22
NON-WHITE MALE	6	0	1	0	0	0	1	2	0	1	0	1	0	0	0	0	0
NON-WHITE FEMALE	2	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
MOTOR VEHICLE ACCIDENTS(E810-E825)																	
TOTAL	121	0	0	1	8	20	22	25	9	10	6	4	4	4	5	1	2
WHITE MALE	80	0	0	0	5	17	13	19	5	6	6	2	1	3	2	0	1
WHITE FEMALE	35	0	0	1	3	3	9	4	4	2	0	1	3	0	3	1	1
NON-WHITE MALE	4	0	0	0	0	0	0	2	0	1	0	1	0	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
ALL OTHER ACCIDENTS AND ADVERSE EFFECTS(E800-E807,E826-E949)																	
TOTAL	150	0	4	2	1	4	8	13	10	11	5	9	13	5	13	20	32
WHITE MALE	87	0	2	2	0	3	5	10	9	7	3	7	7	2	9	10	11
WHITE FEMALE	60	0	1	0	1	1	2	2	1	4	2	2	6	3	4	10	21
NON-WHITE MALE	2	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
SUICIDE(E950-E959)																	
TOTAL	110	0	0	0	0	7	14	33	17	15	6	7	6	3	0	1	1
WHITE MALE	78	0	0	0	0	7	13	23	12	7	5	5	4	2	0	0	0
WHITE FEMALE	28	0	0	0	0	0	1	9	4	6	1	2	2	1	0	1	1
NON-WHITE MALE	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
NON-WHITE FEMALE	2	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0
HOMICIDE AND LEGAL INTERVENTION (E960-E978)																	
TOTAL	37	0	0	0	0	6	7	9	8	2	1	0	0	1	2	1	0
WHITE MALE	22	0	0	0	0	3	3	6	6	2	0	0	0	0	1	1	0
WHITE FEMALE	9	0	0	0	0	1	4	1	1	0	0	0	0	1	1	0	0
NON-WHITE MALE	4	0	0	0	0	0	0	2	1	0	1	0	0	0	0	0	0
NON-WHITE FEMALE	2	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1982

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ALL OTHER EXTERNAL CAUSES(E980-E999)																	
TOTAL	6	0	0	0	0	0	1	2	3	0	0	0	0	0	0	0	0
WHITE MALE	4	0	0	0	0	0	1	0	3	0	0	0	0	0	0	0	0
WHITE FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0

* TOTALS MAY INCLUDE DEATHS OF UNKNOWN AGE

TABLE 26 - RESIDENT DEATHS BY CITY OR TOWN BY MONTH
RHODE ISLAND, 1982

CITY OR TOWN	TOTAL	JAN	FEB	MARCH	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
RHODE ISLAND	8975	834	694	808	735	752	702	782	709	629	768	788	776
BARRINGTON	114	11	7	10	8	12	6	11	7	9	14	10	9
BRISTOL	204	21	11	13	10	15	20	19	23	12	26	21	13
BURRILLVILLE	111	6	10	11	9	11	14	9	5	7	14	3	12
CENTRAL FALLS	233	16	19	39	18	22	21	22	9	18	17	18	14
CHARLESTOWN	39	4	2	1	4	6	2	4	2	4	3	1	6
COVENTRY	180	15	9	16	15	12	13	16	15	15	14	16	24
CRANSTON	755	68	63	60	63	62	53	75	61	49	60	70	71
CUMBERLAND	214	13	22	21	20	15	13	26	19	10	18	18	19
EAST GREENWICH	79	5	6	6	9	5	4	5	7	9	7	8	8
EAST PROVIDENCE	516	46	42	42	41	52	45	34	46	38	39	49	42
EXETER	27	2	2	0	1	1	6	3	3	1	2	2	4
FOSTER	34	3	2	3	3	3	3	4	0	3	6	2	2
GLOCESTER	54	7	2	4	5	7	3	5	6	2	3	5	5
HOPKINTON	48	1	1	5	4	2	8	5	5	5	4	5	3
JAMESTOWN	41	2	3	1	2	5	2	5	6	5	4	1	5
JOHNSTON	183	16	18	21	16	15	13	13	10	13	14	19	15
LINCOLN	165	20	17	13	14	21	9	14	12	7	15	15	8
LITTLE COMPTON	23	2	0	1	2	3	1	1	3	5	4	0	1
MIDDLETOWN	94	7	7	10	3	7	6	9	8	9	12	10	6
NARRAGANSETT	83	6	9	9	8	9	4	5	9	11	9	1	3
NEWPORT	289	21	21	28	36	26	17	23	24	23	16	28	26
NEW SHOREHAM	8	0	0	2	0	2	0	2	0	1	1	0	0
NORTH KINGSTOWN	155	14	9	8	15	20	10	17	8	13	11	14	16
NORTH PROVIDENC	267	25	20	18	23	15	21	23	23	18	29	25	27
NORTH SMITHFIEL	91	6	7	7	5	8	10	11	10	9	8	5	5
PAWTUCKET	845	87	68	88	77	61	70	76	63	53	65	78	59
PORTSMOUTH	102	12	9	7	8	5	5	10	9	3	15	10	9
PROVIDENCE	1774	176	139	146	150	143	132	150	151	115	142	155	175
RICHMOND	24	2	2	3	0	1	7	0	1	3	2	1	2
SCITUATE	56	3	3	5	6	5	5	4	3	8	7	4	3
SMITHFIELD	112	7	5	10	13	16	7	8	7	5	13	9	12
SOUTH KINGSTOWN	123	13	9	10	6	11	13	7	10	7	9	11	17
TIVERTON	109	11	5	11	11	6	9	6	11	5	11	12	11
WARREN	109	14	15	7	9	9	8	7	6	7	9	9	9
WARWICK	795	89	62	74	60	74	63	67	64	54	55	65	68
WESTERLY	170	15	15	25	17	9	15	14	6	12	13	18	11
WEST GREENWICH	18	1	2	1	0	1	2	1	2	1	4	2	1
WEST WARWICK	228	18	21	25	8	19	20	19	13	21	26	26	12
WOONSOCKET	503	49	30	47	36	36	42	52	41	38	47	42	43

TABLE 27 - RESIDENT INFANT DEATHS FROM 61 SELECTED CAUSES BY AGE, RHODE ISLAND 1982

CAUSE OF DEATH(ICDA CODE)	ALL INFANTS	NEONATAL (-28 DAYS)	UNDER 1 DAY	1 - 6 DAYS	7 -27 DAYS	28 DAYS-11 MONTHS
ALL CAUSES - TOTAL	125	100	60	26	14	25
SEPTICEMIA(038)	1	0	0	0	0	1
VIRAL DISEASES(045-079)	1	0	0	0	0	1
MALIGNANT NEOPLASMS(140-208)	1	1	0	0	1	0
MENINGITIS(320-322)	1	0	0	0	0	1
OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS(323-389)	1	0	0	0	0	1
BRONCHITIS AND BRONCHIOLITIS(466,490-491)	1	0	0	0	0	1
PNEUMONIA AND INFLUENZA(480-487)	4	2	2	0	0	2
PNEUMONIA(480-486)	4	2	2	0	0	2
REMAINDER OF DISEASES OF RESPIRATORY SYSTEM (470-478,492-519)	1	0	0	0	0	1
GASTRITIS,DUODENITIS,AND NONINFECTIVE ENTERITIS AND COLITIS(535,555-558)	1	0	0	0	0	1
CONGENITAL ANOMALIES(740-759)	35	30	15	11	4	5
ANENCEPHALUS AND SIMILAR ANOMALIES(740)	4	4	3	1	0	0
CONGENITAL HYDROCEPHALUS(742.3)	1	1	1	0	0	0
CONGENITAL ANOMALIES OF HEART(745-746)	11	8	1	4	3	3
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM(747)	2	2	0	1	1	0
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM (748)	5	5	5	0	0	0
CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM (749-751)	2	0	0	0	0	2
CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM (752-753)	3	3	3	0	0	0
CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM (754-756)	3	3	2	1	0	0
OTHER CHROMOSOMAL ANOMALIES(758.1-758.9)	2	2	0	2	0	0
ALL OTHER AND UNSPECIFIED CONGENITAL ANOMALIES (744,757,759)	2	2	0	2	0	0

TABLE 27 - RESIDENT INFANT DEATHS FROM 61 SELECTED CAUSES BY AGE, RHODE ISLAND 1982

CAUSE OF DEATH(ICDA CODE)	ALL INFANTS	NEONATAL (-28 DAYS)	UNDER 1 DAY	1 - 6 DAYS	7 -27 DAYS	28 DAYS-11 MONTHS
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD(760-779)	65	63	43	14	6	2
NEWBORN AFFECTED BY MATERNAL CONDITIONS UNRELATED TO PRESENT PREGNANCY(760)	3	3	2	1	0	0
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY(761)	7	7	7	0	0	0
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES(762)	5	5	3	2	0	0
NEWBORN AFFECTED BY OTHER COMPLICATIONS OF LABOR AND DELIVERY(763)	1	1	1	0	0	0
SLOW FETAL GROWTH AND FETAL MALNUTRITION(764)	1	1	1	0	0	0
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT(765)	8	8	8	0	0	0
BIRTH TRAUMA(767)	2	1	0	1	0	1
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA(768)	4	4	2	2	0	0
FETAL DISTRESS IN LIVEBORN INFANT(768.2-768.4)	2	2	1	1	0	0
BIRTH ASPHYXIA(768.5-768.9)	2	2	1	1	0	0
RESPIRATORY DISTRESS SYNDROME(769)	14	14	7	5	2	0
OTHER RESPIRATORY CONDITIONS OF NEWBORN(770)	8	7	5	1	1	1
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD(771)	4	4	2	1	1	0
NEONATAL HEMORRHAGE(772)	3	3	2	1	0	0
ALL OTHER & ILL-DEF'D CONDITIONS IN PERINATAL PERIOD(775.2-775.9,776.1-779)	5	5	3	0	2	0
SYMPTOMS,SIGNS, AND ILL-DEFINED CONDITIONS(780-799)	6	0	0	0	0	6
SUDDEN INFANT DEATH SYNDROME(798.0)	4	0	0	0	0	4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-797,798.1-799)	2	0	0	0	0	2
ALL OTHER CAUSES(RESIDUAL)	7	4	0	1	0	3

TABLE 28 - RESIDENT ACCIDENTAL DEATHS, WITH NON-MOTOR VEHICLE ACCIDENTS SHOWN, BY NEW ENGLAND STANDARD LOCATIONS BY SEX AND AGE: RHODE ISLAND, 1982

TYPE OR PLACE OF ACCIDENT	TOTAL	AGE OF DECEDENT IN YEARS: UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ALL ACCIDENTS (E8000-9499)*																	
TOTAL	271**	0	4	3	9	24	30	38	19	21	11	13	17	9	18	21	34
MALE	174	0	3	2	5	20	19	31	14	15	9	10	8	5	11	10	12
FEMALE	97	0	1	1	4	4	11	7	5	6	2	3	9	4	7	11	22
MOTOR VEHICLE ACCIDENTS (E810-825)																	
TOTAL	121	0	0	1	8	20	22	25	9	10	6	4	4	4	5	1	2
MALE	85	0	0	0	5	17	13	21	5	8	6	3	1	3	2	0	1
FEMALE	36	0	0	1	3	3	9	4	4	2	0	1	3	1	3	1	1
NON-MOTOR VEHICLE ACCIDENTS (E800-807,826-949)																	
TOTAL	150	0	4	2	1	4	8	13	10	11	5	9	13	5	13	20	32
MALE	89	0	3	2	0	3	6	10	9	7	3	7	7	2	9	10	11
FEMALE	61	0	1	0	1	1	2	3	1	4	2	2	6	3	4	10	21
00 HOME																	
TOTAL	78	0	3	0	1	1	6	4	4	5	0	5	10	2	11	10	16
MALE	45	0	2	0	0	1	4	4	3	3	0	3	5	0	8	6	6
FEMALE	33	0	1	0	1	0	2	0	1	2	0	2	5	2	3	4	10
30-39 INDUSTRIAL																	
TOTAL	3	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0
MALE	3	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0
30 MANUFACTURING																	
TOTAL	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
MALE	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
38 OTHER SPECIFIED																	
TOTAL	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0

TABLE 28 - RESIDENT ACCIDENTAL DEATHS, WITH NON-MOTOR VEHICLE ACCIDENTS SHOWN,
BY NEW ENGLAND STANDARD LOCATIONS BY SEX AND AGE:
RHODE ISLAND, 1982

TYPE OR PLACE OF ACCIDENT	TOTAL	AGE OF DECEDENT IN YEARS: UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
40-49 PLACE OF RECREATION																	
TOTAL	7	0	0	0	0	2	1	1	0	0	0	1	0	1	1	0	0
MALE	6	0	0	0	0	1	1	1	0	0	0	1	0	1	1	0	0
FEMALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
41 BOATING																	
TOTAL	4	0	0	0	0	1	0	0	0	0	0	1	0	1	1	0	0
MALE	3	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0
FEMALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
43 SWIMMING																	
TOTAL	3	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0
MALE	3	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0
50 STREET AND HIGHWAY - SIDEWALK																	
TOTAL	3	0	0	0	0	0	0	0	0	1	0	0	0	1	0	1	0
MALE	3	0	0	0	0	0	0	0	0	1	0	0	0	1	0	1	0
60 PUBLIC BUILDING																	
TOTAL	3	0	0	0	0	0	0	1	1	0	0	0	0	0	0	1	0
MALE	3	0	0	0	0	0	0	1	1	0	0	0	0	0	0	1	0
70 RESIDENT INSTITUTION																	
TOTAL	17	0	0	0	0	0	0	0	1	2	0	0	0	0	0	4	10
MALE	7	0	0	0	0	0	0	0	1	2	0	0	0	0	0	1	3
FEMALE	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	7
80-88 OTHER SPECIFIED PLACE																	
TOTAL	15	0	1	2	0	0	1	4	3	0	1	2	0	0	0	1	0
MALE	11	0	1	2	0	0	1	1	3	0	1	2	0	0	0	0	0
FEMALE	4	0	0	0	0	0	0	3	0	0	0	0	0	0	0	1	0
80 OPEN SEA																	
TOTAL	5	0	0	0	0	0	0	2	1	0	0	1	0	0	0	1	0
MALE	2	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0
FEMALE	3	0	0	0	0	0	0	2	0	0	0	0	0	0	0	1	0
83 LAKE, RIVER, AND STREAM - OTHER THAN RECREATION																	
TOTAL	6	0	1	1	0	0	0	2	1	0	1	0	0	0	0	0	0
MALE	5	0	1	1	0	0	0	1	1	0	1	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
88 OTHER																	
TOTAL	4	0	0	1	0	0	1	0	1	0	0	1	0	0	0	0	0
MALE	4	0	0	1	0	0	1	0	1	0	0	1	0	0	0	0	0
90 UNKNOWN																	
TOTAL	13	0	0	0	0	0	0	1	0	1	2	0	2	1	1	3	2
MALE	7	0	0	0	0	0	0	1	0	0	1	0	2	0	0	1	2
FEMALE	6	0	0	0	0	0	0	0	0	1	1	0	0	1	1	2	0

* NEW ENGLAND STANDARD LOCATION CATEGORIES ARE ASSIGNED ONLY TO DEATHS CLASSIFIED TO ICDA E830-E838, E846-E869, AND E880-E928.
** TOTALS MAY INCLUDE DEATHS OF UNKNOWN AGE

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1982

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
RHODE ISLAND	8975	100	125	2214	533	189	21	37	252	3712	1649	46
BARRINGTON	114	1	1	31	6	3	0	0	0	43	13	1
301	29	0	0	3	0	0	0	0	0	11	2	0
302	38	1	1	12	2	2	0	0	0	15	4	1
303	25	0	0	11	3	0	0	0	0	11	4	0
304	23	0	0	6	1	1	0	0	0	6	3	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
BRISTOL	204	3	3	45	5	5	0	4	8	84	52	1
307	45	2	2	13	0	1	0	1	1	20	12	1
308	34	0	0	7	0	0	0	0	1	11	7	0
309	124	1	1	24	5	4	0	3	6	53	33	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
BURRILLVILLE	111	0	2	25	8	1	0	0	2	41	13	0
129	63	0	1	15	5	0	0	0	1	20	7	0
130	48	0	1	10	3	1	0	0	1	21	6	0
CENTRAL FALLS	233	4	4	55	17	2	0	0	9	102	40	2
108	79	0	0	21	5	0	0	0	3	26	11	0
109	62	1	1	14	5	1	0	0	1	30	9	1
110	46	1	1	11	1	1	0	0	3	23	9	0
111	46	2	2	9	6	0	0	0	2	23	11	1
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
CHARLESTOWN-511	39	1	1	8	2	0	0	0	2	18	9	0
COVENTRY	180	4	7	44	15	2	0	1	5	81	41	0
206	139	3	6	36	12	2	0	1	3	60	28	0
207	40	1	1	8	3	0	0	0	2	20	13	0
CRANSTON	755	5	6	209	51	19	3	5	24	305	156	2
134	48	0	0	11	1	0	1	0	2	21	7	0
135	52	2	3	9	4	1	0	0	1	24	18	0
136	30	1	1	10	4	1	0	0	0	14	8	0
137	108	1	1	28	8	0	0	1	5	35	22	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1982

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
CRANSTON(CONT.)												
138	59	0	0	12	0	2	1	1	0	32	14	0
139	44	0	0	13	2	1	0	0	1	15	9	0
140	83	1	1	23	4	3	0	1	3	33	16	0
141	57	0	0	21	6	2	0	0	3	16	6	0
142	23	0	0	5	2	1	1	0	0	11	6	0
143	45	0	0	17	3	2	0	0	2	19	11	0
144	24	0	0	10	1	1	0	0	2	10	7	0
145	30	0	0	9	3	1	0	1	1	12	10	0
146	28	0	0	10	4	1	0	1	1	6	2	0
147	85	0	0	20	6	2	0	0	3	39	14	1
148	34	0	0	10	2	1	0	0	0	16	5	1
UNKNOWN	4	0	0	1	1	0	0	0	0	2	1	0
CUMBERLAND	214	3	5	52	9	5	1	1	2	93	32	1
112	48	1	3	10	2	0	0	0	1	21	5	0
113	64	0	0	18	3	3	0	0	1	33	15	0
114	104	2	2	24	4	2	1	1	0	39	12	1
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
EAST GREENWICH-209	79	1	1	29	7	5	0	0	2	35	16	0
EAST PROVIDENCE	516	6	7	116	19	8	1	1	17	210	80	5
101	71	1	1	15	4	0	0	0	0	29	13	1
102	68	0	1	10	2	1	0	0	2	35	13	0
103	43	0	0	11	1	1	0	0	4	17	6	0
104	85	2	2	18	3	2	1	0	4	33	8	1
105	108	1	1	30	3	4	0	1	0	43	15	0
106	70	2	2	11	2	0	0	0	5	27	15	0
107	68	0	0	21	4	0	0	0	2	24	9	3
UNKNOWN	1	0	0	0	0	0	0	0	0	0	0	0
EXETER-505	27	0	0	9	2	0	0	0	2	9	3	1
FOSTER-133	34	0	0	6	0	0	0	0	1	16	9	0
GLOCESTER-131	54	0	0	14	1	2	0	0	0	23	14	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1982

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
HOPKINTON-507	48	0	0	9	1	4	0	0	1	19	8	0
JAMESTOWN-413	41	1	1	17	5	0	0	1	2	11	3	0
JOHNSTON	183	2	2	39	11	2	0	5	2	81	38	0
122	34	0	0	10	3	2	0	1	0	16	11	0
123	39	2	2	11	2	0	0	2	1	13	5	0
124	75	0	0	14	4	0	0	1	1	32	15	0
125	35	0	0	4	2	0	0	1	0	20	7	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
LINCOLN	165	2	2	39	9	6	1	1	2	67	28	0
115	49	1	1	10	3	1	0	0	0	25	9	0
116	21	0	0	6	1	2	1	0	0	6	2	0
117	94	1	1	22	5	3	0	1	2	36	17	0
UNKNOWN	1	0	0	1	0	0	0	0	0	0	0	0
LITTLE COMPTON-414	23	0	0	9	3	1	0	0	0	8	6	0
MIDDLETOWN	94	0	0	30	10	1	0	1	1	40	15	0
402	2	0	0	0	0	0	0	0	0	0	0	0
403	59	0	0	17	5	1	0	0	1	27	9	0
404	34	0	0	13	5	0	0	1	0	13	6	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NARRAGANSETT-515	83	1	2	19	2	2	0	0	2	36	16	0
NEWPORT	289	4	6	73	16	10	0	1	9	119	46	1
405	42	2	3	10	1	2	0	0	3	19	8	0
406	62	0	0	14	5	1	0	0	2	25	7	0
407	31	0	0	8	1	0	0	0	3	12	3	0
408	39	0	0	5	1	0	0	0	0	23	9	0
409	46	0	0	16	4	2	0	1	0	19	9	1
410	35	0	0	9	2	1	0	0	1	13	6	0
411	25	2	2	7	1	3	0	0	0	7	4	0
412	6	0	0	3	0	1	0	0	0	2	1	0
UNKNOWN	2	0	1	0	0	0	0	0	0	0	0	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1982

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
NEW SHOREHAM-415	8	0	0	2	0	1	0	0	0	5	3	0
NORTH KINGSTOWN	155	1	1	40	9	6	0	0	4	67	33	0
501	70	1	1	21	4	3	0	0	1	34	14	0
502	3	0	0	0	0	0	0	0	1	1	0	0
503	56	0	0	16	5	3	0	0	1	19	11	0
504	28	0	0	3	0	0	0	0	1	14	8	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NORTH PROVIDENCE	267	1	1	60	17	5	1	1	9	119	54	3
118	42	0	0	8	0	1	0	0	3	19	9	1
119	53	1	1	15	6	2	0	0	0	24	12	1
120	73	0	0	18	6	1	0	1	1	28	12	0
121	98	0	0	19	5	1	1	0	5	47	20	1
UNKNOWN	1	0	0	0	0	0	0	0	0	1	1	0
NORTH SMITHFIELD-128	91	0	0	16	4	1	0	0	3	48	20	1
PAWTUCKET	845	9	10	209	64	16	1	1	24	344	149	4
149	13	0	0	5	2	1	0	0	1	4	1	0
150	42	0	0	11	2	1	0	0	2	18	7	0
151	38	2	2	6	5	0	0	0	1	18	8	0
152	72	0	0	13	6	0	0	1	2	31	9	0
153	30	1	1	7	2	0	0	0	0	16	7	0
154	21	1	1	6	2	0	0	0	0	12	6	0
155	44	1	1	10	6	1	1	0	1	19	8	1
156	32	0	0	10	4	0	0	0	3	8	3	0
157	42	0	0	12	5	1	0	0	3	17	6	1
158	45	0	0	13	4	1	0	0	2	22	10	0
159	33	0	0	9	1	1	0	0	0	12	7	0
160	24	1	1	2	0	1	0	0	0	9	4	0
161 **	41	1	1	11	3	0	0	0	4	13	5	0
163	36	0	0	10	2	1	0	0	0	16	10	0
164 **	65	1	2	10	2	1	0	0	2	28	12	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1982

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
PAWTUCKET(CONT.)												
165	51	0	0	16	3	1	0	0	1	19	7	1
166	18	0	0	3	1	0	0	0	0	7	4	0
167	36	1	1	15	6	1	0	0	0	11	4	0
168	36	0	0	6	0	0	0	0	0	16	10	0
169	26	0	0	13	1	3	0	0	0	6	2	0
170	56	0	0	11	3	1	0	0	1	24	12	0
171	44	0	0	10	4	1	0	0	1	18	7	1
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
PORTSMOUTH-401	102	1	1	21	6	2	0	0	3	48	18	0
PROVIDENCE	1774	24	32	437	104	32	9	8	57	679	272	12
1	50	3	3	11	2	0	0	0	1	18	8	0
2	72	3	3	18	5	2	0	0	1	30	14	0
3	57	1	1	15	4	1	0	0	3	22	7	0
4	19	2	3	4	1	1	0	0	0	7	2	1
5	26	0	1	5	1	0	0	0	1	6	1	0
6	13	0	0	3	1	0	0	0	1	5	2	0
7	37	0	0	11	1	0	0	1	1	13	2	0
8	65	1	1	17	4	3	0	0	3	28	11	0
9	47	0	0	12	3	0	0	2	2	21	9	0
10	30	0	0	4	0	0	1	0	2	15	4	0
11	30	0	0	7	1	0	0	0	2	13	5	1
12	52	2	2	6	3	0	0	0	4	24	8	0
13	52	1	2	12	3	2	0	0	4	20	7	0
14	49	3	3	10	3	1	0	1	3	17	6	0
15	32	0	0	7	1	0	1	0	0	11	6	0
16	57	1	1	15	1	2	0	1	0	16	7	0
17	39	1	2	10	3	1	0	0	1	17	10	0
18	78	0	2	14	4	1	1	0	1	32	10	2
19	62	1	1	14	1	0	1	0	0	24	15	0
20	40	0	0	8	2	0	0	0	1	21	9	1

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1982

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
PROVIDENCE(CONT.)												
21	97	0	0	20	5	1	1	2	0	37	13	0
22	34	0	0	12	4	1	0	0	4	12	5	0
23	69	1	1	23	6	2	0	0	1	26	14	2
24	84	0	1	28	8	4	1	0	2	33	15	1
25	27	0	1	6	2	0	0	0	0	5	3	0
26	57	2	2	12	3	2	1	0	2	21	8	0
27	31	1	1	9	3	0	0	0	1	10	4	0
28	62	0	0	18	4	4	0	0	1	26	10	0
29	66	0	0	22	4	1	0	0	4	19	8	1
30	16	0	0	2	0	0	0	0	0	8	1	0
31	44	1	1	14	5	1	0	1	3	15	5	0
32	36	0	0	10	3	1	0	0	1	16	7	0
33	75	0	0	9	1	0	0	0	3	35	13	1
34	33	0	0	10	2	1	0	0	0	12	4	0
35	63	0	0	12	3	0	1	0	2	23	8	2
36	21	0	0	7	2	0	0	0	0	6	4	0
37	49	0	0	19	5	0	1	0	2	14	7	0
UNKNOWN	2	0	0	1	0	0	0	0	0	1	0	0
INNER CITY	651	13	17	154	37	8	4	5	30	242	91	2
RICHMOND-506	24	2	2	8	2	0	0	0	0	7	3	0
SCITUATE-132	56	0	0	17	4	2	1	1	0	23	8	1
SMITHFIELD	112	1	1	33	7	4	0	1	2	50	24	0
126	55	0	0	17	2	3	0	1	2	24	14	0
127	58	1	1	16	5	1	0	0	0	26	10	0
SOUTH KINGSTOWN	123	0	1	39	8	4	0	0	1	48	30	0
512	61	0	1	22	6	3	0	0	0	23	16	0
513	58	0	0	17	2	1	0	0	1	24	13	0
514	2	0	0	0	0	0	0	0	0	1	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
TIVERTON	109	0	0	21	6	1	0	0	3	58	33	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1982

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
TIVERTON(CONT.)												
416	74	0	0	17	5	1	0	0	2	39	21	0
417	36	0	0	5	2	0	0	0	1	19	12	0
WARREN	109	2	2	20	4	1	0	0	3	47	22	0
305	37	1	1	8	1	0	0	0	1	15	4	0
306	71	1	1	12	3	1	0	0	2	32	18	0
WARWICK	795	13	14	200	40	16	2	3	20	342	168	5
210	75	2	3	22	2	2	0	1	2	34	20	1
211	51	0	0	13	2	1	0	0	0	20	8	0
212	52	0	0	15	1	1	2	0	4	19	13	0
213	69	2	2	21	5	1	0	0	1	22	11	1
214	85	0	0	22	4	2	0	0	4	34	20	0
215	65	3	3	15	7	4	0	0	1	26	11	0
216	13	0	0	5	1	0	0	0	0	4	1	0
217	37	2	2	7	2	0	0	0	0	15	10	0
218	39	1	1	10	3	0	0	0	2	20	10	0
219	102	2	2	22	4	2	0	2	1	49	18	2
220	29	0	0	4	0	2	0	0	0	19	8	0
221	49	1	1	11	2	1	0	0	1	25	15	0
222	75	0	0	22	5	0	0	0	4	31	12	1
223	43	0	0	8	2	0	0	0	0	19	9	0
224	11	0	0	3	0	0	0	0	0	4	2	0
UNKNOWN	1	0	0	0	0	0	0	0	0	1	0	0
WESTERLY	170	0	1	42	10	4	0	0	5	68	31	0
508	97	0	1	20	4	2	0	0	5	40	21	0
509	60	0	0	16	4	1	0	0	0	24	9	0
510	13	0	0	7	3	1	0	0	0	3	1	0
UNKNOWN	1	0	0	0	0	0	0	0	0	1	0	0
WEST GREENWICH-208	18	1	1	5	1	1	0	0	0	4	2	0
WEST WARWICK	228	2	2	51	13	5	0	1	10	103	43	1
201	50	0	0	8	3	0	0	0	3	26	14	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1982

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
WEST WARWICK(CONT.)												
202	48	0	0	13	2	2	0	0	1	25	14	0
203	63	1	1	14	2	2	0	1	2	25	6	0
204	27	1	1	7	3	0	0	0	2	10	4	1
205	37	0	0	9	3	1	0	0	2	16	5	0
UNKNOWN	2	0	0	0	0	0	0	0	0	1	0	0
WOONSOCKET	503	5	6	116	35	10	1	0	15	211	99	5
172	35	0	0	10	3	0	0	0	2	12	6	0
173	42	0	0	12	3	1	0	0	1	16	8	1
174	36	1	1	6	2	0	0	0	2	19	9	0
175	30	0	1	8	3	0	0	0	1	10	4	1
176	31	0	0	6	1	1	0	0	2	11	4	1
177	28	0	0	6	1	1	0	0	0	14	6	0
178	30	2	2	8	4	0	0	0	0	12	6	0
179	49	0	0	13	3	3	0	0	1	20	8	0
180	56	0	0	13	4	2	1	0	1	29	12	1
181	35	1	1	5	1	0	0	0	1	14	8	0
182	23	0	0	8	4	1	0	0	1	7	2	1
183	11	0	0	2	1	0	0	0	0	6	4	0
184	72	0	0	15	4	1	0	0	3	32	16	0
185	24	1	1	4	1	0	0	0	0	9	5	0
UNKNOWN	1	0	0	0	0	0	0	0	0	0	0	0

** BETWEEN 1960 AND 1965, CENSUS TRACT 162 WAS DIVIDED BETWEEN TRACTS 161 AND 164.

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1982

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
RHODE ISLAND	595	107	151	270	126	55	65	271	121	110	37	6
BARRINGTON	9	1	1	3	1	1	0	4	3	2	0	0
301	3	1	0	1	0	0	0	4	3	1	0	0
302	3	0	0	0	0	1	0	0	0	1	0	0
303	1	0	0	1	0	0	0	0	0	0	0	0
304	2	0	1	1	1	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
BRISTOL	12	7	2	6	1	1	1	8	4	2	0	0
307	4	1	1	0	0	0	1	0	0	0	0	0
308	2	1	1	1	0	0	0	4	2	1	0	0
309	6	5	0	5	1	1	0	4	2	1	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
BURRILLVILLE	6	1	1	3	3	2	0	7	7	0	0	0
129	5	1	0	5	2	2	0	3	3	0	0	0
130	1	0	1	4	1	0	0	4	4	0	0	0
CENTRAL FALLS	13	5	5	9	5	0	3	6	2	3	1	0
108	8	0	4	4	3	0	0	1	0	2	0	0
109	3	2	1	2	1	0	1	1	0	0	0	0
110	1	2	0	0	0	0	1	2	1	1	1	0
111	1	1	0	2	1	0	1	2	2	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
CHARLESTOWN-511	1	0	0	3	1	2	0	0	0	0	0	0
COVENTRY	10	3	2	4	4	1	3	5	3	3	0	1
206	8	2	1	4	3	1	2	2	2	3	0	1
207	2	1	1	0	1	0	1	3	1	0	0	0
CRANSTON	41	9	13	25	12	1	5	21	11	7	1	2
134	3	1	0	2	1	0	0	1	1	0	0	0
135	2	0	3	1	0	0	2	1	0	0	0	0
136	3	0	0	0	0	1	1	1	0	0	0	0
137	9	4	4	2	3	0	1	1	0	1	1	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1982

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
CRANSTON(CONT.)												
138	1	0	0	5	0	0	0	1	0	1	0	0
139	5	0	0	1	0	0	0	1	0	0	0	1
140	9	0	0	1	1	0	1	3	1	1	0	0
141	1	1	2	2	2	0	0	2	2	1	0	1
142	0	1	0	2	0	0	0	3	1	0	0	0
143	0	0	0	0	1	0	0	1	1	1	0	0
144	0	1	0	0	0	0	0	0	0	0	0	0
145	2	1	0	1	0	0	0	0	0	0	0	0
146	0	0	0	2	2	0	0	4	4	1	0	0
147	4	0	4	4	2	0	0	1	0	0	0	0
148	2	0	0	1	0	0	0	0	0	1	0	0
UNKNOWN	0	0	0	1	0	0	0	0	0	0	0	0
CUMBERLAND	19	2	3	1	4	2	1	10	4	1	1	0
112	5	0	0	0	1	0	1	5	2	0	0	0
113	2	1	0	2	1	1	0	1	0	0	1	0
114	12	1	3	0	2	2	0	4	2	1	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
EAST GREENWICH-209	5	0	0	2	0	0	1	0	0	1	0	0
EAST PROVIDENCE	42	5	11	15	7	5	2	10	3	3	1	0
101	6	0	2	6	1	0	1	3	1	1	0	0
102	5	0	0	2	0	0	0	1	0	0	0	0
103	2	1	0	2	0	0	0	1	1	0	0	0
104	7	1	3	2	2	1	1	0	0	1	0	0
105	10	2	2	2	1	1	0	2	1	1	1	0
106	7	1	3	1	1	2	0	1	0	0	0	0
107	5	0	1	0	2	1	0	2	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
EXETER-505	0	0	0	1	0	0	0	2	2	0	0	0
FOSTER-133	1	0	1	0	0	0	0	3	3	1	0	0
GLOCESTER-131	7	0	0	1	1	1	0	2	1	1	0	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1982

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
HOPKINTON-507	3	0	1	1	0	0	0	3	2	3	1	0
JAMESTOWN-413	1	0	0	3	0	1	0	1	0	0	0	0
JOHNSTON	24	0	3	7	2	0	2	4	3	3	0	0
122	2	0	0	1	1	0	0	1	1	0	0	0
123	3	0	3	2	0	0	2	0	0	0	0	0
124	16	0	0	2	1	0	0	3	2	2	0	0
125	3	0	0	2	0	0	0	0	0	1	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
LINCOLN	8	4	2	6	6	1	1	5	1	3	1	1
115	4	1	0	2	1	1	0	0	0	1	0	0
116	0	0	0	1	2	0	0	1	0	1	0	1
117	4	3	2	3	3	0	1	4	1	1	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE COMPTON-414	2	0	0	0	0	0	0	1	0	1	0	0
MIDDLETOWN	9	1	1	2	0	0	0	1	1	0	0	0
402	1	0	0	0	0	0	0	0	0	0	0	0
403	4	0	1	1	0	0	0	1	0	0	0	0
404	4	1	0	1	0	0	0	1	1	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NARRAGANSETT-515	4	1	2	3	2	1	0	4	3	3	0	0
NEWPORT	17	1	5	8	8	3	2	7	1	2	0	0
405	3	0	1	0	0	1	1	1	0	0	0	0
406	4	0	1	2	3	0	0	2	1	0	0	0
407	0	0	0	2	0	0	0	2	0	1	0	0
408	2	1	1	0	0	1	0	0	0	0	0	0
409	2	0	1	1	1	0	0	1	0	1	0	0
410	6	0	0	1	3	0	0	0	0	0	0	0
411	0	0	1	2	1	1	1	0	0	0	0	0
412	0	0	0	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1982

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
NEW SHOREHAM-415	0	0	0	0	0	0	0	0	0	0	0	0
NORTH KINGSTOWN	4	5	2	4	3	0	1	4	3	2	1	0
501	1	1	0	1	3	0	1	2	1	0	0	0
502	0	0	0	0	0	0	0	0	0	0	0	0
503	2	3	1	3	0	0	0	1	1	2	1	0
504	1	1	1	0	0	0	0	2	1	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NORTH PROVIDENCE	19	2	4	11	2	2	0	6	2	2	0	0
118	3	1	1	2	0	0	0	1	1	0	0	0
119	3	0	1	1	0	1	0	1	0	2	0	0
120	10	1	0	2	0	1	0	3	0	0	0	0
121	3	0	2	5	2	0	0	2	2	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NORTH SMITHFIELD-128	6	0	0	2	3	1	0	2	0	3	0	0
PAWTUCKET	47	14	15	35	7	7	5	25	10	9	5	0
149	0	0	0	0	0	0	0	0	0	0	0	0
150	3	1	0	1	0	0	0	1	0	0	0	0
151	3	1	1	0	2	1	1	2	0	0	0	0
152	4	1	1	5	0	0	0	1	0	0	1	0
153	2	0	0	1	0	2	0	1	1	0	0	0
154	0	0	0	0	0	0	1	1	0	1	0	0
155	3	0	1	2	1	1	0	0	0	2	1	0
156	2	0	0	0	0	1	0	2	1	1	0	0
157	3	0	1	1	0	0	0	0	0	0	1	0
158	3	1	0	3	0	0	0	1	0	0	0	0
159	4	0	1	1	1	0	0	2	1	0	0	0
160	1	1	1	2	0	0	1	0	0	0	0	0
161 **	0	0	2	0	0	0	1	2	2	1	1	0
163	1	1	1	0	1	0	0	0	0	0	0	0
164 **	2	2	2	5	0	0	1	2	2	0	0	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1982

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
PAWTUCKET(CONT.)												
165	1	0	0	2	1	0	0	2	0	0	0	0
166	2	0	0	1	0	0	0	1	0	0	0	0
167	2	0	1	1	0	1	0	2	2	1	0	0
168	3	1	0	3	1	0	0	0	0	0	0	0
169	1	1	0	1	0	1	0	0	0	0	1	0
170	6	1	2	3	0	0	0	4	1	1	0	0
171	1	3	1	3	0	0	0	1	0	2	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
PORTSMOUTH-401	7	2	2	2	1	1	0	4	2	3	0	0
PROVIDENCE	107	22	40	51	25	9	20	53	11	25	16	1
1	2	0	0	3	3	1	1	3	1	0	0	0
2	4	1	1	1	0	1	2	0	0	1	1	0
3	2	0	0	1	3	0	1	4	0	2	0	0
4	0	0	0	0	0	0	2	2	1	0	0	1
5	2	0	0	2	0	0	0	1	0	0	1	0
6	1	0	0	0	1	1	0	0	0	0	1	0
7	0	0	0	0	1	0	0	3	0	1	0	0
8	1	1	1	0	1	0	1	1	0	0	0	0
9	4	1	2	1	0	0	0	1	0	0	1	0
10	2	0	2	2	0	0	0	2	0	0	0	0
11	2	0	1	1	0	0	0	1	0	0	0	0
12	6	0	0	0	1	0	2	1	0	1	0	0
13	1	1	1	1	2	1	1	1	0	1	0	0
14	1	1	2	2	2	0	3	1	1	0	1	0
15	3	1	1	2	0	0	0	3	3	0	0	0
16	4	0	1	1	1	0	1	5	0	3	1	0
17	2	1	1	0	0	0	0	1	0	0	0	0
18	2	1	4	6	1	1	1	2	0	1	3	0
19	2	0	0	5	1	0	1	1	0	2	0	0
20	4	0	1	1	0	0	0	0	0	0	0	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1982

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
PROVIDENCE(CONT.)												
21	6	4	2	4	2	0	0	4	0	1	2	0
22	0	0	1	1	0	0	0	1	0	1	0	0
23	5	0	1	4	0	0	1	0	0	1	1	0
24	4	0	1	1	1	1	0	0	0	0	0	0
25	2	1	2	1	0	0	0	2	0	1	1	0
26	4	0	2	1	0	0	2	2	1	0	1	0
27	4	0	1	1	1	0	1	0	0	1	0	0
28	2	1	1	1	0	0	0	2	1	2	1	0
29	5	1	1	1	0	0	0	2	0	2	0	0
30	2	0	0	0	0	0	0	0	0	1	0	0
31	3	0	1	1	0	1	0	0	0	0	0	0
32	2	0	1	0	0	0	0	1	0	0	1	0
33	6	1	7	2	0	0	0	0	0	0	0	0
34	3	2	0	0	0	1	0	2	1	1	0	0
35	8	3	1	2	1	0	0	2	0	2	0	0
36	1	1	0	0	1	0	0	0	0	0	0	0
37	5	0	0	2	2	1	0	1	1	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
INNER CITY	37	4	13	20	13	4	12	23	4	8	6	1
RICHMOND-506	5	0	0	0	0	2	0	2	2	0	0	0
SCITUATE-132	4	0	2	0	0	0	0	5	2	0	0	0
SMITHFIELD	8	0	0	2	2	0	1	2	2	2	1	0
126	4	0	0	1	0	0	0	0	0	1	0	0
127	5	0	0	1	2	0	1	2	2	1	1	0
SOUTH KINGSTOWN	9	0	3	1	1	1	0	6	1	2	0	1
512	5	0	3	1	1	1	0	0	0	0	0	0
513	4	0	0	0	0	0	0	4	1	2	0	0
514	0	0	0	0	0	0	0	1	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
TIVERTON	8	0	1	3	0	0	0	7	4	1	0	0

TABLE 298 - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1982

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
TIVERTON(CONT.)												
416	7	0	1	1	0	0	0	3	1	0	0	0
417	1	0	0	2	0	0	0	4	3	2	0	0
WARREN	14	1	3	2	1	3	0	2	1	0	0	0
305	6	0	0	0	0	1	0	1	0	0	0	0
306	8	1	3	2	1	1	0	1	1	0	0	0
WARWICK	51	12	13	26	9	1	11	14	11	8	4	0
210	4	1	0	1	2	0	3	1	1	0	0	0
211	4	2	1	2	1	0	0	2	2	1	1	0
212	3	2	1	3	0	0	0	1	1	0	0	0
213	7	0	1	2	2	0	1	0	0	1	0	0
214	5	2	2	4	0	0	0	1	1	0	0	0
215	5	0	3	1	1	1	2	1	1	1	0	0
216	2	0	0	0	0	0	0	0	0	0	1	0
217	5	1	0	0	0	0	2	2	1	0	1	0
218	4	0	0	1	0	0	1	0	0	0	0	0
219	7	1	0	5	0	0	1	3	2	1	1	0
220	0	1	0	2	0	0	0	0	0	0	0	0
221	0	1	0	0	0	0	1	2	2	2	0	0
222	3	1	2	3	2	0	0	1	0	0	0	0
223	1	0	3	1	1	0	0	1	1	2	0	0
224	1	0	0	1	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
WESTERLY	15	2	4	4	3	1	0	6	3	2	0	0
508	7	1	2	3	1	1	0	4	1	1	0	0
509	6	0	2	1	2	0	0	2	2	1	0	0
510	2	1	0	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
WEST GREENWICH-208	1	0	0	2	1	0	1	1	1	0	0	0
WEST WARWICK	18	1	2	5	3	3	1	9	3	3	0	0
201	3	0	1	2	0	0	0	1	0	2	0	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1982

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
WEST WARWICK(CONT.)												
202	3	0	0	1	0	0	0	0	0	1	0	0
203	6	1	0	1	2	1	1	6	2	0	0	0
204	4	0	1	0	0	1	0	0	0	0	0	0
205	2	0	0	1	1	1	0	1	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
WOONSOCKET	38	6	7	12	8	2	4	19	8	8	4	0
172	1	1	0	3	1	0	0	0	0	2	0	0
173	5	0	0	0	1	0	0	2	1	1	1	0
174	1	0	0	0	0	0	1	1	0	0	0	0
175	2	0	1	0	1	0	0	0	0	1	1	0
176	4	0	1	1	1	0	0	2	1	1	0	0
177	4	0	0	0	0	0	0	1	0	0	0	0
178	0	0	1	2	0	0	2	0	0	0	0	0
179	6	0	1	0	0	0	0	2	0	0	0	0
180	6	1	0	0	2	0	0	0	0	0	0	0
181	2	0	1	1	2	0	1	3	1	0	2	0
182	2	0	0	1	0	0	0	0	0	0	0	0
183	0	0	0	0	0	0	0	1	0	1	0	0
184	4	2	1	3	0	1	0	4	3	1	0	0
185	1	2	0	1	0	1	0	3	2	1	0	0
UNKNOWN	0	0	1	0	0	0	0	0	0	0	0	0

** BETWEEN 1960 AND 1965, CENSUS TRACT 162 WAS DIVIDED BETWEEN TRACTS 161 AND 164.

TABLE 30 - RESIDENT ACCIDENT DEATHS BY TYPE AND AGE: RHODE ISLAND, 1982

TYPE OF ACCIDENT(ICD CODE)	ALL AGES	AGE IN YEARS UNDER 1	1-4	5-14	15-24	25-44	45-64	65-84	85 & OVER
ALL ACCIDENTS(E800-949)	271	0	4	12	54	57	45	65	34
RAILWAY ACCIDENTS(800-807)	1	0	0	0	1	0	0	0	0
MOTOR VEHICLE ACCIDENTS(810-825)	121	0	0	9	42	34	20	14	2
COLLISION WITH ANOTHER MOTOR VEHICLE(812)	38	0	0	3	14	9	8	4	0
COLLISION WITH PEDESTRIAN(814)	25	0	0	3	4	7	7	3	1
OTHER COLLISION ACCIDENTS(810,811, 813,815)	40	0	0	2	17	11	5	4	1
NON-COLLISION MOTOR VEHICLE ACCIDENTS(816-818)	13	0	0	0	6	5	0	2	0
UNSPECIFIED MOTOR VEHICLE ACCIDENTS(819)	5	0	0	1	1	2	0	1	0
WATER TRANSPORT ACCIDENTS(830-838)	8	0	0	0	1	4	1	2	0
POISONING(850-869)	8	0	0	0	3	3	1	1	0
BY DRUGS, MEDICAMENTS, AND BIOLOGICALS(850-858)	5	0	0	0	3	2	0	0	0
BY OTHER SOLIDS, LIQUIDS, GASES, AN VAPORS(860-869	3	0	0	0	0	1	1	1	0
FALLS(880-888)	70	0	0	0	2	7	4	32	25
FIRES AND FLAMES(890-899)	13	0	2	0	0	1	5	4	1
DROWNING AND SUBMERSION(910)	15	0	1	2	3	5	3	1	0
INHALATION OF FOOD OR OTHER OBJECT (911-912)	11	0	1	0	0	0	2	7	1
ELECTRIC CURRENT(925)	1	0	0	0	0	1	0	0	0
ALL OTHER (RESIDUAL)	23	0	0	1	2	2	9	4	5

Table 31 - Ten Leading Causes of Death by Sex, with Rates: Rhode Island, 1982
Rhode Island Residents;Rate per 100,000 Population,Except Total Rate per 1,000)

Rank Order	Cause of Death(ICD,1975)	Number	Rate	1981 Rate	Per Cent Change
	BOTH SEXES				
	TOTAL	8,975	9.4	9.6	- 2.1
1.	Diseases of the Heart(390-398,402, 404-429)	3,712	387.5	400.5	- 3.2
2.	Malignant Neoplasms# (140-208)	2,214	231.1	226.1	2.2
3.	Cerebrovascular Diseases(430-438)	595	62.1	62.1	- 4.9
4.	Accidents and Adverse Effects(E800-E949)	271	28.3	30.8	- 8.1
5.	Chronic Obstructive Pulmonary Diseases and Allied Conditions(490-496)	270	28.1	28.9	- 2.4
6.	Diabetes Mellitus(250)	252	26.3	19.0	38.4
7.	Pneumonia and Influenza(480-487)	151	15.8	24.7	-36.0
8.	Chronic Liver Disease and Cirrhosis(571)	126	131.2	14.2	- 7.0
9.	Suicide(E950-E959)	110	11.5	11.0	4.5
10.	Atherosclerosis(440)	107	11.2	13.0	-13.8
	All Other Causes	1,167	121.8	126.4	- 3.6
	MALE				
	TOTAL	4,579	10.0	10.4	- 3.8
1.	Diseases of the Heart(390-398,402, 404-429)	1,847	404.7	429.3	- 5.7
2.	Malignant Neoplasms#(140-208)	1,179	258.3	254.4	1.5
3.	Cerebrovascular Diseases(430-438)	228	50.0	55.1	- 9.3
4.	Chronic Obstructive Pulmonary Diseases and Allied Conditions(490-496)	181	39.37	43.7	- 9.2
5.	Accidents and Adverse Effects(E800-E949)	174	38.1	39.0	- 2.3
6.	Diabetes Mellitus(250)	107	23.4	17.4	34.5
7.	Chronic Liver Disease and Cirrhosis(571)	94	22.6	19.2	7.3
8.	Pneumonia and Influenza(480-487)	80	17.5	20.5	14.6
8.	Suicide(E950-E959)	80	17.5	17.4	0.6
10.	Atherosclerosis(440)	45	9.9	11.9	-16.8
	All Other Causes	564	123.6	135.2	- 8.6
	FEMALE				
	TOTAL	4,396	8.8	8.8	0.0
1.	Diseases of the Heart(390-398,402, 404-429)	1,865	371.8	374.4	- 0.7
2.	Malignant Neoplasms#(140-208)	1,025	206.3	200.2	3.0
3.	Cerebrovascular Diseases(430-438)	367	73.2	74.6	- 1.9
4.	Diabetes Mellitus(250)	145	28.9	20.5	41.0
5.	Accidents and Adverse Effects(E800-E949)	97	19.3	23.3	-17.2
6.	Chronic Obstructive Pulmonary Diseases and Allied Conditions(490-496)	89	17.7	15.4	14.9
7.	Pneumonia and Influenza(480-487)	71	14.2	28.5	-50.2
8.	Atherosclerosis(440)	62	12.4	14.0	-11.4
9.	Nephritis, Nephrotic Syndrome, and Nephrosis(580-589)	37	7.4	9.0	-17.8
10.	Congenital Anomalies(742-759)	34	6.8	4.8	41.7
	All Other Causes	594	118.4	119.4	- 0.8

For complete category title, see International Class

Table 32 - Five Leading Causes of Death in Specified Age Groups: Rhode Island,1982
(Rhode Island Residents; Rates per 100,000 Population for Specified Groups)

Age Group & Rank	Cause of Death(ICD,1975)	Number	Rate	1981 Rate	Per Cent Change
Under Five Years	ALL CAUSES	144	251.1	291.3	- 13.8
1.	Certain Conditions Originating in the Perinatal Period(760-779)	65	113.4	135.1	-16.1
2.	Congenital Anomalies(740-759)	37	64.5	72.0	-10.4
3.	Malignant Neoplasms*(140-208)	6	10.5	10.5	0.0
4.	Pneumonia and Influenza(480-487)	4	7.0	14.0	-50.0
4.	Accidents and Adverse Effects(E800-E949)	4	7.0	12.3	-43.1
4.	Sudden Infant Death Syndrome(798.0)	4	7.0	10.5	-33.3
4.	Diseases of the Heart(390-398,402,404-429)	4	7.0	1.8	288.9
	All Other Causes	20	34.9	35.1	- 0.6
5-19 Years	ALL CAUSES	83	36.4	28.2	29.1
1.	Accidents and Adverse Effects(E800-E949)	36	15.8	11.9	32.8
2.	Suicide(E950-E959)	7	3.1	5.3	-41.5
2.	Malignant Neoplasms*(140-208)	7	3.1	2.6	19.2
4.	Homicide(E960-E969)	6	2.6	1.8	44.4
5.	Congenital Anomalies(740-759)	5	2.2	1.3	69.2
	All Other Causes	22	9.6	5.3	81.1
20-44 Years	ALL CAUSES	395	116.5	124.7	- 6.6
1.	Accidents and Adverse Effects(E800-E949)	87	25.7	32.4	-20.7
1.	Malignant Neoplasms*(140-208)	87	25.7	23.7	8.4
3.	Suicide(E950-E959)	64	18.9	16.9	11.8
4.	Diseases of Heart(390-398,402,404-429)	50	14.8	13.4	10.4
5.	Homicide(E960-E969)	24	7.1	8.6	-17.4
	All Other Causes	83	24.5	29.7	-17.5
45-64 Years	ALL CAUSES	1746	850.4	873.3	- 2.6
1.	Malignant Neoplasms*(140-208)	637	310.2	314.2	- 1.3
2.	Diseases of Heart(390-398,402,404-429)	636	309.7	319.1	- 2.9
3.	Chronic Liver Disease and Cirrhosis(571)	66	32.1	30.9	3.9
4.	Diabetes Mellitus(250)	51	24.8	20.1	23.4
5.	Cerebrovascular Diseases(430-438)	48	23.4	32.3	-27.6
	All Other Causes	308	150.0	136.4	9.7

* For complete category title, see International Classification of Diseases, 1975 Revision.

Table 32 - Five Leading Causes of Death in Specified Age Groups: Rhode Island, 1982
(Rhode Island Residents; Rates per 100,000 Population for Specified Groups) (cont'd)

Age Group & Rank	Cause of Death(ICD, 1975)	Number	Rate	1981 Rate	Per Cent Change
65 Years and Over	ALL CAUSES	6606	5145.9	5256.7	- 2.1
1.	Diseases of Heart(390-398,402,404-429)	3019	2351.7	2442.6	- 3.7
2.	Malignant Neoplasms*(140-108)	1447	1150.5	1112.3	3.4
3.	Cerebrovascular Diseases(430-438)	534	416.0	427.2	2.6
4.	Chronic Obstructive Pulmonary Disease and Allied Conditions(490-496)	222	172.9	181.9	- 4.9
5.	Diabetes Mellitus(250)	194	151.1	104.3	44.9
	All Other Causes	1160	903.6	988.5	- 8.6

* For complete category title, see International Classification of Diseases, 1975 Revision.

TABLE 33 - NUMBER OF MARRIAGES AND PERSONS MARRIED BY CITY AND TOWN OF RESIDENCE OF BRIDE AND GROOM: RHODE ISLAND 1982

(RHODE ISLAND OCCURRENCES)

CITY OR TOWN	MARRIAGES ACCORDING TO RESIDENCE		
	PERSONS MARRIED	GROOM	BRIDE
TOTAL	15770	7885	7885
BARRINGTON	171	69	102
BRISTOL	328	153	175
BURRILLVILLE	163	72	91
CENTRAL FALLS	404	188	216
CHARLESTOWN	81	37	44
COVENTRY	437	218	219
CRANSTON	1059	481	578
CUMBERLAND	335	161	174
EAST GREENWICH	133	71	62
EAST PROVIDENCE	737	369	368
EXETER	68	35	33
FOSTER	48	22	26
GLOCESTER	119	57	62
HOPKINTON	103	50	53
JAMESTOWN	71	34	37
JOHNSTON	359	175	184
LINCOLN	245	115	130
LITTLE COMPTON	33	17	16
MIDDLETOWN	234	114	120
NARRAGANSETT	210	104	106
NEWPORT	577	284	293
NEW SHOREHAM	8	5	3
NORTH KINGSTOWN	366	181	185
NORTH PROVIDENCE	471	227	244
NORTH SMITHFIELD	97	47	50
PAWTUCKET	1064	519	545
PORTSMOUTH	214	100	114
PROVIDENCE	2232	1130	1102
RICHMOND	65	36	29
SCITUATE	114	55	59
SMITHFIELD	179	87	92
SOUTH KINGSTOWN	248	121	127
TIVERTON	123	54	69
WARREN	169	83	86
WARWICK	1286	610	676
WESTERLY	281	128	153
WEST GREENWICH	40	20	20
WEST WARWICK	485	249	236
WOONSOCKET	564	271	293
OTHER STATES OR FOREIGN PLACES	1849	1136	713

TABLE 34 - MARRIAGES OCCURRING IN RHODE ISLAND BY AGE OF BRIDE, AGE OF GROOM, 1982

AGE OF BRIDE		AGE OF GROOM IN YEARS											
IN YEARS	TOTAL	UNDER 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & OVER	UNKNOWN
TOTAL	7885	327	2580	2242	1182	583	317	201	145	106	89	113	0
UNDER 20	966	241	589	100	25	9	1	0	1	0	0	0	0
20-24	3104	77	1668	1011	238	70	26	10	2	1	0	1	0
25-29	1941	8	254	918	515	162	52	22	4	3	2	1	0
30-34	833	1	44	155	301	183	100	25	14	5	2	0	0
35-39	424	0	20	42	82	111	73	47	31	6	7	5	0
40-44	218	0	4	3	15	35	44	47	33	22	6	3	0
45-49	125	0	0	7	5	9	15	31	25	17	15	1	0
50-54	91	0	1	0	1	3	3	11	24	22	18	8	0
55-59	77	0	0	0	0	1	2	4	8	23	21	18	0
60-64	46	0	0	0	0	0	1	0	3	7	11	24	0
65 & OVER	60	0	0	0	0	0	0	1	0	0	7	52	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 35 - MARRIAGES OCCURRING IN RHODE ISLAND BY AGE AT MARRIAGE AND PREVIOUS MARITAL STATUS OF BRIDE AND GROOM, 1982

AGE GROUP IN YEARS	PREVIOUS MARITAL STATUS OF BRIDE					PREVIOUS MARITAL STATUS OF GROOM				
	TOTAL	SINGLE	WIDOWED	DIVORCED	UNKNOWN	TOTAL	SINGLE	WIDOWED	DIVORCED	UNKNOWN
TOTAL	7885	5778	217	1887	3	7885	5581	256	2048	0
UNDER 20	966	962	0	4	0	327	327	0	0	0
20-24	3104	2924	7	173	0	2580	2505	1	74	0
25-29	1941	1407	15	518	1	2242	1854	7	381	0
30-34	833	344	11	478	0	1182	614	9	559	0
35-39	424	74	13	336	1	583	147	17	419	0
40-44	219	26	22	169	1	317	62	12	243	0
45-49	125	14	22	89	0	201	32	17	152	0
50-54	91	9	22	60	0	145	17	26	102	0
55-59	77	5	34	38	0	106	13	31	62	0
60-64	46	4	31	11	0	89	5	43	41	0
OVER 64	60	9	40	11	0	113	5	93	15	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0

TABLE 36 - NUMBER OF TIMES MARRIED FOR BRIDES BY NUMBER OF TIMES MARRIED FOR GROOMS

RHODE ISLAND, 1982 (RHODE ISLAND OCCURRENCES)

NUMBER OF THIS MARRIAGE FOR BRIDE	NUMBER OF THIS MARRIAGE FOR GROOM				
	TOTAL	FIRST	SECOND	THIRD OR MORE	UNKNOWN
TOTAL	7885	5581	2056	248	0
FIRST	5778	4805	905	68	0
SECOND	1886	716	1029	141	0
THIRD OR MORE	221	60	122	39	0
UNKNOWN	0	0	0	0	0

TABLE 37 - MARRIAGES OCCURRING IN RHODE ISLAND BY PREVIOUS MARITAL STATUS OF BRIDE AND GROOM, 1982

PREVIOUS MARITAL STATUS OF BRIDE	PREVIOUS MARITAL STATUS OF GROOM				
	TOTAL	SINGLE	WIDOWED	DIVORCED	UNKNOWN
TOTAL	7885	5581	256	2048	0
SINGLE	5778	4805	46	927	0
WIDOWED	217	41	99	77	0
DIVORCED	1887	732	111	1044	0
UNKNOWN	3	3	0	0	0

TABLE 38 - MARRIAGES ACCORDING TO LAST GRADE OF SCHOOL COMPLETED

BY BRIDE ACCORDING TO LAST GRADE OF SCHOOL COMPLETED BY GROOM: RHODE ISLAND, 1982

		LAST GRADE COMPLETED BY GROOM					
			HIGH SCHOOL		COLLEGE		
LAST GRADE COMPLETED BY BRIDE	TOTAL	8 YEARS OR LESS	1 - 3 YEARS	4TH YEAR	1 - 3 YEARS	4TH YEAR OR MORE	NOT STATED
TOTAL	7885	349	1020	3023	1514	1967	12
8 YEARS OR LESS	267	104	69	69	18	7	0
HIGH SCHOOL							
1 - 3 YEARS	983	98	392	360	105	26	2
4TH YEAR	3154	116	407	1726	534	371	0
COLLEGE							
1 - 3 YEARS	1791	25	125	611	545	484	1
4TH YEAR OR MORE	1677	5	27	255	309	1079	2
NOT STATED	13	1	0	2	3	0	7

TABLE 39 - DIVORCES OCCURRING IN RHODE ISLAND BY AGE OF WIFE, AGE OF HUSBAND, 1982

AGE OF HUSBAND		AGE OF WIFE IN YEARS											
IN YEARS	TOTAL	UNDER 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & OVER	UNKNOWN
TOTAL	3619	49	556	918	754	564	321	184	123	73	33	24	20
UNDER 20	17	6	2	2	4	1	1	0	1	0	0	0	0
20 24	283	24	222	27	7	1	0	0	0	0	0	0	2
25-29	774	13	247	440	57	12	1	2	1	0	0	0	1
30-34	842	1	60	337	377	57	7	2	0	1	0	0	0
35-39	632	4	12	76	230	263	37	5	0	2	0	0	3
40-44	428	1	5	13	51	173	147	23	3	3	0	1	2
45-49	251	0	4	4	21	39	76	81	14	4	1	1	2
50-54	156	0	1	5	3	9	30	48	45	10	2	1	2
55-59	120	0	1	1	3	3	14	14	42	30	7	4	1
60-64	56	0	0	1	0	2	4	4	10	18	12	4	1
65 & OVER	44	0	0	0	1	2	4	5	4	4	11	13	0
UNKNOWN	16	0	2	2	0	2	0	0	3	1	0	0	6

TABLE 40 - DIVORCES BY NUMBER OF TIMES MARRIED BEFORE THIS DIVORCE BY SEX: RHODE ISLAND, 1982
(RHODE ISLAND OCCURRENCES)

NUMBER OF HUSBAND'S		NUMBER OF WIFE'S MARRIAGES				
MARRIAGES	TOTAL DIVORCES	FIRST	SECOND	THIRD	FOURTH OR MORE	UNKNOWN
TOTAL DIVORCES	3619	2835	531	65	9	179
FIRST	2771	2533	219	13	1	5
SECOND	582	271	267	32	6	6
THIRD	83	26	40	15	1	1
FOURTH OR MORE	11	3	4	3	1	0
UNKNOWN	172	2	1	2	0	167

TABLE 41 - DIVORCES BY MARITAL STATUS AND AGE OF HUSBAND AND OF WIFE: RHODE ISLAND, 1982

(RHODE ISLAND OCCURRENCES)

AGE GROUP IN YEARS	HUSBAND				WIFE			
	TOTAL DIVORCES	FIRST MARRIAGE	REMARRIAGE	STATUS UNKNOWN	TOTAL DIVORCES	FIRST MARRIAGE	REMARRIAGE	STATUS UNKNOWN
TOTAL	3619	2771	676	172	3619	2835	605	179
UNDER 20	17	16	0	1	49	48	0	1
20-24	283	267	6	10	556	516	20	20
25-29	774	700	55	19	918	811	75	32
30-34	842	693	115	34	754	594	132	28
35-39	632	448	150	34	564	394	137	33
40-44	428	282	118	28	321	212	87	22
45-49	251	163	78	10	184	116	54	14
50-54	156	92	47	17	123	76	36	11
55-59	120	67	46	7	73	38	27	8
60-64	56	22	31	3	33	13	20	0
OVER 64	44	15	27	2	24	7	16	1
UNKNOWN	16	6	3	7	20	10	1	9

TABLE 42 - NUMBER OF DIVORCES OF REMARRIED PERSONS BY PREVIOUS MARITAL HISTORY: RHODE ISLAND, 1982

(RHODE ISLAND OCCURRENCES)

	HUSBAND	WIFE
TOTAL DIVORCES GRANTED TO REMARRIED PERSONS	676	605
NUMBER OF DIVORCES WITH PREVIOUS MARRIAGES ENDED BY:		
DIVORCE ONLY:	584	514
DEATH ONLY:	50	50
COMBINATION OF DEATH AND DIVORCE:	9	6
UNKNOWN:	31	31

TABLE 43 - NUMBER OF DIVORCES BY COUNTY WITH NUMBER OF CHILDREN UNDER EIGHTEEN KNOWN TO BE AFFECTED

RHODE ISLAND, 1982

(RHODE ISLAND OCCURRENCES)

NUMBER OF CHILDREN PER DIVORCE	TOTAL CHILDREN UNDER 18 AFFECTED	TOTAL DIVORCES	NUMBER OF DIVORCES BY COUNTY				
			BRISTOL	KENT	NEWPORT	PROVIDENCE	WASHINGTON
TOTAL	3802	3619	149	631	305	2185	349
NONE	0	1212	48	212	93	747	112
ONE	912	912	39	152	87	547	87
TWO	1674	837	38	154	73	488	84
THREE	756	252	10	47	20	145	30
FOUR	312	78	1	15	8	46	8
FIVE	75	15	0	1	2	10	2
SIX	30	5	0	1	0	4	0
NINE	9	1	0	0	0	1	0
TEN	10	1	0	0	0	1	0
TWELVE	24	2	0	1	1	0	0
NOT STATED	*	304	13	48	21	196	26

TABLE 44 - DIVORCES ACCORDING TO LAST GRADE OF SCHOOL COMPLETED BY SEX: RHODE ISLAND, 1982

(RHODE ISLAND OCCURRENCES)

LAST GRADE COMPLETED	HUSBAND		WIFE	
	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL	3619	100.0	3619	100.0
8 YEARS OR LESS	268	7.4	152	4.2
HIGH SCHOOL				
1 - 3 YEARS	549	15.2	560	15.5
4 YEARS	1361	37.6	1594	44.0
COLLEGE				
1 - 3 YEARS	511	14.1	570	15.8
4 YEARS OR MORE	582	16.1	397	11.0
NOT STATED	348	9.6	346	9.6